

# **MSDS FOR STANDARD HEAT TRANSFER OIL**

SECTION I : PRODUCTION & COMPANY IDENTIFICATION

TRADE NAME : ISTPURE STANDARD HEAT TRANSFER OIL PART # : 330066, 330067, 330068, 330069 CHEMICAL NAME AND SYNONYMS : Mixture MANUFACTURER/SUPPLIER'S NAME:



4160 Industriel Blvd. Laval, QC, H7L 6H1 CANADA istsurface.com

24 HOURS EMERGENCY :

Call CHEMTREC 1 800 424-9300 or 703 527-3887

PRODUCT USE : It is a heat transfer fluid recommended for non-pressurized, liquid-phase, closed

heat transfer systems.

**SECTION 2 : HAZARDS IDENTIFICATION** 

WHMIS CLASS AND DESCRIPTION :



EMERGENCY OVERVIEW	Repeated exposure may cause skin dryness and cracking
<b>ROUTES OF ENTRY</b>	Dermal contact. Eye contact. Inhalation and Ingestion

## **POTENTIAL ACUTE HEALTH EFFECTS**

INHALATION	No acute effect expected as considered non-toxic	
CONTAC WITH EYES	This product should not cause eye irritation. Prolonged contact with the product can cause irritation	
SKIN CONTACT	his product is pratically non-toxic if absorbed through the skin. It may cause a mild ritation through prolonged and repeated contact. The product while hot may cause ome burns	
INGESTION	ractically non-toxic if ingested. If absorbed in great quantities may cause distress of he digestive system and diarrhea	
OTHER EFFECTS	None expected to cause any significant helth effect under normal conditions of use. Not MUTAGENIC, GENOTOXIC or SENSITIZING for animals and humans	
MEDICAL CONDITIONS AGGRAVED BY OVEREXPOSURE:	Pre-existing disorders involving any target organs mentioned in MSDS as being at risk may be aggravated by the over-exposure to this product.	



#### **SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS**

NAME	CAS NUMBER	%
-/-	-/-	-/-

- Contains no hazardous ingredients as defined by the Canadian Hazardous Products Act (BILL C70) or by OSHA 29 CFR 1910.1200.
- Canadian DSL and NDSL status: All ingredients are listed.
- No components of this product have been found carcinogenic or potential carcinogen. Does not contain ingredients that are listed as carcinogenic or potential carcinogen by OSHA, IARC or the U.S. National Toxicology Program (NTP). This product or its components have no teratogenic or mutagenic effects known.

#### **SECTION 4 : FIRST-AID**

GENERAL ADVICE	IN CASE OF SERIOUS OR ANY PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY CARE. Show this material safety data sheet to the medical personel in attendance	
INHALATION	If exposed to high levels of vapors or suspensions, take the person to fresh air and get medical attention if cough or other symptoms develop	
EYE CONTACT	Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately	
SKIN CONTACT	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contamin ated clothing and shoes. Wash skin thoroughly with soap and water or use recognised skin cleanser. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention immediately	
INGESTION	This product has a low toxicity. May cause nausea and have a laxative effect. Do not induce vomiting. Contact an Anti-Poison Center (1-800-463-5060)	
PROTECTION OF FIRST-AIDERS	Do not use mouth to mouth if the victim has ingested or inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical advice. Use personal protective equipment	
NOTES TO PHYSICIAN	Treat symptomatically	
24 HOURS EMERGENCY: CALL CHEMTREC 1-800-424-9300 OR 703-527-3887		

#### **SECTION 5 : FIRE-FIGHTING MEASURES**

FLASH POINT (COC)	238 °C
AUTOIGNITION TEMPERATURE ( °C)	368 °C (estimated)
SUITABLE EXTINGUISHING MEDIA	Foam, Dry chemical and CO <sup>2</sup>
HAZARDOUS COMBUSTION PRODUCTS	Normal combustion products, CO and CO2.
SPECIAL FIRE FIGHTING PROCEDURES	Do not enter confined fire space without adequate protective clothing and an approved positive self-contained breathing apparatus. Use water to cool fire exposed containers



International Surface Technologies



# **SECTION 6 : ACCIDENTAL RELEASE MEASURES**

SPILL AND LEAK PROCEDURES	Except in case of small spillages. The feasibility of any actions should always be assessed and advised, if possible, by a trained, competent person in charge of managing the emergency. If required, notify relevant authorities according to all applicable regulations. Evacuate non-essential personnel. For personal protection see section 8. Stop or contain leak at the source, if safe to do so. In case of large spillages, alert occupants in downwind areas. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area)
ADVICE FOR NON- EMERGENCY PERSONNEL	Do not touch or walk through spilled material. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area)
ADVICE FOR EMERGENCY PERSONNEL	Take all appropriate steps to avoid fire, explosion and inhalation hazards to the rescuers including the use of breathing apparatus. In case of small spillages: normal working clothes are usually adequate. Large spillages: Chemical resistant clothing, apron. Work gloves (preferably gauntlets) providing adequate chemical resistance. Remarks: Gloves made of PVA are not water-resistant, and are not suitable for emergency use. Work helmet, safety shoes or boots. Goggles and/or face shield, if splashes or contact with eyes is possible or anticipated. Respiratory protection not normally required in normal conditions. A half or full-face respirator with filter(s) for organic vapors (and when applicable: for H2S would be recommended otherwise. A Self-Contained Breathing Apparatus (SCBA) can be used according to the extent oxygen deficiency is possible
ENVIRONMENTAL PRECAUTIONS	Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained. The product should not be allowed to enter drains, water courses or the soil.
METHODS AND MATERIALS FOR CONTAINEMENT AND CLEANING UP	Dam up. Ground and bond containers when transferring material. Keep in suitable, closed containers for disposal. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Use clean non-sparking tools to collect absorbed material.

# **SECTION 7 : HANDLING AND STORAGE**

STORAGE AND HANDLING	Use approprite equipment (refer to section 8) whenever manipulating this product. Keep container in a cool and well-ventilated area. Do not enter storage areas and confined spaces unless adequately ventilated. Keep container tightly closed and sealed until ready for use. Store and use away from heat, sparks, open flame or any other ignition source
-------------------------	---



International Surface Technologies istsurface.com

## SECTION 8 : EXPOSURE CONTROLS / PERSONAL PROTECTION



OSHA (PEL).....TWA 5 mg/m<sup>3</sup> NIOSH (REL) .....TWA 5 mg/m<sup>3</sup> STEL ......10 mg/m<sup>3</sup>

VENTILATION	Nechanical ventilation is recommended.	
RESPIRATORY PROTECTION	If mist present, chemical cartridge respirator is recommended.	
GLOVES	Resistant gloves (Viton, Nitrile, Neoprene) are recommended when handling this material.	
EYE PROTECTION	Chemical safety goggles are recommended.	
BODY	Flame retardant clothing is required.	
OTHER PROTECTION	In confined spaces or where the risk of skin exposure is higher, resistant clothing or apron should be worn. Flame retardant clothing is required. Security boots.	

## **SECTION 9 : PHYSICAL DATA**

PHYSICAL STATE AT 25°C	Liquid.
APPEARANCE AND ODOR	Bright with characteristic odor.
рН	Not available.
BOILING POINT	Not available.
FLASH POINT (COC)	238℃
POUR POINT	-15°C
EVAPORATION RATE	Negligible
LOWER FLAMMABILITY LIMITS	Not available.
UPPER FLAMMABILITY LIMITS	Not available.
DENSITY	0,860 (g/cm <sup>3</sup> at 15 °C)
VAPOR PRESSURE	< 0.0001 (mm Hg at 20 °C)
VISCOSITY	51.2 - 7.08 (cSt at 40 °C)
SOLUBILITY IN WATER	Negligible
AUTOIGNITION TEMPERATURE	368 °C (estimated)



## **SECTION 10 : STABILITY AND REACTIVITY**

STABILITY	Stable in normal condition of use and storage.	
POSSIBILITY OF HAZARD REACTIONS	Will not occur	
CONDITIONS TO AVOID	Avoid excessive heat, open flames and formation of oil mist.	
PRODUCTS TO AVOID	Oxidizing agents, strong acids and bases.	
HAZARDOUS DECOMPOSITION PRODUCTS	Normal combustion products and CO	

## **SECTION 11 : TOXICOLOGICAL INFORMATION**

SPECIES	DL <sub>50</sub> ORAL	DL <sub>50</sub> DERMAL	CL <sub>50</sub> BY INHALATION	HOUR	1
Rat	> 30 g/kg	> 8000 mg/kg	Not available	-/-	
CHRONIC EFFECTS ON HUMANS		product should to high vapor	. Negligible hazard at amb not be harmful through ir concentration of this p ausea and in the case of ho ry passages	nhalation. Prolonged roduct can cause	l exposure headache,
CARCINOGENIC EFFECTS		This product has no carcinogenic effects known			
TERATOGENICITY/MUTAGENICITY		This product has no teratogenic or mutagenic effects known			
OTHER TOXIC EFFECTS ON HUMANS		Repeated expo	sure may cause skin dryne	ess and cracking.	

### **SECTION 12 : ECOLOGICAL INFORMATION**

<b>ENVIRONMENTAL</b> <b>EFFECTS</b> Do not allow product or runoff from fire control to enter storm or sanitary so lakes, rivers, streams, or public waterways. Block off drains and ditches. Province and federal regulations may require that environmental other agencies be notified of a spill incident. Spill area must be cleaned and rest to original condition or to the satisfaction of authorities.		
BIODEGRADABILITY	Y NOT READILY BIODEGRADABLE.	
MOBILITYSoil: Given its physical and chemical characteristics, the product generally show soil mobility. Air: Loss by evaporation is limited. Water: Insoluble. The product will spread on the surface of the water.		

## **SECTION 13 : DISPOSAL CONSIDERATIONS**

WASTE DISPOSAL<br/>METHODSConsult relevant local authorities. Reclaim or dispose of at a licensed waste disposal<br/>company. Incinerate with approval of appropriate local authority.



## **SECTION 14 : TRANSPORTATION INFORMATION**

TRANSPORTATION IN CANADA (TDG)	Not regulated		
SHIPPING NAME			
UN NUMBER	None		
<b>CLASS DESCRIPTION</b>			
Other agencies:			
USDOT	Not regulated by that agency as a hazardous material.		
IMO/IMDG (SEA)	Not regulated as a hazardous material for maritime transport.		
IATA (AIR)	Not regulated as a hazardous material for air transport.		
ADNR (INLAND WATERWAY TRANSPORT)	Not regulated by that agency as a hazardous material.		
ADR/RID	Not regulated as a hazardous material for land transport.		

#### **SECTION 15 : REGULATORY INFORMATION**

This product has been classified in accordance with the hazard criteria of the Controlled Products. Regulations (CPR) and the MSDS contains all the information required by the CPR.

#### THIS PRODUCT IS NOT A WHMIS CONTROLLED SUBSTANCE.

**DSL/NDSL Status:** This product, or all components, are listed on the Domestic Substances List, as required under the Canadian Environmental Protection Act. This product and/or all components are listed on the U.S. EPA TSCA Inventory.

Other Regulatory Status: No Canadian federal standard; however, for general discharge guidance, federal installations limited to 15 mg/L

#### INTERNATIONAL REGULATIONS

#### **U.S. FEDERAL REGULATIONS:** TSCA 8(b) inventory: All components are listed.

RISK PHRASES	This product is not classified according to EU legislation		
SARA 302/304/311/312 EXTREMELY HAZARDOUS SUBSTANCES	To the best of our knowledge, there are no substances that would be at reportable levels for this regulation in this product.		



## **SECTION 15 : REGULATORY INFORMATION (CONT'D)**

SARA 302/304 EMERGENCY PLANNING AND NOTIFICATION	To the best of our knowledge, there are no substances that would be at reportable levels for this regulation in this product.
SARA 302/304/311/312 HAZARDOUS CHEMICALS	Distillates (petroleum), hydrotreated light
SARA 311/312 MSDS DISTRIBUTION - CHEMICAL INVENTORY - HAZARD IDENTIFICATION	Distillates (petroleum), hydrotreated light: Delayed (chronic) health hazard
SARA 313	This product contains no chemicals in excess of the applicable minimum concentration that are subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372 (Table 372.65).

- Clean Water Act (CWA) 307: To the best of our knowledge, there are no substances that would be at reportable levels for this regulation in this product.
- Clean Water Act (CWA) 311: To the best of our knowledge, there are no substances that would be at reportable levels for this regulation in this product.
- Clean Air Act (CAA) 112 accidental release prevention: To the best of our knowledge, there are no substances that would be at reportable levels for this regulation in this product.
- Clean Air Act (CAA) 112 regulated flammable substances: To the best of our knowledge, there are no substances that would be at reportable levels for this regulation in this product.
- Clean Air Act (CAA) 112 regulated toxic substances: To the best of our knowledge, there are no substances that would be at reportable levels for this regulation in this product.

## **S**TATES REGULATIONS

To the best of our knowledge, there are no substances that would be at reportable levels for this regulation in this product.

**California Proposition 65:** To the best of our knowledge, there are no Proposition 65 chemicals present in this product at levels that would require warning under the California Safe Drinking Water and Toxic Enforcement Act.

#### **O**THER INTERNATIONAL LISTS

AUSTRALIA INVENTORY (AICS)		
CHINA INVENTORY (IECSC)	This material is listed or exempted	
EUROPE (EINECS/ELINCS/NLP)		
JAPAN INVENTORY	Not determined	
KOREA INVENTORY (KECL)		
NEW ZEALAND INVENTORY OF CHEMICALS (NZIOC)	This material is listed or exempted	
PHILIPPINES INVENTORY (PICCS)		





#### **SECTION 16 : ADDITIONAL INFORMATION**

LABEL REQUIREMENTS	None (based on WHMIS)
--------------------	-----------------------

Other Hazardous System Classification: According to the NATIONAL FIRE PROTECTION ASSOCIATION (NFPA) and Hazardous Materials Identification System (HMIS, USA):

NFPA	1	HMIS	
0	HEALTH	0	NO SIGNIFICANT RISK
1	FLAMMABILITY	1	PRESENT A WEAK RISK
0	REACTIVITY	0	NO SIGNIFICANT RISK
	INDIVIDUAL PROTECTION	В	Eye protection and gloves are recommended

PREPARED BY:	André St-Jean, Chemist	
REVISED ON:	lovember 2nd, by Maria Cristina Martinez	
DATE OF ISSUE 2015, February 11 <sup>th</sup>		

We believe that technical information and recommendations contained herein to be reliable and accurate. However, we provide these data without warranty or guarantee of any kind, expressed or implied.

We assume no responsibility for any loss, damage, or expense, direct or consequential, arising from the use of products described herein.



ISTpure is a registered trademark of International Surface Technologies 4160 Industriel Blvd. Laval, Quebec H7L 6H1 Canada T : 1 877 629-8202 F : 450 963-5122 info@istsurface.com



