



International  
Surface  
Technologies  
[istsurface.com](http://istsurface.com)

**ISTblast**  
BEYOND THE SURFACE

# INDUSTRIAL PARTS AND SANDBLASTING EQUIPMENTS CATALOG

## (cabinets, pressure vessels & accessories)



## TABLE OF CONTENTS

|   | <b>Page</b> |
|---|-------------|
| <b>BLAST CABINETS</b>   | 4           |
| BLAST CABINET ECO420 .....  | 5           |
| BLAST CABINET ECONO 26 TO 48 SERIES .....   | 6           |
| G15 TRIGGER OPERATED SANDBLAST GUN .....  | 7           |
| <b>THIS PAGE IS DELIBERATELY LEFT BLANK .....</b>   | <b>8</b>    |
| BLAST CABINET SUCTION ECAB 3-5-7 SERIES (UNTIL 2022) .....                                      | 9           |
| BLAST CABINET SUCTION ECAB 3-5-7 SERIES (SINCE 2022) .....                                      | 10          |
| BLAST CABINET PRESSURE ECAB 3-5-7 SERIES (SINCE 2022) .....                                     | 11          |
| RECOVERY SYSTEM - EXPLODED VIEW & PARTS) .....  | 12          |
| ECAB SERIES SUCTION / PRESSURE SANDBLASTING CABINETS - FOOT PEDAL, PNEUMATIC TREE. (SINCE 2022) | 13          |
| SANDBLASTING GUNS ASSOCIATED TO A FOOT PEDAL - G5 & SH5 GUNS - NOZZLE/SPRAY COMBO .....         | 14          |
| INDUSTRIAL CABINET "M" SERIE – SUCTION: EXPLODED VIEW & PARTS (UNTIL 2022) .....                | 15          |
| INDUSTRIAL CABINET "M" SERIE – SUCTION: EXPLODED VIEW & PARTS (SINCE 2022) .....                | 16          |
| INDUSTRIAL CABINET "M" SERIE – SUCTION: P.NEUMATIC TREE .....                                   | 17          |
| INDUSTRIAL CABINET "M" SERIE – PRESSURE: EXPLODED VIEW & PARTS (UNTIL 2022) .....               | 18          |
| INDUSTRIAL CABINET "M" SERIE – PRESSURE: STD ½" PNEUMATIC TREE (UNTIL 2022) .....               | 19          |
| INDUSTRIAL CABINET "M" SERIE – PRESSURE: OPT. 1" PNEUMATIC TREE (UNTIL 2022) .....              | 20          |
| INDUSTRIAL CABINET "M" SERIE – PRESSURE: EXPLODED VIEW & PARTS (SINCE 2022) .....               | 21          |
| INDUSTRIAL CABINET "M" SERIE – PRESSURE: STD ½" PNEUMATIC TREE (SINCE 2022) .....               | 22          |
| INDUSTRIAL CABINET "M" SERIE – PRESSURE: OPT. 1" PNEUMATIC TREE (SINCE 2022) .....              | 23          |
| INDUSTRIAL CABINET "M" SERIE – PRESSURE: AUTODEPRESSURIZATION SYSTEM .....                      | 24          |
| SANDBLASTING CABINET: FOOT CONTROL PEDAL (UNTIL 2022) .....                                     | 25          |
| SANDBLASTING CABINET: OPTION NO CONTACT CONTROL PEDAL .....                                     | 26          |
| SANDBLASTING CABINETS: HOSES, COUPLINGS & NOZZLES .....   | 27, 28      |
| PRESSURE VESSELS M101P .....  | 29          |
| PRESSURE VESSELS M101P TYPE RC76 .....  | 30          |
| M SERIES INDUSTRIAL CABINETS: RECLAIMING SYSTEM .....   | 31          |
| <b>DUST COLLECTORS .....</b>  | <b>32</b>   |
| DUST COLLECTOR DC - 50 SERIE .....  | 33          |
| DUST COLLECTOR DCM100 TO 330 SERIE .....  | 34          |
| DUST COLLECTORS: MOTORS, HOSES AND BAGS OR CARTRIDGES .....                                     | 35          |
| DUST COLLECTORS DCM600 TO 1,800 SERIE .....   | 36          |
| <b>PORTABLE SANDBLASTERS .....</b>  | <b>37</b>   |



## **TABLE OF CONTENTS (CONT'D)**

|   | <b>Page</b> |
|---|-------------|
| PPB-80PX PORTABLE SANDBLASTER.....  | 38          |
| 100 PX PORTABLE SANDBLASTER (DISCONTINUED).....   | 39          |
| PPB-80 & 100PX PORTABLE SANDBLASTER AVAILABLE PARTS.....                                    | 40          |
| SANDBLASTERS PPB-346/646/1046 : NOZZLES & HOSES.....  | 41 TO 43    |
| SANDBLASTER MODEL 340 - 640 TYPE RC66 / RC70 ( UNTIL 2009)- EXPLODED VIEW & PARTS LIST..... | 44, 45      |
| SANDBLASTER MODEL 340 - 640 TYPE RC76 / RC80 ( UNTIL 2009)- EXPLODED VIEW & PARTS LIST..... | 46, 47      |
| SANDBLASTERS PPB-346/646/1046 : RC-176 PRESSURE RELEASE SYSTEM .....                        | 48, 49      |
| SANDBLASTERS PPB-346/646/1046 : RC-186 - PRESSURE HOLD SYSTEM (UNTIL 2017).....             | 50, 51      |
| SANDBLASTERS PPB-346/646/1046 : RC-186 - PRESSURE HOLD SYSTEM ( 2017 TO 2022).....          | 52, 53      |
| SANDBLASTERS PPB-346/646/1046 : RC-186 - PRESSURE HOLD SYSTEM ( SINCE 2022).....            | 54, 55      |
| SANDBLASTERS PPB-346/646/1046 : MMV-175 METERING VALVE .....                                | 56          |
| SANDBLASTERS PPB-346/646/1046 : PMV-186 METERING VALVE (UNTIL 2017).....                    | 57          |
| SANDBLASTERS PPB-346/646/1046 : AR7+46 OR A7 ABRASIVE METERING VALVES.....                  | 58          |
| SANDBLASTERS PPB-346/646/1046 : AV-176 - COMBO AIR VALVE .....                              | 59          |
| SANDBLASTERS PPB-346/646/1046: AV-186 - AIR VALVE .....                                     | 60          |
| <b>THIS PAGE IS DELIBERATELY LEFT BLANK.....</b>  | <b>61</b>   |
| SANDBLASTERS PPB-346/646/1046: RC176/186 - PMV-176 COMBO SYSTEM (UNTIL 2017) .....          | 62, 63      |
| SANDBLASTERS PPB-346/646/1046: RC176/186 - AR7+A6 COMBO SYSTEM (2017 TO 2022) .....         | 64, 65      |
| SANDBLASTERS PPB-346/646/1046: RC176/186 - AR7+A7 COMBO SYSTEM (SINCE 2022) .....           | 66, 67      |
| REMOTE CONTROLS BOXES FOR SANBLAST BOOTHS (RC176-186) (UNTIL2022).....                      | 68          |
| REMOTE CONTROLS BOXES FOR SANBLAST BOOTHS (AR7+A7) (SINCE 2022).....                        | 69          |
| PNEUMATIC REMOTE CONTROLS .....   | 70          |
| ELECTRICAL REMOTE CONTROLS .....  | 71          |
| A6 ACTUATOR - AR-7 - DIAPHRAGM & PILOT VALVES (UNTIL2009) .....                             | 72          |
| BREATHABLE AIR SYSTEM .....   | 73          |
| SAFETY EQUIPMENT.....   | 74 TO 76    |
| AP2-C & RPB® RADEX™ AIRLINE FILTER .....  | 77          |
| AMBIENT AIR PUMP RADEX TYPE .....   | 78          |
| AMBIENT AIR PUMPS, FILTRATION AND SUPPLY SYSTEMS .....                                      | 79          |
| ABRASIVES.....  | 80 TO 82    |
| AIR CONSUMPTIONS : PRESSURE BLASTING SYSTEMS - SUCTION BLASTING SYSTEMS .....               | 83          |
| VARIOUS ACCESSORIES .....   | 84          |
| UPGRADES LIST .....   | 85, 86      |
| INFORMATION, TECHNICAL ASSISSANCE.....  | 87          |
| IABOUT THE COMPANY .....  | 88          |




## BLAST CABINETS





## BLAST CABINET ECO420




| #  | STOCK   | DESCRIPTION                                  |
|----|---------|--|
| 1  | 415101  | Lamp Housing                                 |
| 2  | 415101A | Switch                                       |
| 3  | 415102  | Double Fluorescent Tube Fixture              |
| 4  | 415103  | Fluorescent Tube                             |
| 5  | 415104  | Lighting Window                              |
| 6  | 415105  | Light Window Seal                            |
| 7  | 415106  | Side Door                                    |
| 8  | 415107  | Door Latch                                   |
| 9  | 415108  | Pressure Gauge 150 psi with Regulator        |
| 10 | 606104  | ½" ± PVC Compressed Air Hose (sold per foot) |
| 11 | 415111  | ¾" Foot Pedal Complete                       |

| #  | STOCK  | DESCRIPTION                                    |
|----|--------|--|
| 12 | 415113 | Metering Valve                                 |
| 13 | 415112 | Metering Valve Plug                            |
| 14 | 624128 | T Clamp T-128 (8"Ø) for Gloves (sold per unit) |
| 15 | 415115 | Gloves, Pair                                   |
| 16 | 415116 | Window Frame Cover                             |
| 17 | 910298 | Glass  |
| 18 | 415118 | Protection lens (Pack of 5)                    |
| 19 | 415119 | Plastic board                                  |
| 20 | 415120 | Mounting ring, Gloves                          |
| 21 | 415121 | Lid, cabinet                                   |
| 22 | 415123 | Legs, Cabinet                                  |

| #  | STOCK  | DESCRIPTION           |
|----|--------|-----------------------|
| 23 | 415124 | Top of Dust Collector |
| 24 | 415125 | Vacuum Motor          |
| 25 | 415127 | Cover, Motor          |
| 26 | 405100 | Dust Filter           |
| 27 | 415130 | Round Dust Collector  |
| 28 | 415131 | Sealing Tape          |
| 29 | 415134 | Push Rod              |
| 30 | 415133 | Board, Exhaust        |
| 31 | 415135 | Door locker           |
| 32 | 415137 | Cover                 |
| 33 | 415139 | Floor                 |
| 34 | 618320 | Door Gasket           |

### ECO420 SANDBLAST GUN




### # STOCK DESCRIPTION

| A        | STOCK         | DESCRIPTION                          |
|----------|---------------|--------------------------------------|
| <b>A</b> | <b>420010</b> | <b>COMPLETE GUN WITH 7 MM NOZZLE</b> |
| 1        | 420001        | Nozzle Holding Nut, Brass            |
| 2        | 905304        | Ceramic Nozzle, 7 mm                 |
| 3        | 420003        | O-Ring, Nozzle                       |
| 4        | 420004        | Gun Body                             |
| 5        | 420005        | Air Jet Hex Nut, Brass               |
| 6        | 420006        | Sleeve, Air Jet                      |
| 7        | 420007        | Air Jet                              |
| 8        | 420008        | ½" I.D. x ¾" Hose barb               |
| 9        | 420009        | Media Inlet Fitting, Barb ¾"         |
| 10       | 606148        | Hose, Media ½"                       |
| 11       | 606104        | Hose, Air ½"                         |
| 12       | 624015        | O Clamp ¾"                           |



## BLAST CABINET ECONO SERIES



| #  | STOCK  | DESCRIPTION   |
|----|--------|---|
| 1  | 616306 | 1/3 hp - 120V AC - 60Hz - 3450 rpm electric motor                 |
| 2  | 610523 | 1/3 hp, arbre 1/2" ECONOBLAST impeller                            |
| 3  | 610522 | high performance ECONOBLAST impeller                              |
| 4  | 601310 | 23 L white plastic dust container                                 |
| 5  | 624137 | T-188 (11 1/4" Ø) T-Clamp for dust container                      |
| 6  | 624117 | T-64 (4" Ø) T-Clamp   |
| 7  | 624128 | T-128 (8" Ø) T-Clamp for gloves(sold by unit)                     |
| 8  | 618126 | 1/2" (3/4) Air hose Grommet                                       |
| 9  | 610205 | 14"x 22" laminated safety glass                                   |
| 10 | 613026 | RPW26, 20 3/4" x 12 7/8" Self-adhesive plastic protection         |
| 11 | 617126 | 250W halogen spot<br>(pyroceram glass non-included) (before 2017) |
| 12 | 617127 | Halogen bulb (for 250W spot) (before 2017)                        |
| 13 | 610213 | 5 1/2" x 4" Pyroceram glass for halogen spot (before 2008)        |
| 14 | 610206 | Pyroceram glass (since 2008)                                      |
| 15 | 617014 | ON/OFF switch   |
| 16 | 617019 | Switch Protection   |
| 17 | 616935 | AGC 10A -250V Fuse  |
| 18 | 616907 | Fuse holder   |

| #  | STOCK  | DESCRIPTION   |
|----|--------|---|
| 15 | 617161 | DEL lighting fixture (since 2017)                                 |
|    | 610322 | DEL lighting protection glass (since 2017)                        |
| 16 | 610455 | 26" x 36" ÉCONO Expanded steel floor                              |
|    | 610453 | 28" x 44" ÉCONO Expanded steel floor                              |
|    | 610451 | 36" x 36" ÉCONO Expanded steel floor                              |
|    | 610456 | 36" x 48" ÉCONO Expanded steel floor                              |
| 17 | 610288 | Standard ISTblast® Door latch                                     |
| 18 | 910223 | Door latch rubberized screw                                       |
| 19 | 618321 | "D" type rubber door seal (sold by the foot)                      |
| 20 | 610229 | 8" Ø Glove clamp (sold individually)                              |
| 21 | 603212 | 8" Ø int. x 30" long. E3 nylon sleeve gloves (sold in pairs only) |
| 22 | *****  | G15 sandblasting gun activated by trigger (see next page)         |
| 23 | 606104 | 1/2" PVC hose for abrasive (sold by foot)                         |
| 24 | 606103 | 3/8" Ø air hose (sold by foot))                                   |
| 25 | 608010 | AR-3/4 abrasive regulator   |
| 26 | 936143 | Screw-on polyethylene cap for AR-3/4                              |
| 27 | 632960 | PL-3/4" FTP x 1/2" Adapter  |
| 28 | 608011 | AR-3/4 clip   |
| 29 | 603505 | PA 3/4" x 3" nipple   |
| 30 | 600115 | Factory-fitted kit pedal and G5 blast gun                         |
|    | 600215 | G5 Foot Pedal and Blasting Gun Kit (Parts Only)                   |

\* Refer to Upgrades list at page 85 & 86 for specific replacement parts for your equipment.



## G15 TRIGGER OPERATED SANDBLAST GUN

### G15 BLAST GUN, PARTS LISTING

| A                          | # | Part No. | Description                      |
|----------------------------|---|----------|----------------------------------|
| Complete pre-assembled gun | 1 | 610110   | G15 Gun Body                     |
|                            | 2 | 610111   | G15 Suction Head                 |
|                            | 3 | 607039   | G15 Nozzle Adaptor               |
|                            | 4 | 632761   | 3/8" MPT x 1/2" Stem Brass       |
|                            | 5 | 618218   | G15 Rubber Protector             |
|                            | 6 | 618100   | G15 O-Ring                       |
|                            | 7 | NPN      | Hexagonal Screw 1/4" - 20 x 1/4" |
|                            | 8 | 910104   | G15 Repair Kit                   |

### NOZZLE AND AIR JET COMBINATIONS

| A      |                    | Nozzle |         |        |        | Complete Air Jet |          |  |
|--------|--------------------|--------|---------|--------|--------|------------------|----------|--|
| G15    | Nozzles            | Model  | Orifice | Length | Code   | Code             | Orifices |  |
| A      |                    | B      |         |        |        | C                |          |  |
| 610100 | Ceramic            | CN1-4  | 1/4"    | 1-1/4" | 605000 | 610113           | 1/8"     |  |
| 610101 | Ceramic (Standard) | CN1-5  | 5/16"   |        | 605001 | 610114           | 5/32"    |  |
| 610102 | Tungsten           | TN1-4  | 1/4"    | 1-1/4" | 605002 | 610113           | 1/8"     |  |
| 610103 | Tungsten           | TN1-5  | 5/16"   |        | 605003 | 610114           | 5/32"    |  |

\* Pre-assembled sandblast guns includes parts 1 to 6, plus a combination of B-C

#### CERAMIC NOZZLE

|     |  |  |
|-----|--|--|
| CN_ |  | Cost-efficient nozzle for occasional use with soft abrasive media, such as glass beads, walnut shell, and steel shot / grit. |
|-----|--|--|

#### TUNGSTEN CARBIDE NOZZLE


|     |  |   |
|-----|--|---|
| TN_ |  | Higher durability nozzle for regular use with highly abrasive media, such as aluminum oxide and GMA Garnet. |
|-----|--|---|



**THIS PAGE IS DELIBERATELY  
LEFT BLANK**



## ECAB SUCTION SERIES SANDBLAST CABINETS (UNTIL 2022)




Foot pedal,  
see details page 25

| #  | Part # | DESCRIPTION   |
|----|--------|---|
| 1  | 609186 | RVM 10" complete recycler with motor                    |
| 2  | 616311 | ½ hp 120V / 1Ph / 60Hz / 3450 rpm motor                 |
| 3  | 610525 | ½ hp impeller   |
| 4  | 606161 | 3½" abrasive transport hose (sold by foot)              |
| 5  | 618334 | SBR ½" x 2" rubber band                                 |
| 6  | 618318 | Foam rubber ½" x ¼" x 37 ½" length                      |
| 7  | 606167 | 4" diameter suction hose for dust collector             |
| 8  | 624117 | 4" T-64 Clamp Ring                                      |
| 9  | 601315 | DB-13 dust bag  |
| 10 | 624137 | T-188 11¼" T- clamp                                     |
| 11 | 601310 | 23 Liter white plastic container                        |
| 12 | 608010 | AR-¾" complete abrasive regulator                       |
| 13 | 939143 | Screw-on polyethylene plug for AR-¾" regulator          |
| 14 | 632960 | PL ¾" FPT x ½" B Adaptor                                |
| 15 | 608011 | AR-¾" Clip  |
| 16 | 630505 | PA ¾" x 3" Nipple                                       |
| 17 | 624128 | T-128 8" T-clamp ring (sold by unit)                    |
| 18 | 603212 | Nylon sleeve gloves, 8" inside Ø x 30" length           |
| 19 | *****  | G5 foot-operated sandblasting gun (see next page)       |
| 20 | 606148 | ½" multi-purpose abrasive transport hose (sold by foot) |
| 21 | 618127 | ½" (7/8") Grommet for sandblasting hose                 |
| 22 | 618126 | ½" (3/4") Grommet for air hose                          |
| 23 | 608102 | ½" Ball Valve (compressed air inlet)                    |

| #   | Part # | DESCRIPTION   |
|-----|--------|---|
| 24  | 606104 | ½" PVC compressed air hose (sold by foot)             |
| 25* | 617130 | 14.5 W (100 W) 5000 K LED lighting (before 2017)      |
|     | 617161 | Complete 24"LED lighting (since 2017)                 |
| 26* | 610202 | Protective glass 4½" x 18" for lighting (before 2017) |
|     | 613029 | Protective visor 4½" x 18" for lighting (before 2017) |
|     | 610322 | Protective glass for full 24" LED (since 2017)        |
| 27  | 616934 | AGC 2 A - 250 V Fuse                                  |
|     | 616907 | Fuse Holder   |
| 28  | 617014 | ON/OFF switch   |
|     | 617019 | Switch protection                                     |
| 29  | 600116 | OPTION : security switch for ECAB 3-5-7               |
| 30  | 618321 | "D" type rubber door seal (sold by foot)              |
| 31  | 610288 | Standard ISTBLAST® door handle                        |
| 32  | 910223 | Door latch rubberized screw                           |
| 33  | 610207 | Rubber window seal                                    |
| 34  | 610205 | 14" x 22" Safety glass (laminated glass)              |
| 35  | 613026 | Self-adhesive RPW 26 visor                            |
| 36  | 610455 | Expanded metal floor ECAB2636S - 26" X 36"            |
|     | 610458 | Expanded metal floor ECAB3636S - 36" x 36"            |
|     | 610459 | Expanded metal floor ECAB3648S - 36" x 48"            |
|     | 610463 | Expanded metal floor ECAB4848S - 48" x 48"            |
| 37  | 610229 | 8" Glove strap (sold individually)                    |
| 38  | 611022 | ¼" Pressure Gauge                                     |



## ECAB SUCTION SERIES SANDBLAST CABINETS (SINCE 2022)




| #  | Part # | DESCRIPTION   |
|----|--------|---|
| 1  | 609186 | Complete reclaimer with RVM 10" motor                     |
| 2  | 616311 | 1/2 hp 120 V / 1 ph / 60 Hz / 3450 rpm electrical motor   |
| 3  | 610525 | 1/2 hp Impeller   |
| 4  | 606161 | 3 1/2" suction hose (sold by foot)                        |
| 5  | 618334 | 1/8" x 2" width SBR Rubber                                |
| 5A | 618318 | 1/2" x 1/4" x 37 1/2" lenght Foam Rubber                  |
| 6  | *****  | Factory fitted foot pedal (see details on page 13)        |
| 7  | 606167 | Suction hose for 4" dust collector                        |
| 8  | 624117 | #64 (4") T-Clamp  |
| 9  | 601315 | DB-13 Dust bag  |
| 10 | 624137 | T-188 (11 1/4") T-Clamp                                   |
| 11 | 601310 | 23L White Plastic Dust Bucket                             |
| 12 | 608010 | AR-3/4" complete regulator                                |
| 13 | 939143 | Polyethylene threaded plug for AR 3/4"                    |
| 14 | 632960 | PL 3/4" FPT x 1/2" B Fitting                              |
| 15 | 608011 | Clip for AR 3/4"  |
| 16 | 630505 | SP 3/4"x 3" lg. Nipple                                    |
| 17 | 624128 | T-128 by 8" T-Clamp (sold by unit)                        |
| 18 | 603212 | 8" I.D. x 30" lenght nylon sleeve gloves, (sold in pairs) |
| 19 | *****  | Foot-operated G5 sandblasting gun (see page 14)           |
| 20 | 606148 | 1/2" Multi-purpose abrasive hose (sold by foot)           |
| 21 | 618126 | 1/2" (3/4) Air Hose Grommet                               |
| 22 | 618127 | 1/2" (7/8") Abrasive Hose Grommet                         |
| 23 | 608102 | 1/2" FTP ball valve for customer air inlet                |

| #  | Part # | DESCRIPTION  |
|----|--------|--|
| 24 | 324571 | 1/4" Blue polyester tube (sold by foot)              |
| 25 | 617161 | 24"LED Lighting                                      |
| 26 | 610322 | Protective glass for full 24" LED                    |
| 27 | 616934 | AGC 2 A - 250 V Fuse                                 |
|    | 616907 | Fuse Holder  |
| 28 | 617014 | ON/OFF switch  |
|    | 617019 | Switch protection                                    |
| 29 | 600116 | OPTION : security switch for ECAB 3-5-7              |
| 30 | 618321 | "D" type rubber door seal (sold by foot)             |
| 31 | 610288 | Standard ISTBLAST® door handle                       |
| 32 | 910223 | Door latch rubberized screw                          |
| 33 | 610207 | Rubber window seal                                   |
| 34 | 610205 | 14" x 22" Safety glass (laminated glass)             |
| 35 | 613026 | Self-adhesive RPW 26 visor                           |
| 36 | 610455 | Expanded metal floor ECAB2636S - 26" X 36"           |
|    | 610458 | Expanded metal floor ECAB3636S - 36"x 36"            |
|    | 610459 | Expanded metal floor ECAB3648S - 36"x 48"            |
|    | 610463 | Expanded metal floor ECAB4848S - 48"x 48"            |
| 37 | 610229 | 8" Ø Glove strap (sold individually)                 |
| 38 | *****  | Pneumatic Tree (See p. ) 13                          |
| 39 | 324503 | Push-in 1/4" Bulkhead Fitting for air gun (optional) |
| 40 | 606104 | 1/2" white PVC air hose (sold by foot)               |

\* Refer to the list of updates on pages 85 and 86 for spare parts relating to your equipment.




## CABINETS DE SABLAGE SÉRIE ECAB PRESSION (DEPUIS 2022)



| #  | Part # | DESCRIPTION                                      |
|----|--------|--|
| 1  | 603212 | Gloves with nylon sleeves 8" i.d. x 30" lenght   |
|    | 603215 | Gloves with leather sleeves 8" i.d. x 30" lenght |
| 2  | 624128 | 8" Ø T-Clamp (Standard)                          |
| 3  |        | Hose, fittings and nozzles (see pages 27 & 28)   |
| 4  | 610288 | Standard ISTBLAST® door handle                   |
| 5  | 610275 | Complete air blowgun                             |
| 5A | 606147 | 1/4" Multi-purpose abrasive hose (sold by foot)  |
| 7  |        | Complete Pressure foot pedal (see page 13)       |
| 8  |        | Complete recovery system (see page 12)           |
| 9  | 606161 | 3 1/2" – 400 cfm Collector Hose                  |
| 10 | 624121 | 5" Clamp   |
| 11 | 618127 | Rubber grommet for SBH 1/2" Hose                 |
| 13 |        | Pneumatic tree (see page 13)                     |
| 14 | 324571 | 1/4" blue polyester tube (sold by foot)          |
| 15 | 616934 | AGC 2 A - 250 V Fuse                             |
|    | 616907 | Fuse Holder                                      |
| 16 | 617014 | ON/OFF switch                                    |
|    | 617019 | Switch protection                                |
| 17 | 610322 | Protective glass for full 24" LED                |

| #  | Part # | DESCRIPTION                                 |
|----|--------|---|
| 18 | 617161 | 24" LED Lighting                            |
|    | 617160 | 48" LED Lighting c/w LED (for 48" x 48")    |
| 19 | 610205 | 14" x 22" Safety glass (laminated glass)    |
| 20 | 610207 | E3 Rubber window seal                       |
| 21 | 613026 | Self-adhesive RPW 26 visor                  |
| 22 | 910223 | Door latch toggle rod                       |
| 23 | 618321 | "D" type rubber door seal (sold by foot)    |
| 24 | 610455 | 26" x 36"                                   |
|    | 610458 | 36" x 36"                                   |
|    | 610456 | 36" x 48"                                   |
|    | 610463 | 48" x 48"                                   |
| 25 | 600116 | Door safety switch (Complete)               |
| 26 | 324503 | 1/4" Push-in fitting for blowgun (optional) |


\* Refer to the list of updates on pages 85 and 86 for spare parts relating to your equipment.





## ECAB PRESSURE SERIES SANDBLAST CABINETS (SINCE 2022)

### RECOVERY SYSTEM - EXPLODED VIEW & PARTS




| 10" RECOVERY SYSTEM |          |                         |
|---------------------|----------|-------------------------|
| #                   | PART #   | DESCRIPTION             |
| 1                   | 609256   | 10" HOPPER              |
| 2                   | 618318   | SELF-ADHESIVE RUBBER    |
| 3                   | 618334   | RUBBER STRIP            |
| 4                   | 609225   | RECYCLER BODY           |
| 5                   | 609313   | RECYCLER BODY SUPPORT   |
| 6                   | 606161   | ABRASIVE TRANSPORT HOSE |
| 7                   | 609216   | OUTLET BOX 10" VERTICAL |
| 8                   | See p.34 | DUST TRANSPORT HOSE     |




## FOOT CONTROL PEDAL AND PNEUMATIC TREE FOR SUCTION AND PRESSURE ECAB SERIES SANDBLASTING CABINETS (SINCE 2022)

### FOOT PEDAL AND PILOT VALVE



| # | Part # | Description                     |
|---|--------|---------------------------------|
| 1 | 610345 | Pneumatic foot pedal (complete) |
| 2 | 950264 | 1/4" Push-in Fittings           |
| 3 | 950265 | 1/4" Brass Plug                 |

|   |        |                                    |
|---|--------|------------------------------------|
| 4 | 608519 | 1/2" NPT Pilot Valve               |
| 5 | 324561 | 1/8" NPT 1/4" Tube Push-in Fitting |
| 6 | 632760 | 1/2" Hose Barb Fitting             |
| 7 | 608287 | 1/2" NPT Blowhole                  |
| 8 | 606104 | 1/2" PVC Air Hose (sold by foot)   |




| #  | Part # | Description                             |
|----|--------|---|
| 1  | 324504 | 1/4" Plug                               |
| 2  | 608022 | 1/2" Pressure Regulator                 |
| 3  | 611022 | 1/4" NPT Pressure Gauge                 |
| 4  | 612453 | 1/4" FPT "T" Push-in                    |
| 5  | 632720 | PL 1/2" FPT Brass "T"                   |
| 6  | 632730 | PL 1/2" MPT x 1/2" FPT @ 90° Elbow      |
| 7  | 632745 | 1/2" MPT@ 1/4" FPT Hex. Reducer         |
| 8  | 632760 | 1/2" MPT x 1/2" TU Hose Barb Fitting    |
| 9  | 932108 | 1/2" x 3" Lg. Nipple                    |
| 10 | 324571 | 1/4" Blue Poly. Tube (sold/fo.)         |
| 11 | 324503 | 1/4" x 1/4" TU Bulkhead Push-in Fitting |
| 12 | 632270 | 1/4" MPT x 1/4" TU Hose Barb Fitting    |
| 13 | 606147 | 1/4" Multipur. Hose (sold/fo.)          |
| 14 | 610275 | Air Blowgun c/w Fitting                 |



## G5/SH5 FOOT OPERATED SANBLAST GUN


### G5 GUN PARTS LIST



Pre-assembled  
gun

|    |        |   |
|----|--------|---|
| 1  | 610119 | Blast Gun Body only                                       |
| 2  | 607037 | Nozzle Adaptor  |
| 3  | 618017 | NW-2 Rubber Washer  |
| 4  | 618112 | O-Ring  |
| 5  | 607038 | Hose Adaptor  |
| 6  | 618219 | Rubber Protector  |
| 7  | 632771 | 1/2" Brass Female Swivel Hose Barb                        |
| 8  | 624015 | 3/4" O-Clamp  |
| 9  | 606104 | 1/2" PCV Compressed Air Hose (sold per foot)              |
| 10 | 606148 | 1/2" Multipurpose Abrasive Conveying Hose (sold per foot) |

### SH5 GUN PARTS LIST



Pre-assembled  
gun

|   |        |                            |
|---|--------|----------------------------|
| 1 | 610134 | SH-5 Blast Gun Body Only   |
| 2 | 607037 | NA-G5 / SH5 Nozzle Adaptor |
| 3 | 618017 | NW-2 Rubber Washer         |
| 4 | 632760 | 1/2" Stem Brass Hose Barb  |
| 5 | 618219 | Rubber Protector           |


### PROPER AIR JET/NOZZLE COMBINATIONS

| Pre-Assembled blast guns (*) |        |         | Nozzles  |         |        |      | Air jet (Complete) | Orifices ± |       |
|------------------------------|--------|---------|----------|---------|--------|------|--------------------|------------|-------|
| G5                           | SH5    | Nozzles | Type     | Orifice | Length | Code |                    |            |       |
| <b>A</b>                     |        |         | <b>B</b> |         |        |      | <b>C</b>           |            |       |
|                              | 610121 | 610135  |          | CN2-4   | 1/4"   |      | 605004             | 610116     | 1/8"  |
|                              | 610120 | 610136  |          | CN2-5   | 5/16"  |      | 605005             | 610117     | 5/32" |
|                              | 610166 | 610144  |          | CN2-6   | 3/8"   |      | 605015             | 610109     | 3/16" |
|                              | 610122 | 610137  |          | CN2-7   | 7/16"  |      | 605006             | 610118     | 7/32" |
|                              | 610123 | 610138  |          | TN2-4   | 1/4"   |      | 605007             | 610116     | 1/8"  |
|                              | 610124 | 610139  |          | TN2-5   | 5/16"  |      | 605008             | 610117     | 5/32" |
|                              | 610167 | 610145  |          | TN2-6   | 3/8"   |      | 605018             | 610109     | 3/16" |
|                              | 610125 | 610140  |          | TN2-7   | 7/16"  |      | 605009             | 610118     | 7/32" |
|                              | 610126 | 610141  |          | BN2-4   | 1/4"   |      | 605010             | 610116     | 1/8"  |
|                              | 610127 | 610142  |          | BN2-5   | 5/16"  |      | 605011             | 610117     | 5/32" |
|                              | 610168 | 610146  |          | BN2-6   | 3/8"   |      | 605021             | 610109     | 3/16" |
|                              | 610128 | 610143  |          | BN2-7   | 7/16"  |      | 605012             | 610118     | 7/32" |

\* Pre-assembled sandblast gun includes all parts, plus a combination of B-C



## INDUSTRIAL CABINET "M" SERIES SUCTION: EXPLODED VIEW & PARTS



| #  | PART # | DESCRIPTION  |                              |
|----|--------|--|------------------------------|
| 1  | 603212 | Gloves with nylon sleeves, 8" Ø ID x 30" lenght                  |                              |
|    | 603205 | Gloves with leather sleeves (Optional)                           |                              |
| 2  | 624128 | 8" ø Gloves Clamp  |                              |
| 3  | 610120 | G5 CN2-5 Gun (see page 14)                                       |                              |
| 4  | 610288 | Standard Door Handle   |                              |
| 5  | 610275 | Dust-off Blowgun   |                              |
| 6  | 606147 | 1/4" Multipur. Hose (sold by foot)                               |                              |
| 7  | 608022 | 1/2" Pressure Regulator  |                              |
| 8  | 610270 | Suction Foot Pedal   |                              |
|    | 608604 | Suction Foot Pedal Valve   |                              |
| 9  |        | Complete Recycler as per dimensions (see page 31)                |                              |
| 10 | 608010 | AR-3/4" Abrasive Regulator                                       |                              |
|    | 606120 | 5" - 600 cfm Abrasive Transport Hose                             |                              |
| 11 | 606169 | 6" diam. - 900 to 1800 cfm Abrasive Transport Hose               |                              |
| 12 | 624121 | 5" Hose Clip   |                              |
|    | 624124 | 6" Hose Clip   |                              |
| 13 | 618126 | 1/2" Air Hose Grommet  |                              |
| 14 | 618127 | 1/2" Abrasive Hose Grommet                                       |                              |
| 15 | 618133 | 1/4" Dust-off Blowgun Hose                                       |                              |
| 16 | 666211 | Complete Suction Tree  |                              |
| 17 | 606148 | 1/2" Multipur. Hose (sold by foot)                               |                              |
| 18 | 606104 | 1/2" Air Hose  |                              |
|    | 606169 | 6" - 600 cfm Suction Hose  |                              |
| 19 | 606171 | 7" - 900 cfm Suction Hose  |                              |
|    | 606173 | 8" - 1200 cfm - 1800 cfm Suction Hose                            |                              |
| 20 | 624124 | 6" Hose Clip   |                              |
| 21 | 624127 | 7" Hose Clip   |                              |
|    | 624128 | 8" Hose Clip   |                              |
| 22 | 61022  | 1/4" Pressure Regulator  |                              |
| 23 | 608011 | AR-3/4" Clip   |                              |
| 24 | 939143 | Screw-on Polyethylene Plug                                       |                              |
| 25 | 632960 | PL 3/4" FPT x 1/2" B Adaptor                                     |                              |
| 26 | 616933 | AGC 1 A - 250 V Fuse   |                              |
|    | 616907 | Fuse Holder  |                              |
| 27 | 617014 | ON/OFF Switch  |                              |
| 28 | 617161 | 24" Lighting c/w LED (cabinet less than 48")                     |                              |
|    | 617160 | 48" Lighting c/w LED (cabinet more than 48")                     |                              |
| 29 | 610212 | 23 3/4" x 18 3/4" Safety Laminated Glass (cabinet less than 48") |                              |
|    | 610211 | 17" x 48" Safety Laminated Glass (cabinet more than 48")         |                              |
|    | 618318 | 1/2" x 1/4" Window Seal (sold by foot)                           |                              |
| 30 | 613038 | RPW 50 - 23 3/4" x 18 3/4" Protective Visor                      |                              |
|    | 613035 | RPW 1748 Protective visor (cabinet more than 48")                |                              |
| 31 | 910223 | Toggle Stem Rod  |                              |
| 32 | 618322 | « P » Type Rubber for door (sold by foot)                        |                              |
| 33 | 610453 | 28" x 44"  | Expanded Metal Floor Cabinet |
|    | 610458 | 36" x 36"  |                              |
|    | 610454 | 36" x 48"  |                              |
|    | 610462 | 42" x 48"  |                              |
|    | 610463 | 48" x 48"  |                              |
|    | 610469 | 48" x 60"  |                              |
|    | 610465 | 60" x 60"  |                              |
| 34 | 600116 | OPTION : Door Security Switch                                    |                              |
| 35 | 630505 | 3/4" x 3" PA Nipple  |                              |


### 16 SUCTION TREE

| # | PART # | DESCRIPTION                 |
|---|--------|-----------------------------|
| 1 | 630301 | 1/2" NPT Nipple             |
| 2 | 632745 | 1/2" NPT x 1/4" NPT Reducer |
| 3 | 632270 | 1/4" NPT Hose Barb Fitting  |
| 4 | 630328 | 1/4" NPT MF Elbow           |
| 5 | 632760 | 1/2" NPT Hose Barb Fitting  |
| 6 | 630390 | 1/2" NPT Inlet Ring         |
| 7 | 630341 | 1/2" NPT Ball Valve         |
| 8 | 630327 | 1/2" Cross                  |

\* Refer to Upgrades list at page 58 for specific replacement parts for your equipment.



## INDUSTRIAL CABINET "M" SERIES SUCTION: EXPLODED VIEW & PARTS (SINCE 2022)




|    |        |                                 |
|----|--------|---------------------------------|
| 35 | 624137 | 10" Hose Clamp for large gloves |
|    | 610453 | 28" x 44"                       |
|    | 610458 | 36" x 36"                       |
|    | 610459 | 36" x 48"                       |
|    | 610462 | 42" x 48"                       |
|    | 610463 | 48" x 48"                       |
|    | 610469 | 48" x 60"                       |
|    | 610465 | 60" x 60"                       |
| 36 |        | Expanded Metal Floor Cabinet    |

| #   | Part # | DESCRIPTION  |   |
|-----|--------|--|---|
| 1   | 603212 | Gloves with nylon sleeves, 8" Ø ID x 30" lenght            |   |
|     | 603205 | Gloves with leather sleeves (Optional)                     |   |
| 2   | 624128 | 8" Ø Gloves Clamp  |   |
| 3   | 610120 | G5 CN2-5 Gun (see page 14)                                 |   |
| 4   | 610288 | Standard Door Handle                                       |   |
| 5   | 610275 | Dust-off Blowgun   |   |
| 6   | 606147 | 1/4" Multipur. Hose (sold by foot)                         |   |
| 7   | 611022 | 1/2" Pressure Gauge  |   |
| 8   | 610345 | Complete Foot Pedal (see page 31)                          |   |
| 9   | 606104 | 1/2" Air Hose  |   |
| 10  | 611022 | 1/4" Pressure Regulator                                    |   |
| 11  | 606120 | 5" – 600 cfm Abrasive Transport Hose                       |   |
|     | 606123 | 6" – 900 to 1 800 cfm Recycler Hose                        |   |
| 12  | 624121 | 5" Hose Clip   |   |
|     | 624124 | 6" Hose Clip   |   |
| 13  | 618126 | 1/2" Air Hose Grommet                                      |   |
| 14  | 618127 | 1/2" Abrasive Hose Grommet                                 |   |
| 16  | 16     | 1/2" Complete Suction Tree (see page 17)                   |   |
| 17  | 606148 | 1/2" Multipur. Hose (sold by foot)                         |   |
| 18  | 324571 | 1/4" Blue poly. Tube                                       |   |
|     | 606169 | 6" – 600 cfm Suction Hose                                  |   |
| 19  | 606171 | 7" – 900 cfm Suction Hose                                  |   |
|     | 606173 | 8" – 1200 cfm – 1800 cfm Suction Hose                      |   |
| 20  | 624124 | 6" Ø Hose Clip   |   |
|     | 624127 | 7" Ø Hose Clip   |   |
|     | 624128 | 8" Ø Hose Clip   |   |
| 21  | 608010 | AR <sup>3/4</sup> Abrasive Regulator                       |   |
| 22  | 608011 | AR <sup>3/4</sup> Clip                                     |   |
| 23  | 939143 | AR <sup>3/4</sup> Abrasive Regulator plastic threaded plug |   |
| 24  | 632960 | 3/4" FPT x 1/2" Adaptor                                    |   |
| 25  | 630505 | SP 3/4" x 3" Ig. Nipple                                    |   |
| 26  | 917863 | AJC 20A - 250V Fuse  |   |
|     | 616907 | Fuse Holder  |   |
| 27  | 617014 | ON/OFF Switch for Automatic Shacker                        |   |
| 28  | 617161 | 24" Lighting c/w LED (cabinet less than 48")               |   |
|     | 617160 | 48" Lighting c/w LED (cabinet 48" and more)                |   |
|     | 610212 | 23 3/4" x 18 3/4" Safety Laminated Glass (cabinet less     |   |
| 29  | 610211 | 17" x 48" Safety Laminated Glass (cabinet 48" and          |   |
|     | 618318 | 1/2" x 1/4" Window Seal (sold by foot)                     |   |
|     | 613038 | RPW 50 – 23 3/4" x 18 3/4" Protective Visor                |   |
| 30  | 613035 | RPW 1748 Protective visor (cabinet more than 48")          |   |
|     | 31     | 910223   | Toggle Stem Rod                           |
|     | 32     | 618322   | « P » Type Rubber for door (sold by foot) |
|     | 33     | 600116   | OPTION : Complete Door Security Switch    |
| 34A | 603217 | Gloves with nylon sleeves, 8" Ø ID x 30" lenght            |   |
| 34B | 603218 | Large Leather Gloves Sleeves 10" ID x 30" Lg.              |   |



## INDUSTRIAL CABINET "M" SERIES SUCTION (SINCE 2022)) - 1/2" STD PNEUMATIC TREE




### PARTS LIST

| #  | Part # | DESCRIPTION                            | #  | Part # | DESCRIPTION                            |
|----|--------|--|----|--------|--|
| 1  | 630301 | 1/2" NPT Nipple                        | 10 | 608102 | 1/2" FPT Ball Valve                    |
| 2  | 632745 | 1/2" NPT x 1/4" NPT Reducer            | 11 | 324503 | 1/4" MTP x 1/4" TU Bulkhead Push-In    |
| 3  | 632270 | 1/4" NPT x 1/4" Hose Barb Fitting      | 12 | 608519 | 1/2" FPT Pilot Valve                   |
| 4  | 630328 | PA FPT 1/2" "T" Fitting                | 13 | 608287 | 1/2" MPT Muffler                       |
| 5  | 632760 | 1/2" NPT x 1/2" Hose Barb Fitting      | 14 | 324561 | 1/8" NPT 1/4" TU @ 90° Push-In Fitting |
| 5A | 632730 | 1/2" PL MF Elbow Fitting               | 15 | 630327 | 1/2" Cross                             |
| 6  | 932108 | 1/2" MPT x 3" Lg. Nipple               | 16 | 632226 | 1/4" T-Street                          |
| 7  | 630340 | 1/2" FF PA Elbow                       | 17 | 324571 | 1/4" Blue Poly. Tube                   |
| 8  | 324560 | 1/4" NPT 1/4" TU @ 90° Push-In Fitting | 18 | 324558 | 1/4" MTP 1/4" TU Push-In Fitting       |
| 9  | 610390 | 1/2" Inlet Ring                        | 19 | 606104 | 1/2" Clear Nylon Hose                  |




## INDUSTRIAL CABINET "M" SERIES PRESSURE: EXPLODED VIEW & PARTS (UNTIL 2022)




| #     | Part # | DESCRIPTION  |
|-------|--------|--|
| 1     | 603212 | Gloves with nylon sleeves, 8" Ø ID x 30" lenght                    |
|       | 603205 | Gloves with leather sleeves (Optional)                             |
| 1A    | 603217 | Gloves with nylon sleeves large opening W1 10" D.I. x 30" lenght   |
| 1B    | 603218 | Gloves with leather sleeves large opening W1 10" D.I. x 30" lenght |
| 2     | 624128 | 8" Ø Gloves Clamp (standard)                                       |
| 2A    | 624137 | 10" Ø Gloves Clamp (Optional)                                      |
| 3     |        | Hoses, Nozzles & Fittings (see pages 27-28)                        |
| 4     | 610288 | Standard Door Handle   |
| 5     | 610275 | Dust-off Blowgun   |
| 6     | 608022 | ½" Pressure Regulator  |
| 7     |        | Complete Foot Pedal (see page 13)                                  |
| 8     |        | Complete Recycler (see page 31)                                    |
| 9     | 606120 | 5" – 600 cfm Abrasive Transport Hose                               |
|       | 606123 | 6" – 900 to 1 800 cfm Recycler Hose                                |
| 10    | 624121 | 5" Hose Clip   |
|       | 624124 | 6" Hose Clip   |
| 11    | 618130 | Grommet SBH-1½" x 1¾"  |
| 12    | 618133 | Grommet for ¼" Air Hose  |
| 13    | 666214 | Pressure Pneumatic Tree (see page 19)                              |
| 14    | 606104 | ½" Air Hose  |
| 15    | 611022 | ¼" Pressure Gauge  |
|       | 616933 | AGC 1A - 250 V Fuse  |
| 16    | 616907 | Fuse Holder  |
| 17    | 617014 | ON/OFF Switch for Automatic Shacker                                |
| 18*   | 617161 | 24" Lighting c/w LED (cabinet less than 48") (Since 2017)          |
|       | 617160 | 48" Lighting c/w LED (cabinet 48" and more) (Since 2017)           |
| 18 A* | 617150 | 24" Neon Tube (cabinet less than 48") (Before 2017)                |
|       | 617151 | 48" Neon Tube (cabinet 48" and more) (Before 2017)                 |
| 19*   | 610212 | 23 ¾" x 18 ¾" Safety Laminated Glass (cabinet less than 48")       |
|       | 610211 | 17" x 48" Safety Laminated Glass (cabinet 48" and more)            |
|       | 618318 | ½" x ¼" Window Seal (sold by foot)                                 |
| 20    | 613038 | RPW 50 – 23 ¾" x 18 ¾" Protective Visor                            |
|       | 613035 | RPW 1748 Protective visor (cabinet more than 48")                  |
| 21    | 910223 | Toggle Stem Rod  |
| 22    | 618322 | « P » Type Rubber for door (sold by foot)                          |
| 22A   | 618315 | Rubber for grooved door  |
| 22B   | 910223 | Black Rubber for door (bumper)                                     |
| 23    | 610453 | 28" x 44"  |
|       | 610458 | 36" x 36"  |
|       | 610454 | 36" x 48"  |
|       | 610462 | 42" x 48"  |
|       | 610463 | 48" x 48"  |
|       | 610469 | 48" x 60"  |
|       | 610465 | 60" x 60"  |
| 24    | 600116 | OPTION : Complete Door Security Switch                             |

### Expanded Metal Floor Cabinet




Standard : Round Opening Gloves      Optional : Large Opening Gloves



\* Refer to the list of updates on pages 85 and 86 for spare parts relating to your equipment.



## M PRESSION SERIES INDUSTRIAL CABINET (UNTIL 2022): PNEUMATIC TREE




| #  | Part # | DESCRIPTION   |
|----|--------|---|
| 1  | 630301 | $\frac{1}{2}$ " MPT Nipple  |
| 2  | 632745 | $\frac{1}{2}$ " MPT x $\frac{1}{4}$ " FPT Reducer                                 |
| 3  | 632270 | $\frac{1}{4}$ " FPT x $\frac{1}{4}$ " Hose Fitting                                |
| 4  | 630328 | MF $\frac{1}{2}$ " FPT "T"  |
| 5  | 632760 | $\frac{1}{2}$ " MPT x $\frac{1}{2}$ " Hose Fitting                                |
| 6  | 630317 | $\frac{1}{2}$ " MPT x 2" Ig Closed Nipple   |
| 7  | 630341 | $\frac{1}{2}$ " MPT-FPT Elbow   |
| 8  | 632273 | $\frac{1}{8}$ " MPT x $\frac{1}{4}$ " Hose Fitting                                |
| 9  | 610390 | Inlet Ring  |
| 10 | 608102 | $\frac{1}{2}$ " Ball Valve  |
| 11 | 630361 | $\frac{1}{2}$ " MPT Plug  |
| 12 | 608519 | Pilot Valve (see details page 13)   |
| 13 | 632226 | $\frac{1}{4}$ " NPTF - $\frac{1}{4}$ " NPTM - $\frac{1}{4}$ " NPTF Brass T-Street |
| 14 | 632002 | $\frac{1}{8}$ " Nipple  |
| 15 | 632018 | $\frac{1}{8}$ " PL "T"  |
| 16 | 630327 | $\frac{1}{2}$ " Cross   |
| 17 | 324561 | 90° $\frac{1}{8}$ " MPT $\frac{1}{4}$ " TU Push-in Fitting                        |
| 18 | 632026 | $\frac{1}{8}$ " PL 90° MF Elbow   |



## M PRESSURE SERIES INDUSTRIAL CABINET (UNTIL 2022): PNEUMATIC TREE (CON'D)

**OPTIONAL:  
1" PIPING**




| #  | Part # | DESCRIPTION                  |
|----|--------|------------------------------|
| 1  | 610387 | 1" Inlet Ring                |
| 2  | 630601 | 1" Nipple                    |
| 3  | 608104 | 1" Ball Valve                |
| 4  | 630629 | 1" Connexion Cross           |
| 5  | 630653 | 1" x 1/4" Reducer            |
| 5A | 630651 | 1" x 1/2" Reducer            |
| 6  | 632232 | 1/4" F x 1/4" MF @ 90° Elbow |

| #  | Part # | DESCRIPTION  |
|----|--------|--|
| 7  | 608069 | 1" WATTS valve complete ass'y  |
| 7A | 608064 | ASSEMBLY: Ass'y. T. & B. Diaphragm - Ass'y Disc (Plug) - "O-Ring" Bottom Connector |
| 7B | 608066 | Bottom Connector   |
| 7C | 608071 | Spring (Return)  |
| 8  | 630641 | 1" MF Elbow  |
| 9  | 608204 | 1" Check Valve   |
| 10 | 630630 | 1" PA T-Street   |




## INDUSTRIAL CABINET "M" SERIES PRESSURE: EXPLODED VIEW & PARTS (SINCE 2022)




| #  | Part #        | DESCRIPTION  |
|----|---------------|--|
| 1  | <b>603212</b> | Gloves with nylon sleeves, 8"Ø ID x 30" lenght                     |
|    | <b>603205</b> | Gloves with leather sleeves (Optional)                             |
| 1A | <b>603217</b> | Gloves with nylon sleeves large opening W1 10" D.I. x 30" lenght   |
| 1B | <b>603218</b> | Gloves with leather sleeves large opening W1 10" D.I. x 30" lenght |
| 2  | <b>624128</b> | 8" Ø Gloves Clamp (standard)                                       |
| 2A | <b>624137</b> | 10" Ø Gloves Clamp (Optional)                                      |
| 3  |               | Hoses, Nozzles & Fittings (see pages 27-28)                        |
| 4  | <b>610288</b> | Standard Door Handle   |
| 5  | <b>610275</b> | Dust-off Blowgun   |
| 6  | <b>608022</b> | ½" Pressure Regulator  |
| 7  |               | Complete Foot Pedal (see page 13)                                  |
| 8  |               | Complete Recycler (see page 31)                                    |
| 9  | <b>606120</b> | 5"- 600 cfm Abrasive Transport Hose                                |
|    | <b>606123</b> | 6"- 900 to 1 800 cfm Recycler Hose                                 |
| 10 | <b>624121</b> | 5" Hose Clip   |
|    | <b>624124</b> | 6" Hose Clip   |
| 11 | <b>618130</b> | Grommet SBH-½" x 1 ¾"  |
| 12 | <b>940025</b> | 3 tips Star Knob ¾"- 18 Female                                     |
| 13 | <b>666214</b> | Pressure Pneumatic Tree (see page 22)                              |
| 14 | <b>324571</b> | ¼" Blue Poly. Hose   |
| 15 | <b>611022</b> | ¼" Pressure Gauge  |
| 16 | <b>616933</b> | AGC 1A - 250 V Fuse  |
|    | <b>616907</b> | Fuse Holder  |
| 17 | <b>617014</b> | ON/OFF Switch for Automatic Shacker                                |
| 18 | <b>617161</b> | 24" Lighting c/w LED (cabinet less than 48") (Since 2017)          |
|    | <b>617160</b> | 48" Lighting c/w LED (cabinet 48" and more) (Since 2017)           |
| 19 | <b>610212</b> | 23 ¾" x 18 ¾" Safety Laminated Glass (cabinet less than 48")       |
| 20 | <b>610211</b> | 17" x 48" Safety Laminated Glass (cabinet 48" and more)            |
|    | <b>618318</b> | ½" x ¼" Window Seal (sold by foot)                                 |
| 21 | <b>613038</b> | RPW 50 - 23 ¾" x 18 ¾" Protective Visor                            |
|    | <b>613035</b> | RPW 1748 Protective visor (cabinet more than 48")                  |
| 22 | <b>910223</b> | Toggle Stem Rod  |
|    | <b>618322</b> | « P » Type Rubber for door (sold by foot)                          |
| 23 | <b>610453</b> | 28" x 44"  |
|    | <b>610458</b> | 36" x 36"  |
|    | <b>610454</b> | 36" x 48"  |
|    | <b>610462</b> | 42" x 48"  |
|    | <b>610463</b> | 48" x 48"  |
|    | <b>610469</b> | 48" x 60"  |
|    | <b>610465</b> | 60" x 60"  |
| 24 | <b>600116</b> | OPTION : Complete Door Security Switch                             |

### Expanded Metal Floor Cabinet




**Standard :**  
Round Opening Gloves      **Optional :**  
Large Opening Gloves



\* Refer to the list of updates on pages 85 and 86 for spare parts relating to your equipment.




## M PRESSURE SERIES INDUSTRIAL CABINET (SINCE 2022): PNEUMATIC TREE



| #  | Part # | DESCRIPTION                       | #  | Part # | DESCRIPTION                        |
|----|--------|-----------------------------------|----|--------|------------------------------------|
| 1  | 630301 | ½" MPT Nipple                     | 11 | 324503 | ¼" MTP x ¼" TU Bulkhead Push-in    |
| 2  | 632745 | ½" MPT x ¼" FPT Reducer           | 12 | 608519 | ½" Pilot Valve (see details p. 13) |
| 3  | 632270 | ¼" FPT x ¼" Hose Fitting          | 13 | 608287 | ½" MPT Muffler                     |
| 4  | 630328 | MF ½" FPT "T"                     | 14 | 632002 | ⅛" Hex. Nipple                     |
| 5  | 632760 | ½" MPT x ½" Hose Fitting          | 15 | 632018 | ⅛" PL T-Street                     |
| 5A | 632730 | ½" PL MF Elbow Fitting            | 16 | 324561 | ⅛" NPT ¼" TU @ 90° Push-in Fitting |
| 6  | 932108 | ½" MPT x 3" Lg. Nipple            | 17 | 630327 | ½" Cross                           |
| 7  | 630340 | ½" FF PA Elbow                    | 18 | 632226 | ¼" T-Street                        |
| 8  | 324560 | ¼" NPT ¼" TU @ 90° Push-in Fiting | 19 | 324571 | ¼" Blue Poly. Tube                 |
| 9  | 610390 | ½" Inlet Ring                     | 20 | 324558 | ¼" MTP ¼" TU Push-in Fitting       |
| 10 | 608102 | ½" FPT Ball Valve                 | 21 | 606104 | ½" Clear Nylon Hose                |

## **M PRESSURE SERIES INDUSTRIAL CABINET (SINCE 2022): PNEUMATIC TREE (CONT'D)**


**OPTIONAL:**  
**1" PIPING**



| #  | Part # | DESCRIPTION  | #  | Part # | DESCRIPTION                            |
|----|--------|--|----|--------|--|
| 1  | 610387 | 1" Inlet Ring  | 10 | 630630 | 1" PA T-Street                         |
| 2  | 630601 | 1" Nipple  | 11 | 608204 | 1" Check-Valve                         |
| 3  | 608104 | 1" Ball Valve  | 12 | 632270 | 1/4" NPT x 1/4" Hose Barb Fitting      |
| 4  | 630629 | 1" Cross Fitting   | 13 | 324560 | 1/4" NPT 1/4" TU @ 90° Push-in Fitting |
| 5  | 630653 | 1" x 1/4" Reducer  | 14 | 632002 | 1/8" Hex. Nipple                       |
| 6  | 632232 | 1/4" F x 1/4" M Elbow Fitting  | 15 | 324561 | 1/8" NPT 1/4" TU @ 90° Push-in Fitting |
| 7  | 630605 | 1" x 3" Lg. Nipple   | 16 | 632018 | 1/8" PL Brass T                        |
| 8  | 608069 | 1"WATTS Valve (Complete Ass'y)   | 17 | 606104 | 1" x 1/2" Reducer                      |
| 8A | 608064 | Kit : Assembl. Diaphragm<br>H. & B. - Ass. disc (Pop Pet)<br>O-Ring, Valve Plug. | 18 | 630690 | 1" Hose Barb Fitting                   |
| 8B | 608066 | 1" - 1 1/4"WATTS Valve Plug  | 19 | 630641 | 1" Elbow Fitting                       |
| 8C | 608071 | Recall Spring  | 20 | 324558 | 1/4" MTP 1/4" TU Push-in Fitting       |
| 9  | 632226 | 1/4" T-Street  | 21 | 324571 | 1/4" Blue Poly. Tube                   |
|    |        |  | 22 | 324503 | 1/4" MTP x 1/4" TU Bulkhead Push-in    |
|    |        |  | 23 | 606104 | 1/2" Clear Nylon Hose                  |



## AUTO-DEPRESSURIZATION SYSTEM FOR M PRESSURE SERIES CABINET




| # | Part # | DESCRIPTION                              |
|---|--------|--|
| 1 | 324560 | 1/4" @ 90° Push-in Fitting               |
| 2 | 630860 | PA 1 1/4"x1" Reducer (included with #15) |
| 3 | 630624 | 1" ced. 80 PA Nipple                     |
| 4 | 605011 | BN2-5 Nozzle                             |
| 5 | 618110 | G5 O-Ring                                |
| 6 | 630690 | PA 1" PA Adapter                         |
| 7 | 607087 | 1 1/4" Double Bolt Hose Clamp            |
| 8 | 606005 | 1" SBH Hose (sold by foot)               |

| #  | Part # | DESCRIPTION                   |
|----|--------|-------------------------------|
| 9  | 630605 | 1"ø x 7" PA Nipple            |
| 10 | 630671 | 1" PA Male Plug               |
| 11 | 630630 | 1" PA T-Street                |
| 12 | 630680 | 1" PA Union                   |
| 13 | 610070 | Spacer Ring                   |
| 14 | 608104 | 1" Ball Valve                 |
| 15 | 608611 | 1" FPT Depressurization Valve |
|    | 608612 | Diaphragm for 608611          |
| 16 | 630605 | PA 1"ø x 3" Nipple            |




## **FOOT CONTROL PEDAL (UNTIL 2022)**

### **A FOR ECAB, M SUCTION SERIE**



| A | 610270 | Complete 2-way pneumatic pedal  |
|---|--------|---------------------------------|
| 1 | 608604 | 3/8" Two-way pedal valve        |
| 2 | 610268 | Frame                           |
| 3 | 610274 | E3 Washer                       |
| 4 | 632551 | 3/8" @ 90° MF PL Elbow          |
| 5 | 632761 | 3/8" MPT x 1/2" hose PL Adaptor |

### **A FOR M PRESSURE SERIE**





| A | 610315 | Complete 3-way pneumatic pedal  |
|---|--------|---------------------------------|
| 1 | 608606 | 3/8" Three-way pedal valve      |
| 2 | 610268 | Frame                           |
| 3 | 610274 | E3 Washer                       |
| 4 | 632551 | 3/8" @ 90° MF PL Elbow          |
| 5 | 632591 | 3/8" MPT x 1/4" hose PL Adaptor |




## SANDBLASTING CABINETS: NO-CONTACT FOOT PEDAL OPTION

### PEDAL & PARTS TO ADD



| # | PART # | DESCRIPTION               |
|---|--------|---------------------------|
| 1 | 608568 | Solenoid Valve            |
| 2 | 324561 | 1/8" Push-in Fitting      |
| 3 | 632214 | 1/8" to 1/4" Adapter      |
| 4 | 632745 | 1/2" to 1/4" Adapter      |
| 5 | 910525 | Complete No-contact Pedal |
| 6 | 917879 | Infrared Sensor Cell      |

### CONTROL BOX



| #  | PART # | DESCRIPTION                        |
|----|--------|------------------------------------|
| 1  | 917618 | 24 V CC - 30 W 120/24 Power Supply |
| 2  | 917877 | 24 V DC Relay                      |
| 3A | 917893 | MDL. 2 A Fuse                      |
| 3B | 616933 | AGC-1 A Fuse                       |
| 4  | -/-    | Terminal Block                     |
| 5  | 616865 | Ground Terminal Blocks             |
| 6  | 917880 | 5 M Sensor Cable                   |



## SANDBLASTING CABINETS - HOSES, COUPLINGS & NOZZLES

### HOSE, COUPLINGS & NOZZLES

|  |   |                            |
|--|---|----------------------------|
| 1  | 607012  | 1/2" CQ Coupling           |
| 2  | 607020  | 1/2" SBH SANDBLAST HOSE    |
| 3  | 607059  | NC3-N3 1/2"x 1" NPT        |
| <b>CONICAL NOZZLE</b>                    |   |                            |
| 5  | 607040  | NA-1" Adaptor 1" NPT       |
| 6  | 607057  | NH-1/2" Adaptor 3/4" NPS   |
| 7  | 607056  | NH-1/2" Adaptor 1 1/4" NPS |
| <b>STRAIGHT THREADED NOZZLE 3/4" NPS</b> |   |                            |
| 9  | <b>DOUBLE VENTURI NOZZLE 1 1/4" NPS or 50mm</b> |                            |

### BULK SANDBLAST HOSES (LENGTH OF 12.5', 25' & 50' ONLY)

|   | PART NB. | MODEL   | INSIDE DIAMETER | OUTSIDE DIAMETER |
|---|----------|---------|-----------------|------------------|
| 2 | 606020   | SBH-1/2 | 1/2"            | 1 3/16"          |

### HOSES FITTINGS

|   | PART NB.            | MODEL  | INSIDE DIAMETER | OUTSIDE DIAMETER |
|---|---------------------|--------|-----------------|------------------|
| 1 | 607002<br>(CHICAGO) | QC-1/2 | 1/2"            | 1 3/16"          |

### THREADED NOZZLE FITTINGS

|   | MODEL  | HOSE I.D. | THREAD   |            |          |
|---|--------|-----------|----------|------------|----------|
|   |        |           | 3/4" NPS | 1 1/4" NPS | 50 mm    |
| 6 | NH-1/2 | 1/2"      | 607057   | 607056     | * 407022 |



## SANDBLASTING CABINETS - HOSES, COUPLINGS & NOZZLES (CONT'D)

### CONICAL NOZZLE

| # | TYPE                     | PART No | MODEL  | ORIFICE | LENGTH | THREAD |
|---|--------------------------|---------|--------|---------|--------|--------|
| ④ | DC2-F - TUNGSTEN CARBIDE | 605302  | DC2-F2 | 1/8" Ø  | 1-5/8" | N/A    |
|   |                          | 605303  | DC2-F3 | 3/16" Ø |        |        |
|   |                          | 605304  | DC2-F4 | 1/4" Ø  |        |        |
|   | BN2-F - BORON CARBIDE    | 605308  | BN2-F2 | 1/8" Ø  |        |        |
|   |                          | 605309  | BN2-F3 | 3/16" Ø |        |        |
|   |                          | 605310  | BN2-F4 | 1/4" Ø  |        |        |

### STRAIGHT THREADED NOZZLE

|   |                        |        |       |         |        |                    |
|---|------------------------|--------|-------|---------|--------|--------------------|
| ⑧ | DC1 - TUNGSTEN CARBIDE | 605358 | DC1-2 | 1/8" Ø  | 1-3/4" | 3/4" - 1/4" N.P.S. |
|   |                        | 605359 | DC1-3 | 3/16" Ø |        |                    |
|   |                        | 605360 | DC1-4 | 1/4" Ø  |        |                    |
|   |                        | 605361 | DC1-5 | 5/16" Ø |        |                    |
|   | BC1 - BORON CARBIDE    | 605414 | BC1-2 | 1/8" Ø  |        | 1 1/4" N.P.S.      |
|   |                        | 605415 | BC1-3 | 3/16" Ø |        |                    |
|   |                        | 605416 | BC1-4 | 1/4" Ø  |        |                    |
|   |                        | 605417 | BC1-5 | 5/16" Ø |        |                    |

### DOUBLE VENTURI NOZZLE

|   |                       |        |     |         |          |       |
|---|-----------------------|--------|-----|---------|----------|-------|
| ⑨ | DOUBLE VENTURI NOZZLE | 405463 | # 3 | 3/16" Ø | 4 1/16"  | 50 mm |
|   |                       | 405464 | # 4 | 1/4" Ø  | 5 5/16"  |       |
|   |                       | 405465 | # 5 | 5/16" Ø | 6 1/16"  |       |
|   |                       | 405466 | # 6 | 3/8" Ø  | 6 1/8"   |       |
|   |                       | 405467 | # 7 | 7/16" Ø | 8 15/32" |       |
|   |                       | 405468 | # 8 | 1/2" Ø  | 9 1/16"  |       |

### TUNGSTEN CARBIDE

| Part Nb | Model | Orifice | Lenght |  |
|---------|-------|---------|--------|--|
| 605203  | DCV-3 | 3/16" Ø | 4 1/4" |  |
| 605204  | DCV-4 | 1/4" Ø  | 5 1/4" |  |
| 605205  | DCV-5 | 5/16" Ø | 6"     |  |
| 605206  | DCV-6 | 3/8" Ø  | 6 3/4" |  |
| 605207  | DCV-7 | 7/16" Ø | 8"     |  |
| 605208  | DCV-8 | 1/2" Ø  | 9 1/4" |  |

Threaded nozzle 1 1/4" N.P.S., 1" Ø entry venturi orifice, use with NCV, all NH- except NH - 1/2"

| Part Nb | Model | Orifice | Lenght |  |
|---------|-------|---------|--------|--|
| 605454  | BCV-4 | 1/4" Ø  | 4 1/8" |  |
| 605455  | BCV-5 | 5/16" Ø | 4 1/8" |  |
| 605456  | BCV-6 | 3/8" Ø  | 4 1/8" |  |

Threaded nozzle 1 1/4" N.P.S., 1" Ø entry venturi orifice, use with NCV, all NH- except NH- 1/2"

### TUNGSTEN CARBIDE


| Part Nb | Model | Orifice | Lenght |  |
|---------|-------|---------|--------|--|
| 605313  | DC3-3 | 3/16" Ø | 3"     |  |
| 605314  | DC3-4 | 1/4" Ø  | 3"     |  |
| 605315  | DC3-5 | 5/16" Ø | 3"     |  |
| 605316  | DC3-6 | 3/8" Ø  | 3"     |  |

Threaded nozzle 1 1/4" – 14 N.P.S., straight orifice, use with NCV, all NH- except NH - 1/2"




## M101P TYPE PRESSURE VESSELS

**BEFORE 2005 (610305)**



**AFTER 2005 (610313)**




| #  | Part #  | DESCRIPTION                                |
|----|---------|--|
| 1  | 618205  | O-Ring                                     |
| 2  | 610040  | Plunger (after 2005)                       |
| 2A | 610040A | Plunger (before 2005) (replaced by 610040) |
| 3  | 630361  | 1/2" MPT Plug                              |
| 4  | 611022  | 1/4" Pressure Gauge                        |
| 5  | 630367  | 1/2" FPT Union                             |
| 6  | 608102  | 1/2" Ball Valve                            |
| 7  | 606001  | 1/2" SBH Hose (sold by foot)               |
| 8  | 630372  | 1/2" PA Adapter                            |
| 9  | 632771  | 1/2" PA Swivel Adapter                     |
| 10 | 606148  | 1/2" Multipur. Hose (sold by foot)         |
| 11 | 607077  | 1/2" CFA Tank Fitting                      |
| 12 | 608043  | AR-7 Abrasive Regulator (see details p 58) |
| 13 | 630651  | 1" x 1/2" PA Reducer                       |


| #   | Part # | DESCRIPTION                          |
|-----|--------|--------------------------------------|
| 13A | 618209 | Access Door Seal                     |
| 14  | 631163 | 2" x 1/2" PA Reducer                 |
| 15  | 618001 | QCW-1 Sealing washer                 |
| 16  | 630327 | 1/2" PA Cross                        |
| 18  | 630361 | 1/2" PA Male Plug (before jan. 2001) |
|     | 630671 | 1" PA Male Plug (after jan. 2001)    |
| 19  | 630301 | 1/2" PA Nipple                       |
| 20  | 630328 | 1/2" T-Street                        |
| 21  | 630351 | 1/2" x 1/4" Hex. Reducer             |
| 22  | 630341 | 90° 1/2" MF PA Nipple                |
| 23  | 630340 | 90° 1/2" FF PA Nipple                |
| 24  | 624205 | #5 "H" Clip                          |
| 25  | 609301 | 1/2" - 1" Flange Hopper Adaptor      |
| 26  | 610311 | OPTION : 2" Sight Window             |




## PRESSURE VESSELS M101P-RC176



WITH AR7 + A6  
REGULATOR (UNTIL 2022)



WITH AR7 + A6  
REGULATOR (SINCE 2022)



| #  | PART # | DESCRIPTION                         |
|----|--------|-------------------------------------|
| 1  | 608043 | AR7 <sup>1</sup> Abrasive Regulator |
|    | 608302 | 1" Diaphragm Valve <sup>2</sup>     |
| 2  | 608332 | Repair Kit                          |
| 3  | 608482 | A6 Actuator <sup>3</sup>            |
| 3A | 608042 | A7 Actuator                         |
| 4  | 608534 | Pilot Valve TAC3 SMC                |
| 5  | 608015 | 1/4" Mini Air Regulator             |
| 6  | 611035 | 1/4" Mini filter                    |
| 7  | 611022 | 1/4" Pressure Gauge                 |
| 8  | 608202 | 1/2" Poppet Valve                   |
| 9  | 608102 | 1/2" Ball Valve                     |
| 10 | 607070 | TC-1/2" Tank Coupling               |
| 11 | 608104 | 1" Ball Valve                       |
| 12 | 607077 | CFA-1/2" Tank Coupling              |
| 13 | 610040 | M101 Plunger                        |
| 14 | 618205 | M101 O-ring                         |
| 15 | 607219 | 1/4" QC Female Fitting              |
| 16 | 607223 | 1/4" QC Male Fitting                |
| 17 | 632281 | PL 1/8" B.F SW. x 1/4" ST Adapter   |
| 18 | 632279 | PL 1/4" PIV. Swivel Adapter         |
| 19 | 631163 | 2"x 1/2" PA Reducer                 |
| 20 | 630327 | 1/2" PA Cross                       |
| 21 | 630367 | 1/2" Union                          |
| 22 | 632260 | 1/4" PL Union                       |
| 23 | 630330 | 1/2"x 1/2"x 1/4" PA T-Street        |

| #  | PART # | DESCRIPTION                         |
|----|--------|-------------------------------------|
| 24 | 630340 | 1/2" @ 90° PA FF Elbow              |
| 25 | 630346 | 1/2" @ 45° PA Elbow                 |
| 26 | 630328 | 1/2" PA T-Street                    |
| 27 | 630605 | 1" x 3" PA Nipple                   |
| 28 | 630630 | 1" PA T-Street                      |
| 29 | 630601 | 1" PA Nipple                        |
| 30 | 630671 | 1" PA Male Plug                     |
| 31 | 630341 | 90 MF 1/2" PA Elbow                 |
| 32 | 632202 | 1/4" 122B PL Hex. Nipple            |
| 33 | 632226 | 1/4" PL T-Street                    |
| 34 | 632026 | 1/8" MF Elbow                       |
| 35 | 632214 | 1/4" to 1/8" PL Hex. Nipple Reducer |
| 36 | 630651 | 1" M @ 1/2" FPA Nipple              |
| 37 | 630361 | 1/2" Male Plug                      |
| 38 | 630351 | 1/2" x 1/4" PA Hex. Reducer         |
| 39 | 632232 | 1/4" MF Elbow                       |
| 40 | 630305 | 1/2" x 3" PA Nipple                 |
| 41 | 610325 | SBH Push Hose Kit                   |
| 42 | 324560 | 1/4" @ 90 KQL07-355 Push-in Fitting |

<sup>1, 2, 3</sup> See parts details page 58

| #  | PART # | DESCRIPTION                             |
|----|--------|---|
| 43 | 608800 | Control Handle (RC76 n° 630301)         |
| 44 | 630301 | 1/2" PA Nipple                          |
| 45 | 619002 | Plastic Wheel                           |
| 46 | 607012 | CQA 1/2" Exterior Fitting               |
| 47 | 606001 | 1/2" SHB Hose (sold by foot)            |
| 48 | 607059 | NC3-N3 1/2" x 1" NPT Nozzle Fitting     |
| 49 | 606057 | 1/2"x 25' CQA 1/2" - NCN3 1/2" SHB Hose |
| 50 | 605303 | DC2 F3 Standard Nozzle                  |
| 51 | 607040 | NA1 1" NPT Nozzle Adaptor               |
| 52 | 606191 | 30'lg. Double Control Hose              |
| 53 | 324571 | 1/4" Blue Poly. Tube                    |
| 54 | 609301 | Flange Hopper Recycler                  |
| 55 | 610311 | OPTION : 2" Sight Windows               |
| 56 | 630351 | 1/4" @ 1/2" Reducer                     |
| 57 | 630317 | 1/2"x 3" lg. Nipple                     |
| 58 | 324558 | 1/4" Push-in Fitting                    |



## M SERIES - RECYCLING BY CYCLONIC SEPARATOR

### COMPLETE RECYCLER

| Cabinet Type | Outlet Type           | 13"    | 16"    | 24"    |  |
|--------------|-----------------------|--------|--------|--------|--|
| Suction      | Fan with motor        | 609188 | 609190 | 609192 |  |
|              | Case without impeller | 609242 | 609244 | 609246 |  |
| Pressure     | Fan with motor        | 609189 | 609191 | 609193 |  |
|              | Case without impeller | 609243 | 609245 | 609247 |  |

### OUTLET CASE TO DUST COLLECTOR

| # | Description    | 13"            | 16"            | 24"            |  |
|---|----------------|----------------|----------------|----------------|--|
| 1 | Outlet Case    | 609212         | 609213         | 609214         |  |
| 2 | Fan with motor | 609202         | 609203         | 609204         |  |
| 3 | Impeller       | 610526         | 610527         | 610528         |  |
| 4 | Motor          | 1 hp<br>616313 | 2 hp<br>616324 | 3 hp<br>616332 |  |
| 5 | Suction hose*  | 606169         | 606171         | 606173         |  |

### CYCLONIC SEPARATOR

| # | Description                    | 13"                   | 16"    | 24"    |  |
|---|--------------------------------|-----------------------|--------|--------|--|
| 1 | Body                           | 609230                | 609231 | 609232 |  |
| 2 | Support                        | 609180                | 609181 | 609182 |  |
| 3 | Rubber Band                    | 618334 (length : 41") |        |        |  |
| 4 | Self-Adhesive Rubber*          | 618318                |        |        |  |
| 5 | Abrasive Conveyor Hose*        | 606120                | 606123 | 606124 |  |
| 6 | Exterior Wear Pad Option       | 609283                | 609284 | 609285 |  |
| 7 | Full internal reinforcement    | 609290                | 609291 | 609292 |  |
| 8 | Partial internal reinforcement | 609272                | 609273 | 609274 |  |

### STORAGE HOPPER

| # | Description          | 13"    | 16" | 24"    |  |
|---|----------------------|--------|-----|--------|--|
| 1 | Body                 | 609286 |     |        |  |
| 2 | Support for Pressure | 609197 |     | S/O    |  |
| 3 | Support for Suction  | 609178 |     | 609174 |  |
| 4 | Adaptor for Suction  | 609287 |     |        |  |
| 5 | Self-adhesive foam*  | 618305 |     |        |  |
| 6 | Screening Grill      | 609903 |     |        |  |
| 7 | Door Latch           | 610269 |     |        |  |

Items marked with «\*» are sold by foot




## DUST COLLECTORS





## DUST COLLECTOR SERIE DC50




| # | Part # | DESCRIPTION*                    |
|---|--------|---------------------------------|
| 1 | 619006 | ROLLER FOR BAGS RACK            |
| 2 | 601309 | "S" HOOK                        |
| 3 | 612427 | LEVELING LEG                    |
| 4 | 601316 | DB6HP 56"LG X 5 1/4" Ø DUST BAG |
| 5 | 610269 | TOGGLE STEM                     |

| # | Part # | DESCRIPTION*                        |
|---|--------|-------------------------------------|
| 6 | 618321 | TYPE "D" RUBBER SEAL (SOLD BY FOOT) |
| 7 | NPN    | DUST DRAWER                         |
| 8 | NPN    | ACCESS DOOR                         |
| 9 | NPN    | MANUAL SHAKER HANDLE                |

(All items are sold by the foot or individually)



## DCM100 TO 330 SERIES DUST COLLECTOR




| #  | PART # | DESCRIPTION  |
|----|--------|--|
| 1  |        | Hoses : see table page 35                                    |
| 2  |        | Clips : see table page 35                                    |
| 3  |        | Fan Motor : see table page 35                                |
| 4  | 608508 | Pneumatic Shacker Button                                     |
| 5  | 608408 | Flow Adjust 10-32 Slotted                                    |
| 6  | 632064 | 1/8" 10-32 MPT Hose Barb Fitting                             |
| 7  | 608409 | 1/4" Reducer pour Flow Adjust                                |
| 8  | -/->   | Air Inlet (1/4" M # 607222, & 1/4" F # 607219 Quick Connect) |
| 9  | 608406 | Clevis Rod   |
| 10 | 619005 | 2" Roller  |
| 11 | 608405 | 3/4" Ø x 3" stroke Cylinder                                  |
| 12 | 608407 | Bracket for cylinder   |
| 13 | 610280 | 8" Adjustable Air Inlet                                      |
| 14 | 610287 | Complete Door Handle   |

| #  | PART # | DESCRIPTION                                    |
|----|--------|--|
| 15 | 910223 | Door Toggle Stem                               |
| 16 | 601378 | Dust Trap                                      |
| 17 | 618321 | "D" Type Rubber Seal (sold by foot)            |
| 18 | 616575 | Electric Cable (sold by foot)                  |
| 19 | 616406 | Electric Plug                                  |
| 20 | 617063 | Electric Box                                   |
| 21 | 601309 | "S" Hook                                       |
| 22 | 609158 | 4" Dust Hose (sold by foot)                    |
| 23 |        | Dust Bags (see table page 35)                  |
| 24 |        | Option : Barrel & Extension Legs (see page 35) |
| 25 |        | Option : Horizontal Muffler (see page 35)      |
| 26 |        | Option : Vertical Muffler (see page 35)        |
| 27 |        | Trolley for Barrel                             |




## DUST COLLECTORS : MOTORS, HOSES AND BAGS OR CARTRIDGES

### FAN MOTOR & SUCTION HOSE



#### BARBED SUCTION HOSES AND CLAMPS

| Fan Motor (hp) | Hose I.D. | Hose (1) | Clamp (2) |
|----------------|-----------|----------|-----------|
| 1/2            | 5"        | 606168   | 624121    |
| 1              | 6"        | 606169   | 624124    |
| 2              | 7"        | 606171   | 624127    |
| 3              | 8"        | 606173   | 624128    |
| 5              | 10"       | 606177   | 624137    |



#### FAN MOTOR

| Power (hp) (1) | Voltages |       | Fan (2) |
|----------------|----------|-------|---------|
|                | 240 V    | 380 V |         |
| 1/2            | IST      | S/O   | 610525  |
| 1              | IST      | S/O   | 610526  |
| 2              | IST      | S/O   | 610527  |
| 3              | S/O      | IST   | 610528  |
| 5              | S/O      | IST   | 610529  |
| 7.5            | S/O      | IST   | IST     |
| 10             | S/O      | IST   | IST     |

| #  | PART # | DUST BAGS                           |
|----|--------|-------------------------------------|
| 23 | 601316 | DC 100 : DB6HP Dust Bags (Qty : 16) |
|    |        | DC 160 : DB6HP Dust Bags (Qty : 25) |
|    |        | DC 230 : DB6HP Dust Bags (Qty : 36) |
|    | 601308 | DC 330 : DB9HP Dust Bags (Qty : 36) |

#### FILTERING CARTRIDGES


| # | PART # | MODEL   | QTY |
|---|--------|---------|-----|
| 7 | 901321 | DCM600  | 2   |
|   |        | DCM900  |     |
|   |        | DCM1200 | 4   |
|   |        | DCM1800 |     |



#### BAGHOUSE DUST COLLECTOR OPTIONS

| DCM MODEL  | OPTION Nb. | BARREL CAPACITY (gal) | OPTION DUST BARREL & LEGS (24) | HORIZONTAL MUFFLER (25) | VERTICAL MUFFLER (26) |
|------------|------------|-----------------------|--------------------------------|-------------------------|-----------------------|
|            |            |                       | (24)                           | (25)                    | (26)                  |
| *DCM-100-4 | 601486     | 15                    |                                | 601434                  | 601423                |
| DCM-100    | 601486     | 15                    |                                | 601434                  | 601423                |
| DCM-160    | 601487     | 30                    |                                | 601435                  | 601424                |
| DCM-230    | 601490     | 30                    |                                | 601436                  | 601425                |
| DCM-330    | 601490     | 30                    |                                | 601437                  | 601426                |

\* For ECAB pressure cabinet only.




| #  | PART # | DESCRIPTION                           |
|----|--------|---------------------------------------|
| 1  |        | Hoses : see table page 35             |
| 2  |        | Clamps : see table page 35            |
| 3  |        | Motor : see table page 35             |
| 4  | 611058 | 1/8" Inline Filter                    |
| 5  | 632248 | 1/4" @ 1/8" HEX. Reducer              |
| 6  | NPN    | Cartridge Guide                       |
| 7  |        | Filtering Cartridge : see table p. 35 |
| 8  | NPN    | Access Door                           |
| 9  | 940109 | Star Knob                             |
| 10 | NPN    | Cartridge Lock Key                    |
| 11 | 630651 | 1" @ 1/2" Reducer                     |
| 12 | 608022 | 1/2" Complete Pressure Regulator      |

| #   | PART # | DESCRIPTION                           |
|-----|--------|---------------------------------------|
| 13  | 608102 | 1/2" Ball Valve                       |
| 14  | 607222 | 1/4"-1/4" NPT Quick-Connect Fitting   |
| 14A | 630351 | 1/2" @ 1/4" MF Reducer                |
| 15  | 630641 | 1" MF @ 90° Elbow                     |
| 16  | 901448 | 30 gal Collecting Barrel              |
| 17  | 618321 | « D » Type Rubber Seal (Sold by foot) |
| 18  | 324560 | 1/4" NPT @ 1/4" TU Push-in Fitting    |
| 19  | 932004 | 1/4" FF Bulkhead Fitting              |
| 20  | 919325 | Trolley for Barrel                    |
| 21  | 630125 | 1/4" MF @ 90° Elbow                   |
| 22  | 630141 | 1/4" @ 1/8" Reducer                   |




## PORABLE SANDBLASTERS





## 80PX PORTABLE SANDBLASTER (601100)

COMPLETE HEAVY DUTY HOSE ASSEMBLY




RCM-12  
(SEE DETAILS PAGE 40)

| #  | Part # | Description                        |
|----|--------|------------------------------------|
| 1  | 601110 | Lift Plug                          |
| 2  | 601118 | Handlebar                          |
| 3  | 601101 | Tank                               |
| 4  | 611022 | Pressure Gauge                     |
| 5  | 601124 | Safety valve                       |
| 6  | 632504 | BP Hex. Nipple 3/8"                |
| 7  | 601120 | Intake Manifold                    |
| 8  | 601119 | Water Trap Filter                  |
| 9  | 608005 | 3/8" Ball Valve                    |
| 10 | 607222 | Male Quick Connect 1/4" (Optional) |
| 11 | 601121 | Wheel                              |
| 12 | 601117 | Wheel Axle                         |
| 13 | 601111 | Standard Sand Outlet Pipe          |
| 14 | 601112 | 3/8" Standard Sandblast Hose       |
| 15 | 601113 | Clamp                              |
| 16 | 601114 | Intake Connector 3/8"              |
| 17 | 630401 | Galvanized Bushing 1 3/8"          |
| 18 | 618015 | Washer NW-0                        |

| #  | Part # | Description  |
|----|--------|--|
| 19 | 605031 | Standard Ceramic Nozzle 1/8" (included)                    |
| 20 | 601102 | Air Hose 80PX (c/w Clamps & Fittings)                      |
| 21 | NPN    | M8X10 Screw (x2) & Cotter Pin (1x) for Threaded Axle Foot  |
| 22 | NPN    | Flat Washer 1/4" (x2) & Cotter Pin (1x) for Each Wheel     |
| 23 | NPN    | M6 Bolt & Nut (1x) & Washer for Each Handle Side           |
| 24 | 601123 | Front leg support 80PX                                     |
| 25 | 601122 | Axle support 80PX  |
| 26 | 601116 | <b>Option: Complete Robust Hose Upgrade Kit (27 to 35)</b> |
| 27 | 630350 | Fitting 1/2" x 3/8"  |
| 28 | 630341 | 1/2" Elbow Fitting   |
| 29 | 632504 | BP Hex. Nipple 3/8"  |
| 30 | 630329 | "T" Fitting 1/2" x 1/2" x 3/8"                             |
| 31 | 607070 | TC 1/2" Tank Coupling                                      |
| 32 | 607002 | QC 1/2" Coupling   |
| 33 | 624205 | Clamp  |
| 34 | 606001 | SBH 1/2" Sandblast Hose (sold by foot)                     |
| 35 | 607050 | NC 1/2" Coupling   |



## PPB-100PX PORTABLE SANDBLASTER \*\*\*DISCONTINUED\*\*\*




|    |               |   |
|----|---------------|---|
| 1  | <b>612103</b> | Lift plug   |
| 2  | <b>618203</b> | Gasket  |
| 3  | <b>611022</b> | Pressure Gauge  |
| 4  | <b>630330</b> | Fitting PN - "T" PA $\frac{1}{2}''$ x $\frac{1}{2}''$ x $\frac{1}{4}''$ |
| 5  | <b>630328</b> | Fitting PN-"T" PA $\frac{1}{2}''$                                       |
| 6  | <b>608102</b> | $\frac{1}{2}''$ ball valve  |
| 7  | <b>630301</b> | Close nipple $\frac{1}{2}''$  |
| 8  | <b>608230</b> | Exhaust drain   |
| 9  | <b>630341</b> | Elbow PN $90^\circ$ x $\frac{1}{2}''$                                   |
| 10 | <b>608011</b> | Brass hose barb $\frac{1}{2}''$   |
| 11 | <b>624106</b> | Clamp T-16  |
| 12 | <b>606082</b> | Side hose/Clamp   |
| 13 | <b>608005</b> | Abrasive regulator AR $\frac{3}{8}''$                                   |
| 14 | <b>630201</b> | Close nipple PN $\frac{3}{8}''$   |
| 15 | <b>630350</b> | Hex. bushing PN $\frac{3}{8}''$ x $\frac{1}{2}''$                       |

|    |               |  |
|----|---------------|--|
| 16 | <b>607070</b> | TC - $\frac{1}{2}''$ tank coupling                                       |
| 17 | <b>618000</b> | Washer QCW-O   |
| 18 | <b>619002</b> | Plastic wheel 8"   |
| 19 | <b>619070</b> | Wheel hub cap  |
| 20 | <b>630346</b> | Elbow PN $45^\circ$ x $\frac{1}{2}''$                                    |
| 21 | <b>630327</b> | Cross fitting $\frac{1}{2}''$  |
| 22 | <b>630361</b> | $\frac{1}{2}''$ male plug  |
| 23 | <b>605031</b> | Ceramic nozzle CN3-2 $\frac{1}{8}''$                                     |
| 24 | <b>607050</b> | Nozzle coupling NC- $\frac{1}{2}''$                                      |
| 25 | <b>602007</b> | <b>Complete RCM-12 (see details page 23)</b>                             |
| 26 | <b>607002</b> | Quick hose coupling QC - $\frac{1}{2}''$                                 |
| 27 | <b>606011</b> | <b>Complete 10' SBH - <math>\frac{1}{2}''</math> with QC-NC fittings</b> |
| 28 | <b>606001</b> | SBH- $\frac{1}{2}''$ bulk, per foot (min. order 10')                     |
| 29 | <b>624205</b> | Clamp  |



## PPB 80 & 100PX: AVAILABLE PARTS

### RCM-12 SANDBLAST GUN



| A | 602007        | Complete RCM-12 Gun |
|---|---------------|---------------------|
| 1 | <b>602121</b> | Body                |
| 2 | <b>602125</b> | Pin RCM-12          |
| 3 | <b>602132</b> | Allen Key           |
| 4 | <b>602127</b> | Allen Screw         |
| 5 | <b>602126</b> | Block               |
| 6 | <b>602123</b> | Handle              |
| 7 | <b>602122</b> | Spring              |
| 8 | <b>602124</b> | Axle                |
| 9 | <b>618015</b> | NW-0 Washer         |

### NOZZLES

#### CERAMIC



| Part Nb       | Model | Orifice            | Length           |  |
|---------------|-------|--------------------|------------------|--|
| <b>605031</b> | CN3-2 | $\frac{1}{8}$ " Ø  | $3\frac{3}{4}$ " | Conical type nozzle, straight orifice.<br>Use with fittings NC- ½", NA-1, NA-3<br>and RCM-12 |
| <b>605033</b> | CN3-3 | $\frac{3}{16}$ " Ø | $3\frac{3}{4}$ " |  |
| <b>605034</b> | CN3-4 | $\frac{1}{4}$ " Ø  | $3\frac{3}{4}$ " |  |
| <b>605036</b> | CN3-6 | $\frac{3}{8}$ " Ø  | $3\frac{3}{4}$ " |  |



|               |    |   |
|---------------|----|---|
| <b>607044</b> | NA | Adapter for conical ceramic nozzle type CN3-. |
|---------------|----|---|


### SANDBLAST HOODS



|            |              |          |               |                                  |
|------------|--------------|----------|---------------|----------------------------------|
| <b>BH3</b> | <b>BH5</b>   | <b>1</b> | <b>603033</b> | BH3 Hood                         |
| (1)        | (3)          | <b>2</b> | <b>613004</b> | Shield BH3 6" x 5"               |
|            | DISCONTINUED | <b>3</b> | <b>NPN</b>    | BH5 Hood ( <b>Discontinued</b> ) |
|            |              | <b>4</b> | <b>613008</b> | Shield BH5 5" x 10 ¼"            |



## SANDBLASTER MODEL 346/646/1046: NOZZLES & HOSES



### BULK SANDBLAST HOSES (LENGTH OF 12.5', 25' & 50' ONLY)

|   | MODEL                   | INSIDE DIAMETER | OUTSIDE DIAMETER |
|---|-------------------------|-----------------|------------------|
| 1 | 606004 SBHW-1 1/4" whip | 1 1/4"          | 1 7/8"           |
|   | 606005 SBH-1"           | 1"              | 1 3/32"          |
|   | 606006 SBH-1 1/4"       | 1 1/4"          | 2 5/32"          |
|   | 606007 SBH-1 1/2"       | 1 1/2"          | 2 3/8"           |
|   | 606008 SBH-2"           | 2"              | 2 7/8"           |

### HOSES FITTINGS

|           | Part Nb. | Model | SBH I.D. | SBH O.D. |
|-----------|----------|-------|----------|----------|
| 2         | 607005   | QC    | 1"       | 1 31/32" |
| (CHICAGO) | 607007   |       | 1 1/4"   | 2 5/32"  |
|           | 607009   |       | 1 1/2"   | 2 3/8"   |

### FITTING GASKETS\*

|    | Part Nb. | Model | Hose I.D. |
|----|----------|-------|-----------|
| 2A | 618000   | QCW   | 1"        |
|    | 618001   |       | 1 1/4"    |
|    | 618003   |       | 1 1/2"    |

\* The gasket is included with hose fittings.

### OPTION 1: THREADED NOZZLE FITTINGS

|   | Thread    |           |            |              |
|---|-----------|-----------|------------|--------------|
|   | Model     | Hose I.D. | 1"-1/4 NPS | 2"-4 1/2 UNC |
| 3 | NH-1      | 1"        | 607018     | 407020       |
|   | NH-1 1/4" | 1 1/4"    | 607019     | 407021       |
|   | NH-1 1/2" | 1 1/2"    | 607054     | N/A          |

### OPTION 2: QUICK CONNECT NOZZLE COUPLINGS

|   | Part Nb. | Model     | Hose I.D. | Thread     |
|---|----------|-----------|-----------|------------|
| 4 | 607075   | TC-1 1/4" | 1 1/4"    | 1"-1/4 NPS |
|   | 907011   |           | 1 1/2"    |            |

Nozzle couplings are primarily used by operators who need to regularly change nozzles, but this type of connection could cause wear on the hose and / or nozzle.



## SANDBLASTER MODEL 346/646/1046: NOZZLES & HOSES (CONT'D)

### 5 HOSE AND FITTINGS PRE-ASSEMBLED KITS (INCLUDES ①, ② AND ③)

Kits with two hose connections (QC-QC) to the end pieces can be used to make extensions. Assemblies that include a hose connector (QC) and a nozzle connector (NH) are those used to insert the nozzle.

The SBHW-1¼" Whip hose offers lightness and flexibility in use, but wears out faster because its wall is thinner than standard hoses. The Whip system is generally used at the "last length" blast hose in blast chambers and should be replaced more frequently.

| ① SANDBLASTING HOSE |                     |                    | ②③ FITTINGS |        |
|---------------------|---------------------|--------------------|-------------|--------|
| Model               | Inside Diam. (I.D.) | Hose length (feet) | QC-QC       | QC-NH  |
| SBH-1"              | 1"                  | 12.5               | 606030      | 606029 |
|                     |                     | 25                 | 606036      | 606031 |
|                     |                     | 50                 | 606037      | 606032 |
| SBH-1¼"             | 1¼"                 | 50                 | 606042      | 606040 |
| SBH-1½"             | 1½"                 |                    | 606052      | 606050 |
| SBHW-1¼"            | 1¼" Whip            | 12.5               | 606049      | 606053 |

### 6 THREADED NOZZLES SIMPLE VENTURI

Simple Venturi nozzles provide exceptional sanding performance. Their design is designed with a narrow entrance and a wide opening which considerably increases the velocity at the exit

| DCV-TUNGSTEN CARBIDE* | Part # | Model | Orifice | Length | Thread  |
|-----------------------|--------|-------|---------|--------|---------|
|                       | 605203 | DCV-3 | ¾" Ø    | 4 ¼"   | 1¼" NPS |
|                       | 605204 | DCV-4 | ½" Ø    | 5 ¼"   |         |
|                       | 605205 | DCV-5 | ⅝" Ø    | 6"     |         |
|                       | 605206 | DCV-6 | ⅜" Ø    | 6 ¾"   |         |
|                       | 605207 | DCV-7 | ⅗" Ø    | 8"     |         |
|                       | 605208 | DCV-8 | ⅔" Ø    | 9 ¼"   |         |

| BCV4- BORE CARBIDE* | Part # | Model  | Orifice | Length | Thread |
|---------------------|--------|--------|---------|--------|--------|
|                     | 605453 | BCV4-3 | ⅝" Ø    | 4 ½"   |        |
|                     | 605454 | BCV4-4 | ½" Ø    |        |        |
|                     | 605455 | BCV4-5 | ⅝" Ø    |        |        |
|                     | 605456 | BCV4-6 | ⅜" Ø    |        |        |
|                     | 605457 | BCV4-7 | ⅗" Ø    |        |        |
|                     | 605458 | BCV4-8 | ⅔" Ø    |        |        |

| ⑥ GASKET | Part # | Model | Thickness |
|----------|--------|-------|-----------|
|          | 618016 | NW-1  | ¼"        |

\* The gasket is included with the nozzles.

### THREADED NOZZLES DOUBLE VENTURI

Double Venturi nozzles provide increased performance compared to the Single Venturi nozzle. The hole inside the nozzle allows atmospheric air to be introduced, which considerably increases the velocity while reducing the loss of velocity.

| BORON CARBIDE* | Part # | Model | Orifice | Length   | Thread |
|----------------|--------|-------|---------|----------|--------|
|                | 405464 | # 4   | ¼" Ø    | 5 ⁵/₁₆"  | 50 mm  |
|                | 405465 | # 5   | ⅝" Ø    | 6 ¹¹/₁₆" |        |
|                | 405466 | # 6   | ⅜" Ø    | 6 ¹/₈"   |        |
|                | 405467 | # 7   | ⅗" Ø    | 8 ¹⁵/₃₂" |        |
|                | 405468 | # 8   | ⅔" Ø    | 9 ¼"     |        |

| ⑥ GASKET | Part # | Model | Thickness |
|----------|--------|-------|-----------|
|          | 407025 | NW3   | ¼"        |

\* Gasket sold separately.

| SILICON CARBIDE       | Part Nb | Model | Orifice | Length |
|-----------------------|---------|-------|---------|--------|
| DOUBLE VENTURI NOZZLE | 905464  | SCV-4 | ¼" Ø    | 6"     |
|                       | 905465  | SCV-5 | ⅝" Ø    | 6 ¾"   |
|                       | 905466  | SCV-6 | ⅜" Ø    | 8"     |
|                       | 905467  | SCV-7 | ⅗" Ø    | 9 ¼"   |
|                       | 905468  | SCV-8 | ⅔" Ø    | 9 ¼"   |

Threaded nozzle 1¼" N.P.S., 1" Ø entry venturi orifice, use with NCV, all NH- except NH- ½"



## NOZZLES LIST

### TUNGSTEN CARBIDE

| Part #  | Model  | Opening                      | Lenght           |  |
|---|--------|------------------------------|------------------|--|
| <b>605302</b>   | DC2-F2 | $\frac{1}{8}'' \varnothing$  | $1\frac{5}{8}''$ |  |
| <b>605303</b>   | DC2-F3 | $\frac{3}{16}'' \varnothing$ | $1\frac{5}{8}''$ |  |
| <b>605304</b>   | DC2-F4 | $\frac{1}{4}'' \varnothing$  | $1\frac{5}{8}''$ |  |
| <b>Conical type nozzle, straight orifice. Use with NC-1/2" couplings, NA-1, NA-3.<br/>(not with RCM-12)</b> |        |                              |                  |  |
| <b>BORE CARBIDE</b>   |        |                              |                  |  |
| <b>605308</b>   | BN2-F2 | $\frac{1}{8}'' \varnothing$  | $1\frac{5}{8}''$ |  |
| <b>605309</b>   | BN2-F3 | $\frac{3}{16}'' \varnothing$ | $1\frac{5}{8}''$ |  |
| <b>605310</b>   | BN2-F4 | $\frac{1}{4}'' \varnothing$  | $1\frac{5}{8}''$ |  |
| <b>Conical type nozzle, straight orifice. Use with NC-1/2" couplings, NA-1, NA-3.<br/>(not with RCM-12)</b> |        |                              |                  |  |

DC2 / BN2

### TUNGSTEN CARBIDE

| Part #   | Model | Opening                      | Lenght           |  |
|--|-------|------------------------------|------------------|--|
| <b>605358</b>  | DC1-2 | $\frac{1}{8}'' \varnothing$  | $1\frac{3}{4}''$ |  |
| <b>605359</b>  | DC1-3 | $\frac{3}{16}'' \varnothing$ | $1\frac{3}{4}''$ |  |
| <b>605360</b>  | DC1-4 | $\frac{1}{4}'' \varnothing$  | $1\frac{3}{4}''$ |  |
| <b>605361</b>  | DC1-5 | $\frac{5}{16}'' \varnothing$ | $1\frac{3}{4}''$ |  |
| <b>Threaded nozzle <math>\frac{3}{4}''</math> – 14 N.P.S., straight orifice.<br/>Is used with NH-1/2" coupling only.</b> |       |                              |                  |  |
| <b>BORE CARBIDE</b>  |       |                              |                  |  |
| <b>605414</b>  | BC1-2 | $\frac{1}{8}'' \varnothing$  | $1\frac{3}{4}''$ |  |
| <b>605415</b>  | BC1-3 | $\frac{3}{16}'' \varnothing$ | $1\frac{3}{4}''$ |  |
| <b>605416</b>  | BC1-4 | $\frac{1}{4}'' \varnothing$  | $1\frac{3}{4}''$ |  |
| <b>605417</b>  | BC1-5 | $\frac{5}{16}'' \varnothing$ | $1\frac{3}{4}''$ |  |
| <b>Threaded nozzle <math>\frac{3}{4}''</math> – 14 N.P.S., straight orifice.<br/>Is used with NH-1/2" coupling only.</b> |       |                              |                  |  |

DC1 / BC1

### TUNGSTEN CARBIDE

| Part #   | Model | Opening                      | Lenght |  |
|--|-------|------------------------------|--------|--|
| <b>605313</b>  | DC3-3 | $\frac{3}{16}'' \varnothing$ | $3''$  |  |
| <b>605314</b>  | DC3-4 | $\frac{1}{4}'' \varnothing$  | $3''$  |  |
| <b>605315</b>  | DC3-5 | $\frac{5}{16}'' \varnothing$ | $3''$  |  |
| <b>605316</b>  | DC3-6 | $\frac{3}{8}'' \varnothing$  | $3''$  |  |
| <b>Threaded nozzle <math>1\frac{1}{4}</math>" N.P.S. straight jet.</b> |       |                              |        |  |

DC3-

### TUNGSTEN CARBIDE

| Part #   | Model | Opening                      | Lenght           |  |
|--|-------|------------------------------|------------------|--|
| <b>605203</b>  | DCV-3 | $\frac{3}{16}'' \varnothing$ | $4\frac{1}{4}''$ |  |
| <b>605204</b>  | DCV-4 | $\frac{1}{4}'' \varnothing$  | $5\frac{1}{4}''$ |  |
| <b>605205</b>  | DCV-5 | $\frac{5}{16}'' \varnothing$ | $6''$            |  |
| <b>605206</b>  | DCV-6 | $\frac{3}{8}'' \varnothing$  | $6\frac{3}{4}''$ |  |
| <b>605207</b>  | DCV-7 | $\frac{7}{16}'' \varnothing$ | $8''$            |  |
| <b>605208</b>  | DCV-8 | $\frac{1}{2}'' \varnothing$  | $9\frac{1}{4}''$ |  |
| <b>BORE CARBIDE</b>  |       |                              |                  |  |
| <b>605454</b>  | BCV-4 | $\frac{1}{4}'' \varnothing$  | $4\frac{1}{8}''$ |  |
| <b>605455</b>  | BCV-5 | $\frac{5}{16}'' \varnothing$ | $4\frac{1}{8}''$ |  |
| <b>605456</b>  | BCV-6 | $\frac{3}{8}'' \varnothing$  | $4\frac{1}{8}''$ |  |
| <b>1 1/4" N.P.S. threaded nozzle, 1"Ø venturi orifice.<br/>For use with NCV, all NH- except NH- 1/2"</b> |       |                              |                  |  |

DCV-

BCV-

### SILICONE CARBIDE (SiA1ON)


| Part #   | Model | Opening                      | Lenght   |  |
|--|-------|------------------------------|----------|--|
| <b>905464</b>  | SCV-4 | $\frac{1}{4}'' \varnothing$  | $5.8''$  |  |
| <b>905465</b>  | SCV-5 | $\frac{5}{16}'' \varnothing$ | $6.31''$ |  |
| <b>905466</b>  | SCV-6 | $\frac{3}{8}'' \varnothing$  | $6.85''$ |  |
| <b>905467</b>  | SCV-7 | $\frac{7}{16}'' \varnothing$ | $8.4''$  |  |
| <b>905468</b>  | SCV-8 | $\frac{1}{2}'' \varnothing$  | $9.25''$ |  |
| <b>1 1/4" N.P.S. threaded nozzle, dual venturi orifice.<br/>1"Ø inlet. For use with NCV, all NH- except NH- 1/2"</b> |       |                              |          |  |

SCV-




## SANDBLASTER MODEL 340 - 640 RC66 / RC70 VERSION (UNTIL 2009)

### EXPLODED VIEW



\* OPTION : ELECTRICAL REMOTE CONTROL 12 V DC / 120 V AC



SEE DETAILS PAGE 72



## SANDBLASTER MODEL 340 - 640 TYPE RC66 / RC70 PARTS LIST

### MODEL 340

|     |        |  |
|-----|--------|--|
| 1   | 612200 | Pressure vessel only                               |
| 2   | 611052 | 1" moisture separator                              |
| 3   | 608104 | 1" ball valve                                      |
| 4   | 611022 | 1/4" 1 / 4 " NPT gauge                             |
| 5   | 740006 | 15" Wheel  |
| 6   | 619090 | Wheel axle   |
| 7   | 610056 | Access door kit                                    |
|     | 618209 | Access door gasket only                            |
| 8   | 610041 | 5" Plunger   |
| 9   | 618201 | "O" Ring   |
| 10  | 612245 | 1" hose assembly                                   |
| 10A | 606005 | 1" hose only                                       |
| 10B | 630690 | 1" NPT adaptor                                     |
| 10C | 624208 | "H" clamp  |
| 11  | 630680 | 1" NPT union                                       |
| 12  | 607075 | TC 1 1/4" coupling                                 |
| 13  | 608043 | AR-7 abrasive regulator (see page 48)              |
| 14  | 608230 | Drain valve  |
| 15  | 608309 | 1" pneumatic valve Version RC 70-80 (see page 48)  |
| 15A | 608302 | 1" pneumatic valve Version RC 66-76 (see page 48)  |
| 16  | 630629 | 1" cross coupling                                  |
| 17  | 630671 | 1" Plug  |
| 18  | 630630 | 1" T coupling                                      |
| 19  | 630653 | 1" x 1/4" coupling                                 |
| 20  | 630840 | T 1 1/4" T coupling                                |
| 21  | 630884 | 1 1/4" Plug  |
| 22  | 608951 | Depress valve (see page 72)                        |
| 24  | 631135 | T 2" T fitting                                     |
| 25  | 631152 | 2" to 1" reducer                                   |
| 26  | 630640 | 1" x 90° elbow                                     |
| 28  | 608534 | Pilot valve  |
| 29  | 611035 | Mini filter  |
| 30  | 608800 | Pneumatic remote control handle                    |
| 31  | 607075 | 1 1/4" TC Nozzle Adaptor                           |
| 32  | 605204 | Venturi nozzle DCV- 4- x 1/4"                      |
|     | 606005 | 1" sandblasting hose only (sold per foot) 25' min. |
| 33  | 606036 | 1" sandblasting hose, 25' with QC-QC coupling      |
|     | 606037 | 1" sandblasting hose, 50' with QC-QC coupling      |
| 34  | 607005 | 1" QC coupling                                     |
| 35  | 618001 | QCW-1 QC coupling washer                           |
| 36  | 618016 | NW-1 nozzle washer                                 |
| 37  | 606191 | 30' dual hose with couplings                       |
|     | 606193 | 55' dual hose with couplings                       |
| 38  | 607219 | 1/4" female quick coupling                         |
| 39  | 607223 | 1/4" male quick coupling                           |
| 40  | 632279 | Green hose coupling 1/4"                           |
| 41  | 632281 | Red hose coupling 1/8"                             |
| 43  | 324557 | "Y" push-in coupling                               |
| 44  | 632202 | 1/4" nipple  |
| 45  | 324571 | Plastic tube                                       |
| 46  | 324561 | Push-in 1/8" NPT x 1/4" coupling                   |
| 47  | 632026 | 1/8" male/female elbow                             |
| 48  | 632226 | "T" male/female 1/4" coupling                      |
| 49  | 630601 | 1" nipple  |
| 50  | 630801 | 1 1/4" nipple                                      |
| 51  | 632214 | Male 1/4" x 1/8" NPT male coupling                 |
| 52  | 631080 | 1/4" union   |


### MODEL 640

|     |        |  |
|-----|--------|--|
| 1   | 612250 | Pressure vessel only                                   |
| 2   | 611053 | 1 1/4" moisture separator                              |
| 3   | 608105 | 1 1/4" ball valve                                      |
| 4   | 611022 | 1/4" NPT gauge   |
| 5   | 619015 | 16" Wheel  |
| 6   | 619091 | Axle   |
| 7   | 610056 | Access door kit  |
|     | 618209 | Access door gasket                                     |
| 8   | 610041 | 5" plunger   |
| 9   | 618201 | "O" Ring   |
| 10  | 612246 | 1 1/4" hose assembly                                   |
| 10A | 606006 | 1 1/4" hose only                                       |
| 10B | 630885 | 1 1/4" NPT adaptor                                     |
| 10C | 624210 | "H" clamp  |
| 11  | 630890 | 1 1/4" NPT union                                       |
| 12  | 607075 | TC 1 1/4" coupling                                     |
| 13  | 608043 | AR-7 abrasive regulator (see page 58)                  |
| 14  | 608230 | Drain valve  |
| 15  | 608307 | 1 1/4" pneumatic valve Version RC 70-80 (see p 72)     |
|     | 608303 | 1 1/4" pneumatic valve Version RC 66-76 (see p 72)     |
| 16  | 630838 | 1 1/4" cross coupling                                  |
| 17  | 630884 | 1 1/4" plug  |
| 18  | 630840 | 1 1/4" "T" coupling                                    |
| 19  | 630864 | 1 1/4" x 1/4" coupling                                 |
| 20  | 630840 | "T" 1 1/4" "T" coupling                                |
| 21  | 630884 | 1 1/4" plug  |
| 22  | 608951 | RC66/A6 depress complete kit (see page 48)             |
| 23  | 608482 | A6 actuator (page 48)                                  |
| 24  | 631135 | 2" "T" fitting   |
| 25  | 631151 | 2" to 1 1/4" reducer                                   |
| 26  | 630850 | 1 1/4" - 90° elbow                                     |
| 28  | 608534 | TAC3 Pilot valve                                       |
| 29  | 611035 | 1/4 Mini filter  |
| 30  | 608800 | Pneumatic remote control handle (see page 46)          |
| 31  | 607075 | 1 1/4" TC nozzle adaptor                               |
| 32  | 605205 | Venturi nozzle DCV5- x 5/16"                           |
|     | 606006 | 1 1/4" sandblasting hose only (sold per foot) 50' min. |
| 33  | 606042 | 1 1/4" sandblasting hose, 50' with QC-QC coupling      |
| 34  | 607007 | 1 1/4" QC coupling                                     |
| 35  | 618001 | QCW-1 coupling washer                                  |
| 36  | 618016 | NW-1 nozzle washer                                     |
| 37  | 606193 | 55' dual hose with couplings                           |
| 38  | 607219 | 1/4" female quick coupling                             |
| 39  | 607223 | 1/4" male quick coupling                               |
| 40  | 632279 | 1/4" green hose coupling                               |
| 41  | 632281 | 1/8" red hose coupling                                 |
| 42  | 324560 | Push-in 1/4" @ 90°                                     |
| 44  | 632202 | 1/4" Hex. nipple                                       |
| 45  | 324571 | 1/4" Blue Poly. Tube                                   |
| 46  | 324561 | Push-in 1/8" NPT x 1/4" coupling                       |
| 47  | 632026 | 1/8" 90° male/female elbow                             |
| 48  | 632226 | "T" male/female 1/4" coupling                          |
| 49  | 630601 | 1" nipple  |
| 50  | 630801 | 1 1/4" nipple  |
| 51  | 632214 | Male 1/4" x 1/8" NPT male coupling                     |



## SANDBLASTER MODEL 340 - 640 TYPE RC76 / RC80 (UNTIL 2009)

### EXPLODED VIEW



Electric remote control option 12 V DC / 120 V

See details page 71





## SANDBLASTER MODEL 340 - 640 TYPE RC76 / RC80 PARTS LIST (UNTIL 2009)

### Model 340

| #   | Part # | Description  |
|-----|--------|--|
| 1   | 612200 | Pressure vessel only                               |
| 2   | 611052 | 1" moisture separator                              |
| 3   | 608104 | 1" ball valve                                      |
| 4   | 611022 | 1/4" NPT gauge                                     |
| 5   | 740006 | 15" wheel  |
| 6   | 619091 | Wheel Axle   |
| 7   | 610056 | Access door kit                                    |
|     | 618209 | Access door gasket                                 |
| 8   | 610041 | 5" plunger   |
| 9   | 618201 | "O" Ring   |
| 10  | 612245 | 1" hose assembly                                   |
| 10A | 606005 | 1" hose only                                       |
| 10B | 630690 | 1" NPT adaptor                                     |
| 10C | 624208 | "H" clamp  |
| 11  | 630680 | 1" NPT union                                       |
| 12  | 607075 | TC 1 1/4" coupling                                 |
| 13  | 608043 | AR-7 abrasive regulator (page 58)                  |
| 14  | 608230 | Drain valve  |
| 15  | 608309 | 1" pneumatic valve Version RC 70-80 (page 48)      |
|     | 608302 | 1" pneumatic valve Version RC 66-76 (page 48)      |
| 16  | 630629 | 1" cross coupling                                  |
| 17  | 630671 | 1" plug  |
| 18  | 630630 | 1" "T" coupling                                    |
| 19  | 630653 | 1" x 1/4" coupling                                 |
| 20  | 630840 | "T" 1 1/4" "T" coupling                            |
| 21  | 630884 | 1 1/4" plug  |
| 22  | 608105 | 1 1/4" ball valve                                  |
| 23  | 608482 | Actuator A6 (page 48)                              |
| 24  | 631135 | "T" 2" "T" fitting                                 |
| 25  | 631152 | 2" to 1" reducer                                   |
| 26  | 630640 | 1" x 90° elbow                                     |
| 27  | 608015 | Mini air regulator                                 |
| 28  | 608534 | TAC3 Pilot valve                                   |
| 29  | 611035 | 1/4 Mini filter                                    |
| 30  | 608800 | Pneumatic remote control handle (page 70)          |
| 31  | 607075 | 1 1/4" TC nozzle adaptor                           |
| 32  | 605204 | Venturi nozzle DCV-4- x 1/4"                       |
|     | 606005 | 1" sandblasting hose only (sold per foot) 25' min. |
| 33  | 606036 | 1" sandblasting hose, 25' with QC-QC coupling      |
|     | 606037 | 1" sandblasting hose, 50' with QC-QC coupling      |
| 34  | 607005 | 1" QC coupling                                     |
| 35  | 618001 | QCW-1 QC coupling washer                           |
| 36  | 618016 | NW-1 nozzle washer                                 |
| 37  | 606191 | 30' dual hose with couplings                       |
|     | 606193 | 55' dual hose with couplings                       |
| 38  | 607219 | 1/4" female quick coupling                         |
| 39  | 607223 | 1/4" FPT male quick coupling                       |
| 40  | 632223 | 1/4" green hose coupling                           |
| 41  | 632279 | 1/8" red hose coupling                             |
| 42  | 632281 | 1/8" red hose coupling                             |
| 43  | 324560 | Push-in 1/4" x 90°                                 |
| 44  | 632202 | 1/4" nipple  |
| 45  | 324571 | 1/4 Blue Poly. Tube                                |
| 46  | 324561 | Push-in 1/8" NPT x 1/4" coupling                   |
| 47  | 632026 | 1/8" male/female elbow                             |
| 48  | 632226 | "T" male/female 1/4" coupling                      |
| 49  | 630601 | 1" nipple  |
| 50  | 630801 | 1 1/4" nipple                                      |
| 51  | 632214 | Male 1/4" x 1/8" NPT male coupling                 |

### Model 640


| #   | Part # | Description  |
|-----|--------|--|
| 1   | 612250 | Pressure vessel only                                   |
| 2   | 611053 | 1 1/4" moisture separator                              |
| 3   | 608105 | 1 1/4" ball valve                                      |
| 4   | 611022 | 1/4" NPT gauge   |
| 5   | 619015 | 16" wheel  |
| 6   | 619091 | Wheel Axle   |
| 7   | 610056 | Access door kit  |
|     | 618209 | Access door gasket                                     |
| 8   | 610041 | 5" plunger   |
| 9   | 618201 | "O" Ring   |
| 10  | 612246 | 1 1/4" hose assembly                                   |
| 10A | 606006 | 1 1/4" hose only                                       |
| 10B | 630885 | 1 1/4" NPT adaptor                                     |
| 10C | 624210 | "H" clamp  |
| 11  | 630890 | 1 1/4" NPT union                                       |
| 12  | 607075 | TC 1 1/4" coupling                                     |
| 13  | 608043 | AR-7 abrasive regulator (page 48)                      |
| 14  | 608230 | Drain valve  |
| 15  | 608307 | 1 1/4" pneumatic valve Version RC 70-80 (page 48)      |
|     | 608303 | 1 1/4" pneumatic valve Version RC 66-76 (page 48)      |
| 16  | 630838 | 1 1/4" cross coupling                                  |
| 17  | 630884 | 1 1/4" plug  |
| 18  | 630840 | 1 1/4" "T" coupling                                    |
| 19  | 630864 | 1 1/4" x 1/4" coupling                                 |
| 20  | 630840 | "T" 1 1/4" coupling                                    |
| 21  | 630884 | 1 1/4" plug  |
| 22  | 608105 | 1 1/4" ball valve                                      |
| 23  | 608482 | A6 actuator (page 48)                                  |
| 24  | 631135 | 2" T fitting   |
| 25  | 631151 | 2" to 1 1/4" reducer                                   |
| 26  | 630850 | 1 1/4" @ 90° elbow                                     |
| 27  | 608015 | 1/4" Mini air regulator                                |
| 28  | 608534 | TAC3 Pilot valve                                       |
| 29  | 611035 | 1/4" Mini filter                                       |
| 30  | 608800 | Pneumatic remote control handle (page 70)              |
| 31  | 607075 | TC 1 1/4" nozzle adaptor                               |
| 32  | 605205 | Venturi nozzle DCV-5- x 5/16"                          |
|     | 606006 | 1 1/4" sandblasting hose only (sold per foot) 50' min. |
| 33  | 606042 | 1 1/4" sandblasting hose, 50' with QC-QC coupling      |
| 34  | 607007 | 1 1/4" QC coupling                                     |
| 35  | 618001 | QCW-1 QC coupling washer                               |
| 36  | 618016 | NW-1 nozzle washer                                     |
| 37  | 606193 | 55' dual hose with couplings                           |
| 38  | 607219 | 1/4" female quick coupling                             |
| 39  | 607223 | 1/4" male quick coupling                               |
| 40  | 632279 | 1/4" green hose coupling                               |
| 41  | 632281 | 1/8" red hose coupling                                 |
| 42  | 324560 | Push-in 1/4" @ 90°                                     |
| 43  | 632202 | 1/4" nipple  |
| 45  | 324571 | Plastic tube   |
| 46  | 324561 | Push-in 1/8" NPT x 1/4" coupling                       |
| 47  | 632026 | 1/8" male/female elbow                                 |
| 48  | 632226 | "T" male/female 1/4" coupling                          |
| 49  | 630801 | 1 1/4" nipple  |
| 50  | 632214 | Male 1/4" x 1/8" NPT male coupling                     |
| 51  |        |  |



## SANDBLASTERS PPB-346/646/1046 : RC-176 PRESSURE RELEASE SYSTEM

WITH MMV-175  
REGULATION  
VALVE

EXPLODED VIEW





## SANDBLASTERS PPB-346/646/1046 : RC-176 PRESSURE RELEASE SYSTEM

### PARTS LIST

| #  | Part # | DESCRIPTION                                |
|----|--------|--|
| 1  | 713000 | PRESSURE VESSEL ONLY (346)                 |
|    | 723000 | PRESSURE VESSEL ONLY (646)                 |
|    | 733000 | PRESSURE VESSEL ONLY (1046)                |
| 2  | 610056 | ACCESS DOOR KIT (OLDER VERSION)            |
|    | 740102 | ACCESS DOOR KIT (LG SERIE)                 |
| 3  | 618241 | ACCESS DOOR GASKET (OLDER VERSION)         |
|    | 740101 | ACCESS DOOR GASKET (LG SERIE)              |
| 4  | 740001 | AXLE (MODEL 346)                           |
|    | 740002 | AXLE (MODEL 646-1046)                      |
| 5  | 608821 | COMBO VALVE AV-176 <sup>1</sup>            |
| 6  | 770070 | MMV-175 METERING VALVE <sup>2</sup>        |
| 7  | 740004 | "O" RING (OLDER VERSION)                   |
|    | 740100 | "O" RING (LG SERIE)                        |
|    | 740104 | "O" RING FOR 10 pi <sup>3</sup> (LG SERIE) |
| 8  | 740007 | 5" PLUNGER (OLDER VERSION)                 |
|    | 610044 | 5" PLUNGER (LG SERIE)                      |
| 9  | 611053 | 1 1/4" MOISTURE SEPARATOR                  |
| 10 | 630884 | 1 1/4" PLUG                                |
| 11 | 607051 | NH-3/4" ALUM. NOZZLE HOLDER                |
| 12 | 611022 | 1/4" NTP GAUGE                             |
| 13 | 740006 | 15" WHEEL                                  |
| 14 | 606003 | HOSE 3/4" SBH                              |

<sup>1</sup>See parts details page 59

<sup>2</sup>See parts details page 58

\*Beyond 115', you must use an electric remote control.


| #   | Part #  | DESCRIPTION                            |      |                                       |
|-----|---------|--|------|---------------------------------------|
| 15  | 630801  | 1 1/4" NIPPLE CLOSE                    |      |                                       |
| 16  | 630111  | NIPPLE 6" X 1 1/4"                     |      |                                       |
| 17  | 630838  | CROSS 1 1/4"                           |      |                                       |
| 18  | 632214  | HEX NIPPLE 1/4" X 1/8"                 |      |                                       |
| 19  | 611035  | AIR LINE FILTER                        |      |                                       |
| 20  | 632232  | 1/4" BRASS STREET ELBOW                |      |                                       |
| 21  | 630851  | 1 1/4" X 90° ELBOW MF                  |      |                                       |
| 22  | 632026  | 1/8" BRASS STREET ELBOW                |      |                                       |
| 23  | 608105  | 1 1/4" BALL VALVE                      |      |                                       |
| 24  | 607075T | TANK COUPLING 1 1/4" NYLON             |      |                                       |
| 25  | 630570  | 3/4" HOSE BARB FITTING                 |      |                                       |
| 26  | 630890  | UNION PA 1 1/4"                        |      |                                       |
| 27  | 608230  | DRAIN COCK VALVE                       |      |                                       |
| 28  | 770100  | PUSH LINE HOSE ASS'Y (28A-B-C)         |      |                                       |
| 28A | 607088  | HOSE INSERT SWIVEL 1 1/4"              |      |                                       |
| 28B | 607087  | DOUBLE BOLT CLAMP                      |      |                                       |
| 28C | 770101  | PUSH LINE HOSE 30" X 1 1/4"            |      |                                       |
| 29  | 630805  | NIPPLE 3" X 1 1/4"                     |      |                                       |
| 30  | 630840  | "T" 1 1/4" X 1 1/4"                    |      |                                       |
| 31  | 630864  | 1 1/4" X 1/4" COUPLING                 |      |                                       |
| 32  | 632214  | REDUCER NIPPLE 1/4" X 1/8"             |      |                                       |
| 34  | 630864  | COUPLAGE 1 1/4" X 1/4"                 |      |                                       |
| 35  | 632214  | MAMELON RÉDUCTEUR 1/8" X 1/4"          |      |                                       |
| 36  | 608025  | RÉGULATEUR DE PRESSION 1 1/4" (OPTION) |      |                                       |
| 37  | 611022  | MANOMÈTRE 1/4" MTP (OPTION)            |      |                                       |
| 38  | 606192  | DOUBLE RED AND GREEN HOSE              | 15'  | C/W FITTINGS & ATTACHMENTS (EACH END) |
|     | 606191  |  | 30'  |                                       |
|     | 606193  |  | 55'  |                                       |
|     | 606199  |  | 70'  |                                       |
|     | 606203  |  | 80'  |                                       |
|     | 606202  |  | 90'  |                                       |
|     | 606195  |  | 105' |                                       |
|     | 606205  |  | 115' |                                       |



## SANDBLASTERS PPB-346/646/1046 : RC-186 PRESSURE HOLD SYSTEM (UNTIL 2017)

### EXPLODED VIEW

WITH PMV-186  
REGULATOR  
(UNTIL 2017)





## SANDBLASTERS PPB-346/646/1046 : RC-186 PRESSURE HOLD SYSTEM (UNTIL 2017)

### PARTS LIST



| #  | Part # | DESCRIPTION                                |
|----|--------|--|
| 1  | 713000 | PRESSURE VESSEL ONLY (346)                 |
|    | 723000 | PRESSURE VESSEL ONLY (646)                 |
|    | 733000 | PRESSURE VESSEL ONLY (1046)                |
| 2  | 610056 | ACCESS DOOR KIT (OLDER VERSION)            |
|    | 740102 | ACCESS DOOR KIT (LG SERIE)                 |
| 3  | 618241 | ACCESS DOOR GASKET (OLDER VERSION)         |
|    | 740101 | ACCESS DOOR GASKET (LG SERIE)              |
| 4  | 740001 | AXLE (MODEL 346)                           |
|    | 740002 | AXLE (MODEL 646-1046)                      |
| 5  | 608821 | COMBO VALVE AV-176 <sup>1</sup>            |
| 6  | 608847 | PMV-186 METERING VALVE <sup>2</sup>        |
| 7  | 740004 | "O" RING (OLDER VERSION)                   |
|    | 740100 | "O" RING (LG SERIE)                        |
|    | 740104 | "O" RING FOR 10 pi <sup>3</sup> (LG SERIE) |
| 8  | 740007 | 5" PLUNGER (OLDER VERSION)                 |
|    | 610044 | 5" PLUNGER (LG SERIE)                      |
| 9  | 611053 | 1 1/4" MOISTURE SEPARATOR                  |
| 10 | 630840 | 1 1/4" COUPLING T                          |
| 11 | 630864 | 1 1/4" x 1/4" COUPLING                     |
| 12 | 611022 | 1/4" NTP PRESSURE GAUGE                    |
| 13 | 740006 | 15" WHEEL                                  |
| 14 | 630884 | 1 1/4" PA MALE PLUG                        |

| #   | Part #  | Description                         |
|-----|---------|-------------------------------------|
| 15  | 630801  | 1 1/4" NIPPLE                       |
| 16  | 632202  | 1/4" HEX. NIPPLE                    |
| 17  | 632226  | 1/4" BRASS T                        |
| 18  | 324570  | 1/4" x 1/8" NPTF PUSH-IN FITTING    |
| 19  | 324571  | 1/4" BLUE POLY. TUBE (SOLD BY FOOT) |
| 20  | 630805  | 3" X 1 1/4" NIPPLE                  |
| 21  | 630851  | 1 1/4" MF @ 90° ELBOW               |
| 22  | 608105  | 1 1/4" BALL VALVE                   |
| 23  | 611035  | INLINE AIR FILTER                   |
| 24A | 607088  | 1 1/4" HOSE BARB FITTING            |
| 24B | 607087  | DOUBLE BOLT CLAMP                   |
| 24C | 770101  | 30" X 1 1/4" PUSH LINE HOSE         |
| 25  | 770180  | 2" X 1 1/4" BST REDUCER             |
| 26  | 630838  | 1 1/4" COUPLING CROSS               |
| 27  | 608230  | 1/4" DRAIN COCK VALVE               |
| 28  | 630805  | 1 1/4" x 3" PA NIPPLE               |
| 29  | 632018  | 1/8" FF BRASS T                     |
| 29A | 632214  | 1/4" @ 1/8" REDUCER NIPPLE          |
| 30  | 607075T | TC-1 1/4" NCV QUICK CONNECT         |
| 31  | 632026  | 90° MF 1/8" PL BRASS ELBOW          |
| 31A | 632002  | 1/8" PL HEX NIPPLE                  |

<sup>1</sup>See parts details page 59

<sup>2</sup>See parts details page 57




## SANDBLASTERS PPB-346/646/1046 : RC-186 PRESSURE HOLD SYSTEM (2017 TO 2022)

### EXPLODED VIEW



WITH AR7+A6 VALVE





## SANDBLASTERS PPB-346/646/1046 : RC-186 PRESSURE HOLD SYSTEM (2017 TO 2022)

### PARTS LIST



| #  | PART # | DESCRIPTION                         |
|----|--------|-------------------------------------|
| 1  | 713000 | PRESSURE VESSEL ONLY (346)          |
|    | 723000 | PRESSURE VESSEL ONLY (646)          |
|    | 733000 | PRESSURE VESSEL ONLY (1046)         |
| 2  | 740102 | ACCESS DOOR KIT                     |
| 3  | 740101 | ACCESS DOOR GASKET                  |
| 4  | 740001 | WHEEL AXLE (MODEL 346)              |
|    | 740002 | WHEEL AXLE (MODEL 646)              |
| 5  | 608822 | AV-186 AIR VALVE <sup>2</sup>       |
| 6  | 608043 | AR7 METERING VALVE <sup>1</sup>     |
| 7  | 740100 | "O" RING                            |
|    | 740104 | "O" RING FOR 10 pi <sup>3</sup>     |
| 8  | 610044 | 5" PLUNGER                          |
| 9  | 611053 | 1 1/4" MOISTURE SEPARATOR           |
| 10 | 630840 | 1 1/4" COUPLING T-STREET            |
| 11 | 630864 | 1 1/4" x 1/4" COUPLING              |
| 12 | 611022 | 1/4" NTP PRESSURE GAUGE             |
| 13 | 740006 | 15" WHEEL                           |
| 14 | 630884 | 1 1/4" PA MALE PLUG                 |
| 15 | 630801 | 1 1/4" NIPPLE                       |
| 16 | 632202 | 1/4" HEX. NIPPLE                    |
| 17 | 632226 | 1/4" T-STREET'                      |
| 18 | 324570 | 1/4" x 1/8" NPTF PUSH-IN FITTING    |
| 19 | 324571 | 1/4" BLUE POLY. TUBE (SOLD BY FOOT) |
| 20 | 630805 | 3" x 1 1/4" NIPPLE                  |
| 21 | 630851 | 1 1/4" MF @ 90° ELBOW               |
| 22 | 608105 | 3" X 1 1/4" NIPPLE                  |
| 23 | 611053 | 1 1/4" INLINE AIR FILTER            |

| #   | PART #  | DESCRIPTION                    |
|-----|---------|--------------------------------|
| 24  | 770100  | PUSH LINE ASS'Y. (24A-B-C)     |
| 24A | 607088  | 1 1/4" HOSE BARB FITTING       |
| 24B | 607087  | DOUBLE BOLT CLAMP              |
| 24C | 770101  | 30" X 1 1/4" PUSH LINE HOSE    |
| 26  | 630838  | 1 1/4" COUPLING CROSS          |
| 27  | 608230  | 1/4" DRAIN COCK VALVE          |
| 28  | 632202  | 1/4" HEX. NIPPLE               |
| 29  | 632018  | 1/8" FF BRASS T                |
| 30  | 607075T | TC-1 1/4" NCV QUICK CONNECT    |
| 31  | 630105  | 3" x 1/4" NIPPLE               |
| 32  | NPN     | 1 1/4" SQUARE PLUG (1046 ONLY) |
| 33  | 608537  | TAC3 SOLENOID VALVE            |
| 34  | 324560  | 1/4" @ 90° PUSH-IN             |
| 35  | 908847  | 1 1/4" "D" HANDLE BALL VALVE   |
| 36  | 608015  | 1/4" PRESSURE REGULATOR        |
| 37  | 770180  | 2" @ 1 1/4" HEX. ADAPTER       |
| 38  | 632202  | 1 1/4" HEX. NIPPLE             |
| 39  | 608482  | A6 ACTUATOR <sup>1</sup>       |
| 40  | 631151  | 2" X 1 1/4" PA ADAPTATOR       |
| 41  | 631135  | 2" PA T-STREET                 |
| 42  | 608539  | PL 10-32 TO 1/8 NPT ADAPTATOR  |


<sup>1</sup>See parts details page 58

<sup>2</sup>See parts details page 60



## SANDBLASTERS PPB-346/646/1046 : RC-186 PRESSURE HOLD SYSTEM (SINCE 2022)

### EXPLODED VIEW





## SANDBLASTERS PPB-346/646/1046 : RC-186 PRESSURE HOLD SYSTEM (SINCE 2022)

### PARTS LIST



| N° | N° pièce | Description                        |
|----|----------|------------------------------------|
| 1  | 713000   | PRESSURE VESSEL ONLY (346)         |
|    | 723000   | PRESSURE VESSEL ONLY (646)         |
|    | 733000   | PRESSURE VESSEL ONLY (1046)        |
| 2  | 740102   | ACCESS DOOR KIT                    |
| 3  | 740101   | ACCESS DOOR GASKET                 |
| 4  | 740001   | WHEEL AXLE (MODEL 346)             |
|    | 740002   | WHEEL AXLE (MODEL 646)             |
| 5  | 608822   | AV-186 AIR VALVE <sup>2</sup>      |
| 6  | 608043   | AR7 METERING VALVE <sup>1</sup>    |
| 7  | 740100   | "O" RING                           |
|    | 740104   | "O" RING FOR 10 pi <sup>3</sup>    |
| 8  | 610044   | 5" PLUNGER                         |
| 9  | 611053   | 1 1/4" MOISTURE SEPARATOR          |
| 10 | 630840   | 1 1/4" COUPLING T-STREET           |
| 11 | 630864   | 1 1/4" x 1/4" COUPLING             |
| 12 | 608117   | 1/4" MUFFLER                       |
| 13 | 740006   | 5" WHEEL (346-646)                 |
| 14 | 630884   | 1 1/4" PA MALE PLUG                |
| 15 | 630801   | 1 1/4" NIPPLE                      |
| 16 | 608025   | 1 1/4" PRESSURE REGULATOR (OPTION) |
| 17 | 611022   | 1/4" PRESSURE GAUGE (OPTION)       |
| 18 | 632224   | 1/4" BRASS T-STREET                |
| 19 | 632232   | 1/4" ELBOW                         |
| 20 | 630805   | 3" x 1 1/4" NIPPLE                 |
| 21 | 608105   | 1 1/4" BALL VALVE                  |
| 22 | 611035   | 1/4" INLINE AIR FILTER             |

<sup>1</sup>See parts details page 58

<sup>2</sup>See parts details page 60


<sup>3</sup>See parts details page 58

\*Beyond 115', you must use an electric remote control.

| N°  | N° pièce | Description                         |      |   |
|-----|----------|-------------------------------------|------|---|
| 23  | 770100   | PUSH LINE ASS'Y. (24A-B-C)          |      |   |
| 23A | 607088   | 1 1/4" HOSE BARB FITTING            |      |   |
| 23B | 607087   | 1 1/4" DOUBLE BOLT CLAMP HOSE       |      |   |
| 23C | 770101   | 30" X 1 1/4" PUSH LINE HOSE         |      |   |
| 24  | 919583   | 1/4" MPT x 5/16" TU PUSH-IN FITTING |      |   |
| 25  | 630838   | 1 1/4" CROSS                        |      |   |
| 26  | 608230   | 1/4" DRAIN COCK VALVE               |      |   |
| 27  | 632214   | 1/4" x 1/8" REDUCER NIPPLE          |      |   |
| 28  | 632018   | 1/8" BRASS T-STREET                 |      |   |
| 29  | 607075T  | TC-1 1/4" NCV QUICK CONNECT         |      |   |
| 30  | 919584   | 5/16" BLUE POLY. TUBE               |      |   |
| 31  | 630105   | 1/4" x 3" PA NIPPLE                 |      |   |
| 32  | 324560   | 1/4" @ 90° PUSH-IN FITTING          |      |   |
| 33  | 630851   | 1 1/4" PA MF ELBOW                  |      |   |
| 34  | 631160   | 2" @ 1 1/4" PA REDUCER              |      |   |
| 35  | 608042   | COMPLETE A7 ACTUATOR <sup>3</sup>   |      |   |
| 36  | 631151   | 2" x 1 1/4" ADAPTOR                 |      |   |
| 37  | 631135   | 2" T-STREET FITTING                 |      |   |
| 38  | 630890   | 1 1/4" PA UNION                     |      |   |
| 39  | 608015   | 1/4" 0-125 psi MINI REGULATOR       |      |   |
| 40  | 611018   | 1/8" 0-160 psi PRESSURE GAUGE       |      |   |
| 41  | 642454   | 1/4" 3-2 NC 12 V DC SOLENOID VALVE  |      |   |
| 42  | 606192   | * DOUBLE<br>RED AND GREEN<br>HOSE   | 15'  | C/W<br>FITTINGS<br>&<br>ATTACHMENTS<br>(EACH END) |
|     | 606191   |                                     | 30'  |   |
|     | 606193   |                                     | 55'  |   |
|     | 606199   |                                     | 70'  |   |
|     | 606203   |                                     | 80'  |   |
|     | 606202   |                                     | 90'  |   |
|     | 606195   |                                     | 105' |   |
|     | 606205   |                                     | 115' |   |



## SANDBLASTERS PPB-346/646/1046 : RC-176 PRESSURE RELEASE SYSTEM MMV-175 ABRASIVE METERING VALVE




| #   | STOCK  | DESCRIPTION     | #  | STOCK  | DESCRIPTION                      |
|---|--------|-----------------|----|--------|----------------------------------|
| <b>A 770070 MMV-175 COMPLETE ABRASIVE METERING VALVE ASSEMBLY</b> |        |                 |    |        |                                  |
| 1   | 770069 | KNOB            | 6  | 770076 | BODY                             |
| 2   | 770079 | ROLL PIN        | 7  | 770072 | SEAL                             |
| 3   | 770078 | BOLT C/W WASHER | 8  | 770074 | URETHANE SLEEVE                  |
| 4   | 770077 | CAP             | 9  | 770075 | GASKET                           |
| 5   | 770073 | PLUNGER         | 10 | 770071 | PIPE NIPPLE 1 1/4" X 1 1/4" MALE |

\* With this kind of body, the part #4 is not required



**SANDBLASTERS PPB-346/646/1046 : RC-186 PRESSURE HOLD SYSTEM (UNTIL 2017)**  
**PMV-186 ABRASIVE REGULATOR VALVE - EXPLODED VIEW**



| ID | PART # | DESCRIPTION  |
|----|--------|--|
| A  | 608847 | PMV-186 COMPLETE VALVE ASSEMBLY                        |
| B  | 770211 | TUNGSTEN SEAL KIT INCLUDING ITEMS: 17, 18, 19          |
| C  | 770210 | GASKET KIT INCLUDING ITEMS 7,13,14, 15, 16, 17, 18, 19 |



| ID | PART # | DESCRIPTION                   |
|----|--------|-------------------------------|
| 10 | 770213 | PISTON                        |
| 11 | 770204 | TUNGSTEN PLUNGER              |
| 12 | 770214 | CYLINDER                      |
| 13 | 608830 | PLUNGER SEAL C/WITH O-RING    |
| 14 | 770030 | PLUNGER SEAL C/WITHOUT O-RING |
| 15 | 770206 | BUSH                          |
| 16 | 608832 | TUNGSTEN CARBIDE SLEEVE       |
| 17 | 608840 | URETHANE SEAT                 |
| 18 | 608841 | SEAT HOLDER                   |
| 19 | 608839 | O-RING                        |
| 20 | 770032 | BASE                          |
| 21 | 770207 | FLAT WASHER                   |
| 22 | 770033 | HEX. HEAD BOLT                |
| 23 | 770209 | SQUARE HEAD PLUG              |
| 24 | 770034 | 1 1/4" X 1 1/4" PIPE NIPPLE   |

| # | CODE   | DESCRIPTION           |
|---|--------|-----------------------|
| 1 | 770021 | CONTROL KNOB          |
| 2 | 770208 | EXHAUST FILTER        |
| 3 | 770022 | TOP                   |
| 4 | 770201 | ANTI-VIBRATION WASHER |
| 5 | 770023 | STOP RING             |
| 6 | 770024 | RESSORT               |
| 7 | 770026 | PISTON SEAL           |
| 8 | 770202 | PLUNGER COVER         |
| 9 | 770203 | NYLON WASHER          |



## AR7 + A6 OR A7 ABRASIVE METERING REGULATORS

**A AR7 REGULATOR**




|           |               |                         |
|-----------|---------------|-------------------------|
| <b>A</b>  | <b>608043</b> | COMPLETE AR-7 REGULATOR |
| <b>B</b>  | <b>608042</b> | COMPLETE A7 ACTUATOR    |
| <b>1</b>  | <b>608093</b> | LEVER HANDLE            |
| <b>2</b>  | <b>608091</b> | RETAINING PLATE         |
| <b>3</b>  | <b>608039</b> | REGULATING SCREW        |
| <b>4</b>  | <b>608096</b> | CLAMPING BOLT (KIT)     |
| <b>5</b>  | <b>608047</b> | LOWER HOUSING           |
| <b>6</b>  | <b>608037</b> | CRUSHING BRACKET        |
| <b>7</b>  | <b>608040</b> | ½" REGULATING PLATE     |
| <b>8</b>  | <b>608036</b> | CRUSHING TUBE           |
| <b>9</b>  | <b>618228</b> | RUBBER TUBE             |
| <b>10</b> | <b>618231</b> | GASKET SEAL             |
| <b>11</b> | <b>608046</b> | UPPER HOUSING           |

*Note : you can adjust the pressure control of the A6 or A7 using the pressure regulator (A1) and check it on the pressure gauge (A2)*

**C A6 ACTUATOR**


(FROM 2017 TO 2022)



|          |               |                      |
|----------|---------------|----------------------|
| <b>C</b> | <b>608482</b> | COMPLETE A6 ACTUATOR |
| <b>1</b> | <b>324560</b> | PUSH-IN ¼" @ 90°     |
| <b>2</b> | <b>608488</b> | RETAINING COLLAR     |
| <b>3</b> | <b>608487</b> | SPRING               |
| <b>4</b> | <b>608481</b> | RETAINING PLATE      |
| <b>5</b> | <b>608480</b> | PUSH ROD             |
| <b>6</b> | <b>618216</b> | DIAPHRAGM            |



## SANDBLASTERS PPB-346/646/1046 : RC-176 PRESSURE RELEASE SYSTEM AV-176 COMBINED VALVE




| #  | CODE   | DESCRIPTION   |
|----|--------|---|
| A  | 608821 | AV-176 COMPLETE VALVE ASS'Y                           |
| B  | 770182 | GASKET KIT (8, 9, 11, 12, 13, 14, 16, 17, 24, 28, 29) |
| C  | 770183 | CAP KIT (13, 14, 15, 16, 17)                          |
| D  | 770184 | UPPER ROD ASS'Y (26, 27, 28, 29)                      |
| E  | 770185 | LOWER ROD ASS'Y (22, 23, 24, 25)                      |
| 1  | 770181 | CAP   |
| 2  | 770191 | ROD   |
| 3  | 770186 | PINCH RAM   |
| 4  | 770199 | NUT   |
| 5  | 770192 | CYLINDER  |
| 6  | 770187 | SPRING  |
| 7  | 770188 | SHAFT   |
| 8  | N/D    | O-RING  |
| 9  | N/D    | CIRCLIP   |
| 10 | 770189 | PISTON  |
| 11 | 770190 | PISTON SEAL   |
| 12 | N/D    | VALVE CAP   |

| #  | CODE   | DESCRIPTION          |
|----|--------|----------------------|
| 13 | N/D    | BASE                 |
| 14 | N/D    | O-RING               |
| 15 | N/D    | FLAT WASHER          |
| 16 | N/D    | LOCKNUT              |
| 17 | N/D    | LOCK WASHER          |
| 18 | 770198 | FLAT WASHER          |
| 19 | 770196 | BASE                 |
| 20 | 770197 | HEX HEAD BOLT        |
| 21 | 770208 | EXHAUST FILTER       |
| 22 | 770223 | LOWER ROD GUIDE      |
| 23 | 770224 | LOWER ROD GUIDE BUSH |
| 24 | 770225 | LOWER ROD SEAL       |
| 25 | 770226 | CIRCLIP              |
| 26 | 770219 | UPPER ROD GUIDE      |
| 27 | 770220 | UPPER ROD GUIDE BUSH |
| 28 | N/D    | UPPER ROD SEAL       |
| 29 | N/D    | CIRCLIP              |



## SANDBLASTERS PPB-346/646/1046 : RC-186 PRESSURE HOLD SYSTEM

### AV-186 AIR VALVE - EXPLODED VIEW



| # | DESCRIPTION   | 1 1/4" Ø | 1 1/2" Ø |
|---|---|----------|----------|
| A | AV-186 AIR VALVE: COMPLETE VALVE ASSEMBLY                       | 608822   | 908846   |
| B | SERVICE KIT INCLUDES ITEMS : 4, 6, 7, 9, 11, 12, 14, 16, 18, 20 | 608823   | 908944   |
| C | SERVICE KIT INCLUDING THIS TOOL                                 | 608823A  | 908944A  |

| # |        | DESCRIPTION                        | QTY |
|---|--------|------------------------------------|-----|
| 1 | N-A    | CAP                                | 1   |
| 2 | N-A    | HEX MACHINE SCREW 1/4" UNC X 35 MM | 4   |
| 3 | 608825 | SPRING                             | 1   |
| 4 | N-A    | O-RING 31.5 mm x 2 mm              | 1   |
| 5 | N-A    | CAP                                | 1   |
| 6 | N-A    | LOCK NUT 5/16" UNF                 | 1   |
| 7 | N-A    | FLAT WASHER 8 mm                   | 2   |
| 8 | N-A    | FLAT WASHER                        | 2   |
| 9 | N-A    | DIAPHRAGM                          | 1   |

| #  | PART # | DESCRIPTION           | QTY |
|----|--------|-----------------------|-----|
| 10 | 608826 | GUIDE BUSH            | 1   |
| 11 | N-A    | O-RING 45 MM X 3 MM   | 2   |
| 12 | N-A    | O-RING 9 MM X 2.65 MM | 2   |
| 13 | N-A    | SHAFT                 | 1   |
| 14 | N-A    | FLAT WASHER           | 1   |
| 15 | 608955 | SEAT HOLDER           | 1   |
| 16 | N-A    | RUBBER GASKET         | 1   |
| 17 | 608954 | RETAINER              | 1   |
| 18 | N-A    | LOCK NUT 1/4" UNF     | 1   |
| 19 | N-A    | INNER BUSH            | 1   |
| 20 | N-A    | O-RING 34 MM X 1.8 MM | 1   |
| 21 | N-A    | BODY                  | 1   |
| 22 | N-A    | SPRING WASHER 1/4"    | 4   |
| 23 | N-A    | NUT 1/4" UNC          | 4   |




**THIS PAGE IS DELIBERATELY  
LEFT BLANK**



## SANDBLASTERS PPB-346/646/1046 : RC-176/186 COMBINED SYSTEM (UNTIL 2017)

### EXPLODED VIEW





## SANDBLASTERS PPB-346/646/1046 : RC-176/186 COMBINED SYSTEM (UNTIL 2017)

### PARTS LIST

| #  | STOCK  | DESCRIPTION                                | #   | STOCK   | DESCRIPTION                     |
|----|--------|--|-----|---------|---------------------------------|
| 1  | 713000 | PRESSURE VESSEL ONLY (346)                 | 17  | 324570  | PUSH IN 1/8"                    |
|    | 723000 | PRESSURE VESSEL ONLY (646)                 | 18  | 632214  | ADAPTOR 1/4" TO 1/8"            |
|    | 733000 | PRESSURE VESSEL ONLY (1046)                | 19  | 632018  | TEE 1/8" FF                     |
| 2  | 610056 | ACCESS DOOR KIT (OLDER VERSION)            | 20  | 630805  | NIPPLE 3" X 1 1/4"              |
|    | 740102 | ACCESS DOOR KIT (LG SERIE)                 | 21  | 630851  | 1 1/4" X 90° ELBOW MF           |
| 3  | 618241 | ACCESS DOOR GASKET (OLDER VERSION)         | 22  | 632026  | STREET ELBOW 1/8"               |
|    | 740101 | ACCESS DOOR GASKET (LG SERIE)              | 23  | 608105  | 1 1/4" BALL VALVE               |
| 4  | 740001 | AXLE (PPB 346)                             | 24  | 632002  | HEX. NIPPLE 1/8"                |
|    | 740002 | AXLE (PPB 646-1046)                        | 25  | 770180  | 2" X 1 1/4" REDUCER BST         |
| 5  | 608822 | AIR VALVE AV-186 <sup>1</sup>              | 26  | 630840  | TEE 1 1/4"                      |
| 6  | 608847 | METERING VALVE PMV-186 <sup>2</sup>        | 27  | 608230  | DRAIN COCK VALVE                |
| 7  | 740004 | "O" RING (OLDER VERSION)                   | 28  | 770100  | PUSH LINE HOSE ASS'Y (28-A-B-C) |
|    | 740100 | "O" RING (LG SERIE)                        | 28A | 607088  | SWIVEL HOSE INSERT 1 1/4"       |
|    | 740104 | "O" RING FOR 10 pi <sup>3</sup> (LG SERIE) | 28B | 607087  | DOUBLE BOLT CLAMP               |
| 8  | 740007 | 5" PLUNGER (OLDER VERSION)                 | 28C | 770101  | PUSH LINE HOSE 30" X 1 1/4"     |
|    | 610044 | 5" PLUNGER (LG SERIE)                      | 29  | 630838  | 1 1/4" COUPLING CROSS           |
| 9  | 611053 | 1 1/4" MOISTURE SEPARATOR                  | 30  | 608821  | COMBO VALVE AV 176 <sup>3</sup> |
| 10 | 630884 | 1 1/4" PLUG                                | 31  | 630864  | 1 1/4" X 1/4" COUPLING          |
| 11 | 607051 | NH-3/4" ALUM. NOZZLE HOLDER                | 32  | 611035  | AIR LINE FILTER                 |
| 12 | 611022 | 1/4" NTP GAUGE                             | 33  | 632232  | ELBOW 1/4" X 90° MF             |
| 13 | 740006 | WHEEL                                      | 34  | 607075T | TANK COUPLING 1 1/4" NYLON      |
| 14 | 606003 | HOSE 3/4" SBH                              | 35  | NPN     | 1 1/4" SQUARE PLUG              |
| 15 | 630801 | 1 1/4" NIPPLE                              | 36  | 324560  | 1/4" @ 90° PUSH-IN FITTING      |
| 16 | 630111 | 6" X 1/4' NIPPLE                           | 37  | 608025  | 1 1/4" PRESSURE REGULATOR       |
|    |        |  | 38  | 630801  | 1 1/4" NIPPLE                   |
|    |        |  | 39  | 611022  | 1/4" MPT PRESSURE GAUGE         |

<sup>1</sup>See parts details on page 60


<sup>2</sup>See parts details on page 57

<sup>3</sup>See parts details on page 59



## SANDBLASTERS PPB-346/646/1046 COMBINED SYSTEM : RC-176/186 + AR7 & A6 (FROM 2017 TO 2022)

### EXPLODED VIEW





## SANDBLASTERS PPB-346/646/1046 COMBINED SYSTEM : RC-176/186 + AR7 & A6

### PARTS LIST

| #   | PART #  | DESCRIPTION                                |  |          |
|-----|---------|--|--|----------|
| 1   | 713300  | PRESSURE VESSEL ONLY (346)                 |  |          |
|     | 723000  | PRESSURE VESSEL ONLY (646)                 |  |          |
|     | 733000  | PRESSURE VESSEL ONLY ( MOD. 1046 )         |  |          |
| 2   | 610056  | ACCES DOOR KIT (OLDER VERSION)             |  |          |
|     | 740102  | DOOR KIT (LG SERIE)                        |  |          |
| 3   | 618241  | ACCES DOOR GASKET (OLDER VERSION)          |  |          |
|     | 740101  | ACCES DOOR GASKET (LG SERIE)               |  |          |
| 4   | 619091  | 4" AXLE                                    |  |          |
| 5   | 608822  | AV-186 AIR VALVE <sup>1</sup>              |  |          |
| 6   | 608043  | AR-7 ABRASIVE REGULATOR <sup>2</sup>       |  |          |
| 7   | 740004  | "O" RING                                   |  |          |
|     | 740100  | "O" RING (LG SERIE)                        |  |          |
|     | 740104  | 'O" RING FOR 10 FT <sup>3</sup> (LG SERIE) |  |          |
| 8   | 740007  | 5" PLUNGER                                 |  |          |
|     | 610044  | 5" PLUNGER (LG SERIE)                      |  |          |
| 9   | 611053  | 1 1/4" WATER SEPARATOR                     |  |          |
| 10  | 630884  | 1 1/4" PLUG                                |  |          |
| 11  | 607051  | NH-3/4" ALUM. NOZZLE HOLDER                |  |          |
| 12  | 611022  | 1/4" PRESSURE GAUGE                        |  |          |
| 13  | 740006  | WHEEL                                      |  |          |
| 14  | 606003  | 3/4" SBH HOSE                              |  |          |
| 15  | 630801  | 1 1/4" PA NIPPLE                           |  |          |
| 16  | 630111  | 6" X 1/4" NIPPLE                           |  |          |
| 17  | 324570  | 1/8" PUSH-IN                               |  |          |
| 18  | 632214  | 1/4" TO 1/8" ADAPTOR                       |  |          |
| 19  | 632018  | 1/8" FF BRASS T-STREET                     |  |          |
| 20  | 630805  | 3" X 1 1/4" NIPPLE                         |  |          |
| 21  | 630851  | 1 1/4" X 90° MF ELBOW                      |  |          |
| 22  | 632026  | 1/8" ELBOW                                 |  |          |
| 23  | 608105  | 1 1/4" BALL VALVE                          |  |          |
| 24  | 632002  | 1/8" HEX. NIPPLE                           |  |          |
| 26  | 630840  | 1 1/4" "T"                                 |  |          |
| 27  | 770100  | PUSH LINE HOSE ASS'Y (27-A-B-C)            |  |          |
| 27A | 607087  | 1 1/4" SWIVEL HOSE INSET                   |  |          |
| 27B | 607088  | DOUBLE BOLT CLAMP                          |  |          |
| 27C | 770101  | 30" X 1 1/4" PUSH LINE HOSE                |  |          |
| 28  | 608230  | DRAIN COCK VALVE                           |  |          |
| 29  | 630838  | 1 1/4" COUPLING CROSS                      |  |          |
| 30  | 608821  | AV 176 COMBO VALVE <sup>3</sup>            |  |          |
| 31  | 630864  | 1 1/4" X 1/4" COUPLING                     |  |          |
| 32  | 611035  | AIR LINE FILTER                            |  |          |
| 33  | 632232  | 1/4" @ 90° MF ELBOW                        |  |          |
| 34  | 908847  | 1 1/4" BALL VALVE (IF EQUIPPED)            |  |          |
| 44  | 607075T | 1 1/4" NVC NYLON CHICAGO COUPLING          |  |          |
| 45  | 631160  | 2" X 1 1/4" REDUCER                        |  |          |
| 46  | 608482  | A6 ACTUATOR <sup>4</sup>                   |  |          |
| 47  | 324561  | 90° 1/8" NPT 1/4" TU PUSH-IN CONNECTOR     |  |          |
| 48  | 632202  | 1/4" NIPPLE                                |  |          |
| 49  | 608015  | 1/4" PRESSURE REGULATOR                    |  |          |
| 50  | 311002  | 1/8" PRESSURE GAUGE                        |  |          |
| 51  | 324560  | 1/4" @ 90° PUSH-IN CONNECTOR               |  |          |
| 52  | 608534  | SOLENOID VALVE                             |  |          |
| 53  | 632226  | 1/4" FFF BRASS T-STREET                    |  |          |
| 54  | 632260  | 1/4" PL UNION                              |  |          |
| 55  | 632026  | 1/8" MF ELBOW                              |  |          |
| 56  | 632281  | 1/8" F.SW.X 1/4" ST. PL ADAPTOR            |  |          |
| 57  | 632279  | 1/4" PIV. (SWIVEL) PL ADAPTOR              |  |          |
| 58  | 324571  | 1/4" BLUE POLY. HOSE                       |  |          |
| 59  | 324586  | 1/4" RED POLY. HOSE                        |  |          |
| 60  | 631135  | 2" T-STREET                                |  |          |
| 61  | 631151  | 2" TO 1 1/4" ADAPTOR                       |  |          |
| 62  | 630801  | 1 1/4" NIPPLE                              |  |          |
| 63  | NPN     | 1 1/4" SQUARE PLUG                         |  |          |
| 64  | 608025  | 1 1/4" PRESSURE REGULATOR                  |  | (OPTION) |
| 65  | 611022  | 1/4" MPT PRESSURE GAUGE                    |  |          |
| 66  | 630801  | 1 1/4" NIPPLE                              |  |          |

<sup>1</sup>See parts details on page 60

<sup>2</sup>See parts details on page 58


<sup>3</sup>See parts details on page 59

<sup>4</sup>See parts details on page 58



## PPB 346/646/1046 PRESSURE VESSEL COMBO SYSTEM RC-176/186 AR7 + A7 (SINCE 2022)

EXPLODED VIEW



\*REMOTE CONTROL HANDLE (SEE DETAILS ON PAGE 70)



## PPB 346/646/1046 PRESSURE VESSEL COMBO SYSTEM RC-176/186 AR7 + A7 (SINCE 2022)



### PARTS LIST

| #   | PART # | DESCRIPTION                         |
|-----|--------|-------------------------------------|
| 1   | 713000 | PRESSURE VESSEL ONLY (346)          |
|     | 723000 | PRESSURE VESSEL ONLY (646)          |
|     | 733000 | PRESSURE VESSEL ONLY (1046)         |
| 2   | 740102 | ACCES DOOR KIT                      |
| 3   | 740101 | ACCES DOOR SEAL                     |
| 4   | 619091 | 4" AXLE WHEEL                       |
| 5   | 608821 | AV-176 <sup>1</sup> COMBO VALVE     |
| 6   | 608043 | AR7 <sup>2</sup> ABRASIF REGULATOR  |
| 7   | 740100 | O-RING                              |
|     | 740104 | O-RING FOR 1046                     |
| 8   | 610044 | 5" PLUNGER                          |
| 9   | 611053 | 1¼" WATER SEPARATOR                 |
| 10  | 630884 | 1¼" PLUG                            |
| 11  | 630570 | ¾" HOSE BARB FITTING                |
| 12  | 611022 | ¼" PRESSURE GAUGE                   |
| 13  | 740006 | 15" WHEEL (346-646)                 |
| 14  | 606003 | ¾" SBH HOSE                         |
| 15  | 630801 | 1¼" PA NIPPLE                       |
| 16  | 630111 | 6" x ¼" NIPPLE                      |
| 17  | 324558 | ¼" MTP x ¼" TU PUSH-IN FITTING      |
| 18  | 632214 | ¼" TO ⅛" ADAPTOR                    |
| 19  | 632224 | ¼" FPT T-STREET                     |
| 20  | 630809 | 5" x 1¼" PA NIPPLE                  |
| 21  | 630851 | 1¼" @ 90° MF ELBOW                  |
| 22  | 630861 | 1¼" TO ¾" ADAPTOR                   |
| 23  | 608105 | 1¼" BALL VALVE                      |
| 24  | 632202 | ⅛" HEX. NIPPLE                      |
| 25  | 607086 | 1" DOUBLE BOLT CLAMP                |
| 26  | 630840 | 1¼" PA T-STREET                     |
| 27  | 770100 | PUSH LINE HOSE ASS'Y (27-A-B-C)     |
| 27A | 607088 | 1¼" SWIVEL HOSE INSET               |
| 27B | 607087 | DOUBLE BOLT CLAMP                   |
| 27C | 770101 | 30" X 1¼" PUSH LINE HOSE            |
| 28  | 608230 | DRAIN COCK VALVE                    |
| 29  | 630838 | 1¼" COUPLING CROSS                  |
| 30  | 608822 | AV 186 AIR VALVE ASS'Y <sup>3</sup> |
| 31  | 630864 | 1¼" x ¼" COUPLING                   |

| #  | N° PIÈCE  | DESCRIPTION                          |      |  |  |
|----|-----------|--------------------------------------|------|--|--|
| 33 | 632232    | ¼" @ 90° MF ELBOW                    |      |  |  |
| 34 | 908847    | 1¼" UNION BALL VALVE                 |      |  |  |
| 35 | 630805    | 1¼" NIPPLE                           |      |  |  |
| 36 | 608025    | 1¼" PRESSURE REGULATOR (OPTION)      |      |  |  |
| 37 | 611022    | ¼" MTP PRESSURE GAUGE (OPTION)       |      |  |  |
| 38 | 607075    | 1¼" NVC NYLON HOSE COUPLING          |      |  |  |
| 39 | 631160    | 2" x 1¼" REDUCER                     |      |  |  |
| 40 | 608042    | A7 ACTUATOR (COMPLETE) <sup>4</sup>  |      |  |  |
| 41 | 324561    | 90° ⅛" NPT x ¼" TU PUSH-IN FITTING   |      |  |  |
| 42 | 908815    | ¼" MPT x ⅝" TU @ 90° PUSH-IN FITTING |      |  |  |
| 43 | 608534    | TAC3 PILOT VALVE                     |      |  |  |
| 44 | 632226    | ¼" BRASS T-STREET                    |      |  |  |
| 45 | 632260    | ¼" PL UNION                          |      |  |  |
| 46 | 324571    | ¼" BLUE POLY. TUBE                   |      |  |  |
| 47 | 631135    | 2" PL T-STREET                       |      |  |  |
| 48 | 631151    | 2" TO 1¼" ADAPTOR                    |      |  |  |
| 49 | 630890    | 1¼" UNION                            |      |  |  |
| 50 | 608117    | ¼" MUFFLER                           |      |  |  |
| 51 | 606192    | * DOUBLE<br>RED AND GREEN<br>HOSE    | 15'  | C/W<br>FITTINGS<br>&<br>ATTACH-<br>MENTS<br>(EACH END) |  |
|    | 606191    |                                      | 30'  |  |  |
|    | 606193    |                                      | 55'  |  |  |
|    | 606199    |                                      | 70'  |  |  |
|    | 606203    |                                      | 80'  |  |  |
|    | 606202    |                                      | 90'  |  |  |
|    | 606195    |                                      | 105' |  |  |
|    | 606205    |                                      | 115' |  |  |
| 52 | 609270-51 | COVER BRACKET                        |      |  |  |
| 53 | 630895    | 1¼" PA OVERPRESSURE HOSE CONNECTOR   |      |  |  |
| 54 | 618318    | DEBRIS DRAWER GASKET                 |      |  |  |
| 55 | 610269    | DRAWER LOCKER                        |      |  |  |
| 56 | 609903    | DEBRIS DRAWER                        |      |  |  |
| 57 | NPN       | 1¼" SQUARE PLUG                      |      |  |  |

<sup>1</sup>See parts details page 59

<sup>2</sup>See parts details page 58

<sup>3</sup>See parts details page 60

<sup>4</sup>See parts detailss page 58


\*Beyond 115', you must use an electric remote control.



## REMOTE CONTROL BOXES FOR SANDBLAST BOOTHS


FOR 646/1046 SANDBLASTERS WITH RC176/RC-186 COMBO SYSTEM - PARTS DETAILS

UNTIL 2022




### CONTROL BOX WITH PNEUMATIC SWITCH

| # | STOCK  | DESCRIPTION                                |
|---|--------|--|
| 1 | 608528 | PILOT VALVE TAC 2 #41V                     |
| 2 | 324561 | 90° PUSH-IN FITTING 1/8" NPT 1/4" TU       |
| 3 | 324571 | 1/4" POLYURETHANE BLUE HOSE (SOLD BY FOOT) |
| 4 | 632050 | 1/8" MALE PLUG                             |
| 5 | 617336 | PVC JUNCTION BOX                           |




### DEPRESSURIZATION BOX (CONNECTIONS)

|    |        |   |
|----|--------|---|
| A  | 616075 | COMPLETE BOX ASSEMBLY                       |
| 6  | 324503 | BULKHEAD PUSH-IN FITTING 1/4" TU X 1/4" FPT |
| 7  | 632214 | HEXAGONAL NIPPLE 1/4" x 1/8" MPT            |
| 8  | 632281 | 1/4" ID X 1/8" FPT SWIVEL HOSE BARB FITTING |
| 9  | 632279 | 1/4" ID X 1/4" FPT SWIVEL HOSE BARB FITTING |
| 10 | 632202 | 1/4" X 1/4" MPT HEXAGONAL NIPPLE            |
| 11 | 606190 | 1/4" GREEN/RED TWIN HOSE (SOLD BY FOOT)     |



### AIR ONLY BOX (CONNECTIONS)

|    |        |  |
|----|--------|--|
| A  | -/-    | COMPLETE BOX ASSEMBLY                      |
| 12 | 324502 | BULKHEAD PUSH-IN UNION FITTING 1/4" TU     |
| 13 | 324571 | 1/4" BLUE POLYURETHANE HOSE (SOLD BY FOOT) |
| 14 | 324586 | 1/4" RED POLYURETHANE HOSE (SOLD BY FOOT)  |



### DOOR SECURITY BOX

| # | STOCK  | DESCRIPTION                                 |
|---|--------|---|
| A | 616074 | COMPLETE BOX ASSEMBLY                       |
| 1 | 608574 | SOLENOID VALVE                              |
| 2 | 324561 | 90 ° PUSH-IN FITTING 1/8" MPT x 1/4" TU     |
| 3 | 324571 | 1/4" BLUE POLYURETHANE HOSE (SOLD BY FOOT)  |
| 4 | 324503 | BULKHEAD PUSH-IN FITTING 1/4" TU X 1/4" MPT |
| 5 | 324502 | BULKHEAD PUSH-IN UNION FITTING 1/4" TU      |
| 6 | 632214 | HEXAGONAL ADAPTER 1/4" x 1/8" MPT           |
| 7 | 608284 | MUFFLER 1/8" MPT                            |
| 8 | 632281 | 1/4" ID x 1/8" FPT SWIVEL HOSE BARB FITTING |
| 9 | 617336 | PVC JUNCTION BOX                            |



## CONTROL BOXES FOR SANDBLAST BOOTHS

for 646/1046 SANDBLASTERS WITH RC176/RC-186 COMBO SYSTEM – PARTS DETAILS

**SINCE 2022**

### A PRESSURIZED/DEPRESSURIZED VESSEL SWITCH


The depressurization switch allows the operator to fill up its pressure pot without the hassle of leaving the booth and taking off the safety equipment.

This switch controls the AV-176 Combo Air Valve to release the pressure inside the blast pot, allowing the plunger to fall and let the blast media contained into the recovery hopper to fill up the pot.

### B BLAST ON/AIR ONLY SWITCH

A pneumatic cut-off switch is provided to turn your blast hose into a powerful air blower producing high velocity compressed air to blow dust off of the workpiece and to clean the floor by blowing abrasive media remains towards the nearest floor recovery hopper. This switch controls the opening and closing of the abrasive metering valve.

When sandblasting is completed, the operator simply places the switch to the "AIR ONLY" position, stopping the flow of abrasive. The air valve remains open so that only high-speed compressed air flows through the nozzle.



| ID | Part # | Description                            |
|----|--------|--|
| 1  | 920062 | PNEUMATIC SWITCH                       |
| 1A | 608284 | MUFFLER                                |
| 2  | 740013 | 1/8" PRESSURE GAUGE                    |
| 3  | 608015 | 1/4" PRESSURE REGULATOR                |
| 4  | 324571 | 1/4" BLUE POLYESTER TUBE               |
| 5  | 324586 | 1/4" RED POLYESTER TUBE                |
| 6  | 324561 | 90° 1/8" MTP - 1/4" T. PUSH-IN FITTING |


| ID | Part # | Description                             |
|----|--------|---|
| 7  | 740009 | 90° 1/8" MTP - 5/16" T. PUSH-IN FITTING |
| 8  | 908815 | 90° 1/4" MTP - 5/16" T. PUSH-IN FITTING |
| 9  | 324572 | 1/8" MTP - 1/4" T. PUSH-IN FITTING      |
| 10 | 919584 | 5/16" BLUE POLYESTER TUBE               |
| 11 | 776130 | 10" H x 8" L x 4" D JUNCTION BOX        |
| 12 | 612452 | 1 3/16" ID BLACK PLASTIC PLUG           |
| 13 | 618131 | SBH-1/2" X 1-5/16" GROMMET              |



## PNEUMATIC REMOTE CONTROLS

\* Valide jusqu'à 115' max. Au-delà, vous devez utiliser un système de contrôle à distance électrique.

### A STANDARD PNEUMATIC CONTROL HANDLE




| #  | Part # | DESCRIPTION                 | Part # | DESCRIPTION                  |
|----|--------|-----------------------------|--------|------------------------------|
| 11 | 606192 | 15' RED & GREEN DOUBLE HOSE | 606203 | 80' RED & GREEN DOUBLE HOSE  |
|    | 606191 | 30' RED & GREEN DOUBLE HOSE | 606202 | 90' RED & GREEN DOUBLE HOSE  |
|    | 606193 | 55' RED & GREEN DOUBLE HOSE | 606195 | 105' RED & GREEN DOUBLE HOSE |
|    | 606199 | 70' RED & GREEN DOUBLE HOSE | 606205 | 115' RED & GREEN DOUBLE HOSE |

Complete sets with fittings & fasteners (each end)


| ID | PART # | DESCRIPTION  |
|----|--------|--|
| A  | 908006 | Complete Pneumatic Remote Control                          |
| B  | 770061 | Repair Kit For Control Handle (Includes items: 1, 2, 3, 4) |
| 1  | NPN    | Manifold   |
| 2  |        | Gasket   |
| 3  |        | Plunger Plug   |
| 4  |        | Plunger Spring   |
| 5  | 770062 | Safety Lever Lock  |
| 6  | 770060 | Shoulder Screw   |
| 7  | 770064 | Locking Nut  |
| 8  | 632214 | Hex. Nipple 1/4" x 1/8" NPT (x2)                           |
| 9  | 770052 | Return Spring  |
| 10 | 908039 | Remote Control Lever                                       |

### PNEUMATIC "D" CONTROL HANDLE




|   |        |                                   |
|---|--------|-----------------------------------|
| A | 608800 | Complete Control Handle           |
| B | 608804 | Repair Kit, includes parts 1 to 6 |
| 1 | 608806 | Piston                            |
| 2 | 608808 | O Ring                            |
| 3 | PNP    | Rubber Washer                     |
| 4 | 608810 | Washer                            |
| 5 | 608809 | Nut                               |
| 6 | 608807 | Spring                            |
| 7 | 632201 | Hexagonal Nipple- PL 1/4"         |
| 8 | 632002 | Hexagonal Nipple- PL 1/8"         |

### C STANDARD ELECTRIC REMOTE CONTROL HANDLE



| ID | PART # | DESCRIPTION     |
|----|--------|-----------------|
| C  | 770160 | Complete handle |
| 1  | 770051 | Safety Lavel    |
| 2  | 770052 | Spring          |
| 3  | 770054 | Handle          |
| 4  | 770063 | Switch          |
| 5  | 770060 | Shoulder Screw  |
| 6  | 770064 | Locking Nut     |
| 7  | 616410 | Electric Plug   |
| 8  | 770055 | Base            |

### D-HANDLE ELECTRIC REMOTE CONTROL




| ID | PART # | DESCRIPTION                        |
|----|--------|------------------------------------|
| D  | 608801 | Complete handle                    |
| 1  | NPN    | Boot, Push Button                  |
| 2  | NPN    | Switch, Push Button Assembly       |
| 3  | NPN    | Strain Relief Fitting              |
| 4  | NPN    | Male Twist-Lock Connector, 2 prong |


(See box details next page)



## ELECTRICAL REMOTE CONTROLS HANDLES (CONT'D)




**BOXES :  
UNTIL 2022**



| #  | PART # | DESCRIPTION                  |
|----|--------|------------------------------|
| A  | 616070 | 120 V AC Remote Control      |
| B  | 616068 | 12 V DC Remote Control       |
| 1  | 616410 | Male Electric Plug           |
| 2  | 616411 | Female Electric Plug         |
| 3  | 616519 | 30' Extension Cable          |
| 4  | 616520 | 55' Extension Cable          |
| 5  | 616522 | 105' Extension Cable         |
| 6  | 616585 | Electric Plug & Wire         |
| 7  | 617205 | 120 - 12 V Transformer       |
| 8  | 617240 | Diode                        |
| 9  | 617014 | E3 Switch                    |
| 10 | 617019 | Switch Protector E3          |
| 11 | 617104 | 12 V red indicator lamp      |
| 12 | 617105 | 12 V green indicator lamp    |
| 13 | 608565 | Solenoid valve 12 V NC       |
| 14 | 632273 | PL 1/4 " x 1/8 " NPT Adaptor |
| 15 | 608284 | 1/8 " MPT Muffler            |
| 16 | 616105 | 12 V Clips (pair)            |
| 17 | 617336 | Junction Box                 |
| 18 | 616096 | Control Bracket              |

**BOXES :  
SINCE 2022**




| #  | PART # | DESCRIPTION                    |
|----|--------|--------------------------------|
| 5  | 616410 | Male Electric Plug             |
| 7  | 616585 | Electric Plug & Wire           |
| 8  | 612445 | 120 - 12 V Transformer         |
| 9  | 617240 | Diodes                         |
| 10 | 617014 | E3 Switch                      |
| 11 | 612443 | 12 V red indicator lamp        |
| 12 | 612444 | 12 V green indicator lamp      |
| 13 | 617019 | Switch Protector E3            |
| 14 | 616105 | 12 V Clips (pair)              |
| 15 | 617336 | Junction Box                   |
| 16 | 642454 | 3-2 NC 1/4" FPT Solenoid Valve |
| 17 | 608117 | 1/4" Muffler                   |
| 18 | 632232 | 1/4" Brass Elbow               |



## ACTUATORS, REGULATORS & VALVES (UNTIL 2009)

### PILOT VALVE 70/80 TYPE




A



(SHOWN : 1" VALVE)

|   |   | Size   |         |
|---|---|--------|---------|
| A | Pilot Valve Complete Assembly                         | 1"     | 1 1/4 " |
| B | Seat and Seal Gasket Repair Kit Including # 1-2-3-4-5 | 608309 | 608307  |
|   |   | 608316 | 608317  |

### DIAPHRAGM VALVE 66/76 TYPE





A



|   |  | Size   |         |
|---|--|--------|---------|
| A | Diaphragm Valve Complete Assembly                    | 1"     | 1 1/4 " |
| B | Diaphragm and Seal Gasket Repair Kit (pre-assembled) | 608332 | 608333  |
| C | Diaphragm only                                       | 608322 | 608323  |

### A6/RC66 DEPRESSURIZATION VALVE SYSTEM



| # | PART # | Description                              |
|---|--------|--|
| A | 608951 | Complete depressurization valve          |
| B | 608482 | Complete A6 Actuator (see details p. 58) |
| 1 | 608488 | Retaining collar                         |
| 2 | 608994 | Tapped cover                             |
| 3 | 608960 | Complete plug                            |
| 4 | 608961 | Welded body (#7 included)                |
| 5 | 618214 | RC66 lining                              |
| 6 | 618217 | Rubber plug only                         |



## BREATHABLE AIR SYSTEM

You will find various air filtration systems for supplying a hood blasting. A set using the carbon filter and activated alumina to remove most oils and condensation, particles, odors and organic vapors questions. And a multi-gas detector that can detect carbon monoxide.

These two assemblies are provided with pressure regulator for supplying blasting hood. They can also be used for one of two hoods blasting. A breathing air system including ambient air pump is also available. The pump is activated by a air electric motor with a power of 3/4 hp and 10 cubic feet @ 10 lb/pc. Excellent to provide quality breathing air to the operator.



AIR FED HOODS

HOSE FOR AMBIENT AIR PUMP



AIR PURIFIER  
CAN SUPPLY AIR FOR  
FOR 2 SANDBLAST HOODS



RPB GX4 GAS MONITOR  
MULTI-GAS DETECTOR




3/4 HP ELECTRIC POWERED  
AMBIENT AIR PUMP  
CAPACITY 10 CFM @ 10 PSI



## NOVA 2000 HOOD



## SAFETY EQUIPMENT




| #  | STOCK       | DESCRIPTION                          |
|----|-------------|--------------------------------------|
| 1  | NV2000      | NYLON CAPE, FLOW CONTROL VALVE       |
| 3  | NV2012      | INNER BIB                            |
| 4  | NV2013      | CAPE COVER BAND                      |
| 5  | NV2009-10LH | NOVA 2000 HYGIENE KIT SIZE LARGE     |
|    | NV2009-10   | HYGIENE KIT SIZE MEDIUM              |
|    | NV2009-10SH | HYGIENE KIT SIZE SMALL               |
| 6  | NV2009      | HELMET LINER SIZE MEDIUM             |
| 7  | NV2010      | SIDE WINGS M (PAIR)                  |
| 8  | NV2034      | QUICK CONNECT 3/8" MNPT              |
| 9  | NV2003      | WINDOW FRAME GASKET                  |
| 10 | NV2004      | VISOR KIT                            |
| 11 | NV2008      | LATCH KIT                            |
| 12 | NV2018      | INNER LENS - PK 10 (4 3/4" x 8 3/4") |
| 13 | NV2031-015  | OUTER LENS - PK 50                   |
| 14 | NV2017      | TEAR-OFF LENS - PK 50                |

| #  | STOCK        | DESCRIPTION                              |
|----|--------------|--|
| 15 | NV2022       | BELT                                     |
| 16 | 03-035       | AIR INLET KIT                            |
| 17 | NV2021       | SAR BREATHING TUBE FOR ASTRO & NOVA 2000 |
| 18 | 4000-06      | QUICK RELEASE TAIL 1/4" MALE THREAD      |
| 19 | 4000-01      | COOL AIR TUBE ASSEMBLY                   |
| 20 | 4000-20      | HOT AIR TUBE WITH MBSP THREAD & BELT     |
| 21 | 03-501       | C40 CLIMATE CONTROL DEVICE               |
| 22 | NV2016       | FLOW CONTROL VALVE                       |
| 23 | NV2002       | NYLON RESPIRATOR CAPE                    |
| 24 | NV2002XL     | EXTRA LENGTH NYLON RESPIRATOR CAPE       |
| 25 | NV2002L      | LEATHER CAPE 28"                         |
| 26 | NV2002HB-XL  | LEATHER CAPE 38" XL                      |
| 27 | NV2002HB-XXL | BLASTING JACKET XXL                      |
| 28 | NV2012       | INNER BIB                                |



## NOVA 3 HOOD

## SAFETY EQUIPMENT (CONT'D)



| #  | STOCK      | DESCRIPTION                         |
|----|------------|-------------------------------------|
| 1  | NV3-702-50 | <b>FLOW CONTROL, NYLON CAPE</b>     |
| 2  | 03-035     | AIR INLET KIT                       |
| 3  | NV2021     | SAR BREATHING TUBE                  |
| 4  | 4000-20    | HOT AIR TUBE C/W BELT               |
| 5  | NV2016     | FLOW CONTROL VALVE                  |
| 5A | 4000-06    | QUICK RELEASE TAIL 1/4" MALE THREAD |
| 6  | 4000-01    | COOL AIR TUBE ASSEMBLY              |
| 7  | 03-501     | C40 CLIMATE CONTROL DEVICE          |
| 8  | NV2022     | BELT                                |
| 9  | NV3-721    | INNER GASKET                        |
| 10 | NV3-722    | INNER LENS (PK. OF 10)              |
| 11 | NV3-723    | INNER LENS FRAME                    |
| 12 | NV3-724    | OUTER LENS (PK. OF 50)              |
| 13 | NV3-725    | TEAR-OFF LENS (PK. OF 50)           |
| 14 | NV3-726    | VISOR KIT                           |




| #  | STOCK       | DESCRIPTION                            |
|----|-------------|--|
| 15 | NV3-735     | HEAD LINER FOAM PADDING                |
| 16 | 07-900      | ADJUSTABLE HEAD SUPPORT                |
| 17 | NV3-731     | SIDE PADDING FRAMES (PAIR)             |
| 18 | NV3-732-XXX | SIDE PADDING FOAM & COVERS, SIZE A-05* |
| 19 | NV3-733     | SIDE PADDING COVERS (5 PAIRS)          |
| 20 | NV3-734     | HEAD LINER KIT (INCLUDES NV3-734-1)    |
| 21 | NV3-734-1   | HEAD LINER CLIPS (PK 4)                |
| 22 | NV3-735     | HEAD LINER FOAM PADDING                |
| 23 | NV2012      | INNER BID                              |
| 24 | NV3-745     | CASSETTE LENSE (PK 20)                 |
| 25 | NV3-750     | NYLON RESPIRATOR CAPE                  |
| 26 | NV3-751     | EXTRA LENGTH NYLON RESPIRATOR CAPE     |
| 27 | NV3-752     | LEATHER RESPIRATOR CAPE                |
| 28 | NV3-753     | EXTRA LENGTH LEATHER RESPIRATOR CAPE   |
| 29 | NV3-754     | BLAST JACKET SIZE XL                   |
| 30 | NV3-755     | BLAST JACKET SIZE XXL                  |

\* Side wings are available in 5mm (A05), 10 mm (A10), 15 mm (A15), and 20 mm (A20). Standard size supplied with Nova 3 is 10 mm. A05 is the thinnest padding system (for large heads) and A20 is the thickest (for small heads).



## SAFETY EQUIPMENT (END)

### BULLARD (88 VX) HOOD



|    |        |   |
|----|--------|---|
| 1  | 603070 | Complete 88VX Bullard air fed hood, cape & belt (BH8) |
|    | 613211 | Nylon cape (standard 28" length)                      |
| 2  | 613224 | 38" length Cape                                       |
|    | 613237 | 38" length Hibernia nylon cape                        |
| 3  | 613009 | RPW6 inner shield (oval 4½" x 12¾")                   |
| 4  | 613010 | RPW6 - outer shield (rectangular 5" x 14") (BH8)      |
| 5  | 913004 | RPW6 - outer shield oval (4½" x 14")                  |
| 6  | 613234 | BH8/BH6 77LC perfor. visor shield (pack of 25)        |
| 7  | 613205 | Window gasket including seal and visor                |
| 8  | 613254 | Outer window frame kit                                |
|    | 613132 | Standard headband suspension                          |
| 9  | 613134 | Ratchet headband suspension                           |
| 10 | 613139 | Chin strap  |
|    | 613226 | Breathing tube only                                   |
| 11 | 613232 | F30 ½" belt adaptor                                   |
|    | 613229 | Flow control valve and adaptor                        |
| 12 | 613238 | BH8/BH30 FA35 ½" belt adaptor                         |
| 13 | 613212 | Belt  |
|    | 613233 | HC2400 adjustable h/c tube                            |
| 14 | 613160 | Control valve and silencer                            |
| 15 | 613235 | Breathing tube connector 88CK                         |
| 16 | 603510 | Cold air tube   |



## AP2-C & RPB® RADEX™ AIRLINE FILTER

**AP2-C**

**A**

**RPB RADEX**

| #  | Part #  | DESCRIPTION  |   |
|----|---------|--|---|
| A  | 04-900  | Complete RADEX Airline filter 4 outlets            |   |
|    | 04-906  | Complete RADEX Airline filter 6 outlets            |   |
| 1  | 04-911  | 3/8" FTP quick release coupler                     |   |
| 2  | 04-912  | 3/8" Brass "T"                                     |   |
| 3  | 04-913  | 3/8" Brass cap                                     |   |
| 4  | 04-914  | Large Flow Pressure Regulator ( no pressure gauge) |   |
| 5  | 04-915  | Pressure Gauge                                     |   |
| 6  | 04-916  | 125 psi 1/4" MPT Pressure Relief Valve             |   |
| 7  | 04-917  | 3/8" Hex. brass nipple                             |   |
| 8  | 04-918  | Filter lid   |   |
| 9  | 04-919  | O- Ring (set of 2)                                 |   |
| 10 | APF3100 | Filtering cartridge                                |   |
| 11 | 04-920  | SCREW, Nut, Washer, (set of 2)                     |   |
| 12 | 04-921  | Filter body  |   |
| 13 | 04-922  | 1/4", MPT brass drain tap                          |   |
| 14 | 04-923  | Base mount   |   |
| 15 | 04-924  | 1/4" FPT Auto drain unit                           |   |
| 16 | 04-927  | 1/2" Water Vapor Filter, assembled                 |   |
| 17 | 04-926  | 1" X 1/2" Brass nipple reducer                     |   |
| 18 | 04-928  | 1/4" MPT Brass elbow                               |   |
| 19 | 04-961  | 6 outlet cover                                     |   |
| 20 | 04-965  | 6 outlet FPT Manifold                              |   |
| 21 | 04-964  | 1/4" Quick connect coupling                        |   |
| 22 | 04-915  | Pressure Gauge                                     |   |
| 23 | 603624  | 1/4" FPT Auto drain unit                           |   |
| 24 | NV2028  | 100'   | 3/8" Diam. Breathing Air Supply Hose complete with Quick Release Fittings |
|    | NV2029  | 25'  |   |
|    | NV2027  | 50'  |   |



## **AMBIENT AIR PUMP RADEX TYPE**

The Ambient Air Pump is a low cost breathing air supply solution that takes air from a clean location to supply low pressure respirators. This option is suitable for applications that do not require a grade D air supply and where the compressor cannot provide additional breathing equipment.

Due to the low pressure air supply, this system cannot be paired with the full range of respirators and flow control devices available through RPB. The only installation that is NIOSH approved is shown below.

**DO NOT USE any other respirator or flow control device on this system.**



**06-100**

### **AMBIENT AIR PUMP**

The pump is equipped with an inlet filter, an outlet filter element and a pressure gauge.

### **SPECIFICATIONS**

The table indicates the maximum permitted number of tight-fitting respiratory protection masks or loose hoods.

| Part # | Max. number of respirators | Max. number of hoods | Power required    | lb | hp  | psi  | cfm  |
|--------|----------------------------|----------------------|-------------------|----|-----|------|------|
| 06-100 | 2                          | 1                    | 8.3 A - 115/230 V | 53 | 3/4 | 0-15 | 0-10 |



**NV2035 (50')  
NV2036 (100')**

### **AIR SUPPLY HOSE**

For respirator, sold with quick connectors, I.D. 1/2"  
Available in 50' and 100'.

### **NOVA 2000 RESPIRATOR WITH CONSTANT FLOW VALVE AT LOW PRESSURE**


The Nova 2000 respirator comes complete with a breathing tube (NV2021B), a nylon cape (NV2002) and a low pressure constant flow valve (03-106).






## AMBIENT AIR PUMPS, FILTRATION AND SUPPLY SYSTEMS

### EDP-10 AMBIENT AIR PUMP



|   |        |                               |
|---|--------|-------------------------------|
| 1 | 603101 | Complete EDP-10 pump          |
| 2 | 603152 | Inlet Filter                  |
| 3 | 603150 | Outlet filter                 |
| 4 | 613284 | "O" Ring (not illustrated)    |
| 5 | 603156 | Gauge                         |
| 6 | 603153 | Quick connect coupler         |
| 7 | 613281 | Filter bowl                   |
| 8 | 603175 | Service kit (not illustrated) |

### 4-STAGE FILTRATION SYSTEM




|   |        |                                   |
|---|--------|-----------------------------------|
| A | 603116 | 50 cfm portable filtration kit    |
| B | 903104 | 50 cfm stationnary filtration kit |
| 1 | 603117 | Replacement filter kit            |
| 2 | 603123 | Rechargeable battery              |
| 3 | 603118 | Carbon monoxide detector          |
| 4 | 603119 | Calibration kit (11 cartridges)   |

### 1 RPB AMBIENT AIR PUMP



|   |           |  |
|---|-----------|--|
| 1 | 06-100    | Complete Ambient Air Pump                |
| 2 | 9700-04   | Pressure Gauge                           |
| 3 | 9700-72AD | ½" Hansen Coupler                        |
| 4 | 9700-08   | Inlet Filter Assembly (Includes 9700-01) |
| 5 | 9700-03   | Pressure Relief Valve                    |
| 6 | 9700-15   | Exhaust Filter Canister                  |
| 7 | 9700-01   | Inlet Filter Element                     |
| 8 | 9700-02   | Exhaust Filter Element                   |

### A RPB GX-4 GAS MONITOR



|   |           |  |
|---|-----------|--|
| A | 08-400-02 | Complete RPB GX-4 Gas Monitor (10 ppm)         |
| 1 | 08-431    | Battery Clips                                  |
| 2 | 08-420-xx | Carbon Monoxide or Hydrogen or Oxygen Sensors  |
| 3 | 08-428    | Air Supply Hose and One Touch Connector        |
| 4 | 08-424    | GX-4 Field Case                                |
| 5 | 08-435    | Optional Auxiliary Strobe Light c/w 50' Cable  |
| 6 | 08-459    | Complete calibration kit (regulator + bottles) |
| 7 | 08-458    | Kit of 2 bottles (08-460 & 08-461)             |



## ABRASIVES



The most popular type of shot and grit is made from chilled iron. There are two kinds of granules like :

**SHOT** is a solid round particle causing a peening action and producing a smooth surface. Its heavy weight gives greater impact and hammering action for cleaning heavy forgings and removing heat treating scale.

**GRIT** is angular and like thousands of tiny chisels and cutting tools, does a fast cleaning job. Produces an ideal surface for adherence of new coatings. Often the shot and the grit will be mixed to achieve different finishes.

### Shot :

| Code   | Grade | Packaging format  |
|--------|-------|-------------------|
| 635260 | S70   | Bag = 55 lb       |
| 635261 | S110  |                   |
| 635265 | S170  |                   |
| 635267 | S230  |                   |
| 635269 | S230  | Barrel = 2 000 lb |
| 635268 | S280  | Bag = 55 lb       |

| Code   | Grade | Packaging format |
|--------|-------|------------------|
| 635270 | S330  | Bag = 55 lb      |
| 635271 | S390  |                  |
| 635272 | S460  |                  |
| 635273 | S550  |                  |
| 635276 | S660  |                  |

### Grit :

| Code   | Grade | Packaging format  |
|--------|-------|-------------------|
| 635247 | GH-12 | Bag = 55 lb       |
| 635233 | GH-14 |                   |
| 635234 | GH-14 | Barrel = 1 700 lb |
| 635231 | GH-16 |                   |
| 635232 | GH-18 | Bag = 55 lb       |
| 635224 | GH-25 |                   |
| 635235 | GH-25 | Barrel = 1 700 lb |
| 635240 | GH-40 | Bag = 55 lb       |

| Code   | Grade  | Packaging format  |
|--------|--------|-------------------|
| 635230 | GH-50  | Bag = 55 lb       |
| 635244 | GH-80  |                   |
| 635245 | GH-120 |                   |
| 635225 | GL-25  |                   |
| 635241 | GL-40  |                   |
| 635229 | GL-50  |                   |
| 635236 | GL-50  | Barrel = 1 700 lb |

Pallet = 56 bags



## SYNTHETIC OLIVINE PYROXENE SANDS FOR BLAST CLEANING

### ADVANTAGES :

- offers excellent sanding quality and its cost/performance ratio is highly competitive. It allows either more rapid cleaning and/or reduces consumption of sand.
- Because of its chemical and mineral composition, Olimag is a non-toxic material. It thus improves the quality of the work-place for sanders and other construction site employees. Less than 1% free silica.
- Reduced dumping charge (less material to dispose of).

| Code   | Grade | Packaging format |
|--------|-------|------------------|
| 635201 | 10-20 | Bags = 55 lb     |
| 635202 | 16-60 |                  |
| 635203 | 30-60 |                  |
| 635207 | 32-B4 |                  |
| 635204 | 35-70 |                  |
| 635213 | 60B2  |                  |

| Code   | Grade | Packaging format     |
|--------|-------|----------------------|
| 635209 | 16-60 | Super bags = 1.36 TM |
| 635210 | 30-60 |                      |
| 635211 | 32-B4 |                      |
| 635212 | 35-70 |                      |
| 635214 | 60B2  |                      |

Pallet = 56 bags



## ABRASIVES (CONT'D)

### GLASS BEADS



One of the most popular abrasives used in cabinets today. Ideal for honing, polishing, penning, finishing and removing light burrs and foreign matter, such as carbon and surface residue from pistons and valves with no base metal removal or dimensional change.

Produces bright satin finish.

The applications are extensive, due to the wide range of screen sizes available.

| Code      | Grade        | Packaging format                  |
|-----------|--------------|-----------------------------------|
| 635003    | BT3 20-30    | 50 lb Bag<br><br>Pallet = 40 bags |
| 635004    | BT4 30-40    |                                   |
| 635005    | BT5 40-60    |                                   |
| 635006    | BT6 40-70    |                                   |
| 635007    | BT7 50-80    |                                   |
| 635008    | BT8 60-120   |                                   |
| 635009    | BT9 80-120   |                                   |
| 635010    | BT10 100-170 |                                   |
| 635012    | BT12 120-270 |                                   |
| 635013    | BT13 170-325 |                                   |
| 635045    | MIL #5       |                                   |
| 635008MIL | MIL #8       |                                   |
| 635040    | MIL #10      |                                   |

### GMA GARNET™



GMA Garnet™ consists of totally natural almandine garnet known for its natural hardness, durability and abrasive characteristics. It is free of any heavy metals or toxic components and meets all Occupational Health & Safety requirements.

It does not contain metallic iron, which is suitable for all areas of the surface preparation of stainless steel, anti-magnetic steel, and any special alloys.

Pallet = 40 bags

| Code   | Grade           | Packaging format | Code   | Grade              | Packaging format |
|--------|-----------------|------------------|--------|--------------------|------------------|
| 636107 | GX-1 SpeedBlast | Bags = 55 lb     | 636125 | PrecisionBlast 120 |                  |
| 636108 | GX-2 ToughBlast |                  | 636140 | SoftBlast 220      |                  |
| 636118 | CC80 NewMetal   |                  | 635213 | 60B2               |                  |

### PLASTIC



This relatively new dust-free abrasive is a special alloy of plastic material that has high tensile, compressive and flexural strength combined with comparatively low hardness.

Used for deflashing plastic parts and cleaning molds, dies, electronic connections and circuit boards.

It can effectively deburr machined iron castings, zinc or aluminum die castings and non-ferrous screw machine parts in addition to deflashing molded plastic parts.

| Code   | Grade | Packaging format |
|--------|-------|------------------|
| 635201 | 10-20 | Bags = 55 lb     |
| 635202 | 16-60 |                  |
| 635203 | 30-60 |                  |
| 635207 | 32-B4 |                  |
| 635204 | 35-70 |                  |
| 635213 | 60B2  |                  |

| Code   | Grade | Packaging format     |
|--------|-------|----------------------|
| 635209 | 16-60 | Super bags = 1.36 MT |
| 635210 | 30-60 |                      |
| 635211 | 32-B4 |                      |
| 635212 | 35-70 |                      |
| 635214 | 60B2  |                      |



## ABRASIVES (END)

### **ALUMINIUM OXIDE**

Widely used as a cutting abrasive. Produces excellent "anchor" or "tooth" patterns in preparation for recoating.

Excellent for deburring, frosting glass and lettering stone. It is extremely fast cutting and can be reused many times.

Manufactured from high grade ore and is chemically inert. Classified in various sizes for a wide selection of finishes.

Pallet = 40 bags

| Code   | Grade | Packaging format |
|--------|-------|------------------|
| 635102 | 8     | Bags = 50 lb     |
| 635103 | 12    |                  |
| 635101 | 16    |                  |
| 635105 | 20    |                  |
| 635104 | 24    |                  |
| 635108 | 30    |                  |
| 635106 | 36    |                  |
| 635100 | 40    |                  |
| 635107 | 46    |                  |
| 635111 | 50    |                  |

| Code    | Grade | Packaging format |
|---------|-------|------------------|
| 635114  | 70    | Barrel = 400 lb  |
| 635118  | 80    |                  |
| 635120  | 90    |                  |
| 635122  | 100   |                  |
| 635125  | 120   |                  |
| 635131  | 150   |                  |
| 635135  | 180   |                  |
| 635141  | 220   |                  |
| 635142  | 220   |                  |
| 635144  | 240   |                  |
| 635148A | 320   | Bags = 50 lb     |
| 635148  | 320   | Barrel = 400 lb  |



## CONVERSION TABLE

| Mesh      | inch   | µm   | mm    | Mesh      | inch   | µm   | mm    | Mesh       | inch   | µm  | mm    | Mesh       | inch   | µm | mm    |
|-----------|--------|------|-------|-----------|--------|------|-------|------------|--------|-----|-------|------------|--------|----|-------|
| <b>3</b>  | 0.2650 | 6730 | 6.730 | <b>14</b> | 0.0555 | 1410 | 1.410 | <b>50</b>  | 0.0117 | 297 | 0.297 | <b>200</b> | 0.0029 | 74 | 0.074 |
| <b>4</b>  | 0.1870 | 4760 | 4.760 | <b>16</b> | 0.0469 | 1190 | 1.190 | <b>60</b>  | 0.0098 | 250 | 0.250 | <b>230</b> | 0.0024 | 63 | 0.063 |
| <b>5</b>  | 0.1570 | 4000 | 4.000 | <b>18</b> | 0.0394 | 1000 | 1.000 | <b>70</b>  | 0.0083 | 210 | 0.210 | <b>270</b> | 0.0021 | 53 | 0.053 |
| <b>6</b>  | 0.1320 | 3360 | 3.360 | <b>20</b> | 0.0331 | 841  | 0.841 | <b>80</b>  | 0.0070 | 177 | 0.177 | <b>325</b> | 0.0017 | 44 | 0.044 |
| <b>7</b>  | 0.1110 | 2830 | 2.830 | <b>25</b> | 0.0280 | 707  | 0.707 | <b>100</b> | 0.0059 | 149 | 0.149 | <b>400</b> | 0.0015 | 37 | 0.037 |
| <b>8</b>  | 0.0937 | 2380 | 2.380 | <b>30</b> | 0.0232 | 595  | 0.595 | <b>120</b> | 0.0049 | 125 | 0.125 |            |        |    |       |
| <b>10</b> | 0.0787 | 2000 | 2.000 | <b>35</b> | 0.0197 | 500  | 0.500 | <b>140</b> | 0.0041 | 105 | 0.105 |            |        |    |       |
| <b>12</b> | 0.0661 | 1680 | 1.680 | <b>40</b> | 0.0165 | 400  | 0.400 | <b>170</b> | 0.0035 | 88  | 0.088 |            |        |    |       |

## AIR CONSUMPTIONS BLASTING SYSTEMS

### PRESSURE

| Nozzle I.D. <sup>4</sup> | Units             | WORKING PRESSURES (psi) <sup>2</sup> |      |      |      |      |      |      |      |      |      |      |      |
|--------------------------|-------------------|--------------------------------------|------|------|------|------|------|------|------|------|------|------|------|
|                          |                   | 20                                   | 25   | 30   | 35   | 40   | 45   | 50   | 60   | 70   | 80   | 90   | 100° |
| <b>1/8"</b>              | cfm <sup>1</sup>  | 7                                    | 7    | 8    | 9    | 10   | 12   | 13   | 14   | 15   | 17   | 19   | 20   |
|                          | lb/h <sup>3</sup> | 48                                   | 48   | 55   | 62   | 69   | 73   | 77   | 82   | 110  | 127  | 140  | 154  |
| <b>3/16"</b>             | cfm <sup>1</sup>  | 15                                   | 16   | 18   | 20   | 22   | 24   | 26   | 30   | 33   | 38   | 41   | 45   |
|                          | lb/h <sup>3</sup> | 94                                   | 101  | 114  | 127  | 140  | 153  | 166  | 192  | 220  | 243  | 268  | 297  |
| <b>1/4"</b>              | cfm <sup>1</sup>  | 27                                   | 30   | 34   | 37   | 41   | 45   | 49   | 55   | 61   | 68   | 74   | 81   |
|                          | lb/h <sup>3</sup> | 174                                  | 193  | 219  | 251  | 276  | 303  | 329  | 369  | 398  | 460  | 504  | 556  |
| <b>5/16"</b>             | cfm <sup>1</sup>  | 42                                   | 46   | 53   | 57   | 65   | 70   | 76   | 88   | 101  | 113  | 126  | 137  |
|                          | lb/h <sup>3</sup> | 254                                  | 278  | 320  | 345  | 394  | 425  | 462  | 528  | 680  | 756  | 832  | 910  |
| <b>3/8"</b>              | cfm <sup>1</sup>  | 55                                   | 63   | 76   | 82   | 91   | 100  | 109  | 126  | 143  | 161  | 173  | 196  |
|                          | lb/h <sup>3</sup> | 374                                  | 428  | 517  | 558  | 620  | 682  | 744  | 860  | 970  | 1080 | 1184 | 1296 |
| <b>7/16"</b>             | cfm <sup>1</sup>  | 72                                   | 85   | 100  | 112  | 124  | 137  | 149  | 170  | 194  | 217  | 240  | 254  |
|                          | lb/h <sup>3</sup> | 488                                  | 576  | 678  | 759  | 835  | 840  | 908  | 1160 | 1320 | 1476 | 1630 | 1782 |
| <b>1/2"</b>              | cfm <sup>1</sup>  | 96                                   | 112  | 129  | 146  | 165  | 179  | 195  | 224  | 252  | 280  | 309  | 338  |
|                          | lb/h <sup>3</sup> | 629                                  | 734  | 845  | 976  | 1103 | 1197 | 1305 | 1500 | 1700 | 1890 | 2088 | 2277 |
| <b>5/8"</b>              | cfm <sup>1</sup>  | 173                                  | 195  | 212  | 239  | 260  | 282  | 308  | 356  | 404  | 452  | 504  | 548  |
|                          | lb/h <sup>3</sup> | 1081                                 | 1219 | 1325 | 1470 | 1600 | 1716 | 1875 | 2140 | 2422 | 2690 | 2973 | 3250 |

### SUCTION

| NOZZLE I.D. <sup>4</sup> | PRESSURES (psi) <sup>2</sup> |    |    |    |    |      |
|--------------------------|------------------------------|----|----|----|----|------|
|                          | 40                           | 50 | 60 | 70 | 80 | 100° |
| <b>1/4"</b>              | 12                           | 15 | 17 | 19 | 21 | 26   |
| <b>5/16"</b>             | 19                           | 23 | 27 | 30 | 34 | 42   |
| <b>3/8"</b>              | 27                           | 33 | 38 | 43 | 48 | 58   |
| <b>7/16"</b>             | 38                           | 46 | 52 | 60 | 65 | 80   |
| <b>1/2"</b>              | 49                           | 58 | 67 | 76 | 85 | 94   |



## VARIOUS ACCESSORIES



### **Angular Nozzle**

Excellent for hard to reach places. Increases productivity . Saves abrasive.



### **Interior Tube Blasting Nozzle 4" to 12" I.D.**

Spinning nozzle for interior cleaning of tubes 4" to 12" I.D. Requires 250 cfm minimum. Very effective for large tubes.

#917507



### **Sandblasting nozzle for tube interior 1" to 4" I.D.**

Special deflector nozzle for inside blasting of tubes from 1" to 4". Circular projection of abrasive deflection by creating a circular 360 ° cover . Requires 85 CFM minimum.

#617500



### **LED Sandblast Light**

Can be mounted directly on sandblast hose for direct lighting on surface being clean.

#604041



### **Water Injector Nozzle**

Can be used with your sandblasting equipment. Excellent to reduce sanding dust.

#604040



### **Water Adaptor for Sandblasting Nozzle**

Add water to your sandblasting nozzle. Reduces sandblasting dust.



### **Sandblast Suits**

IST offers a range of superior quality blast suits designed to produce the ultimate protection for workers, while increasing the comfort and productivity. We all know sandblasting can be a very harsh environment and demanding for workers. A properly designed suit for protection will allow workers to move freely and blast safely.



## UPGRADES LIST

**Check your equipment serial number in order to find out which replacement part number is compatible for your system.**

| CABINET ECONO SERIES   | Description of the modification | Year of modification | Models affected | Effective starting Serial # |
|--|---------------------------------|----------------------|-----------------|-----------------------------|
| Replacement of the halogen projector model and introduction of a LED projector upgrade kit   | 2007                            |                      | ECONO26         | MS-20A1-0442                |
| Halogen bulb 250 W unchanged: .....#617127   |                                 |                      | ECONO36         | MS-32A1-0427                |
| Protective glass for 1 <sup>st</sup> generation projector: .....#610213  |                                 |                      | ECONO48         | MS-22A1-0058                |
| Protective glass for 2 <sup>nd</sup> generation projector: .....#610206  | 2017                            |                      |                 |                             |
| LED projector upgrade kit: .....#61713   |                                 |                      |                 |                             |
| Lighting system upgrade from halogen/LED projector to LED fixture. There is no upgrade kit, the modification must be made by IST or by the customer. |                                 |                      | ECONO26         | MS-20A1-0610                |
| New LED fixture: .....#617161  | 2017                            |                      | ECONO36         | MS-32A1-0502                |
| New LED fixture protective glass: .....#610322   |                                 |                      | ECONO48         | MS-22A1-0082                |
| <b>*Foot control pedal upgrade</b>   | Until 2022<br>Since 2022        |                      | ECONO : all     | Contact IST                 |
| Old suction pedal.....#610270  |                                 |                      |                 |                             |
| New suction pedal.....#908065  |                                 |                      |                 |                             |

**\*Note:** This upgrade involves the replacement of various components. Contact IST for more information.

| CABINET ECAB SERIES  | Description of the modification | Year of modification | Models affected | Effective starting Serial # |
|--|---------------------------------|----------------------|-----------------|-----------------------------|
| Lighting system upgrade from halogen/LED projector to LED fixture. | 2017                            |                      | ECAB3           | MS-20B1-2662                |
| Old LED bulb: .....#617130   |                                 |                      | ECAB5           | MS-32B1-0199                |
| Protective glass of the old lightbulb system:.....#610202          |                                 |                      |                 |                             |
| New LED fixture: .....#617161                                      |                                 |                      | ECAB7           | MS-22B1-1391                |
| New LED fixture protective glass: .....#610322                     |                                 |                      |                 |                             |
| <b>*Foot control pedal upgrade</b>                                 | Until 2022<br>Since 2022        |                      | ECAB : All      | Contact IST                 |
| Old suction pedal.....#610270                                      |                                 |                      |                 |                             |
| New suction pedal.....#908065                                      |                                 |                      |                 |                             |

**\*Note:** This upgrade involves the replacement of various components. Contact IST for more information.



## UPGRADES LIST (CONT'D)

| <b>CABINET M SERIES</b>   | <b>Description of the modification</b> | <b>Year of modification</b> | <b>Models affected</b>           | <b>Effective starting Serial #</b> |
|---|--|-----------------------------|----------------------------------|------------------------------------|
| <p>Lighting system upgrade from neon tube to LED fixture</p> <p>Old 24" neon fixture for models 48" or less models: ..... #617141</p> <p>Old 24" neon tube for models 48" or less models: ..... #617150</p> <p>Old 48" neon fixture for models larger than 48": ..... #617145</p> <p>Old 48" neon tube for models larger than 48": ..... #617151</p> <p>Protective glass for models 48" or less unchanged: ..... #610212</p> <p>Protective glass for models larger than 48" unchanged: #610211</p> <p>New 24" LED fixture for models 48" or less: ..... #617161</p> <p>New 48" LED fixture for models larger than 48": ..... #617160</p> <p>LED Upgrade Kit for models 48" or less: ..... #617162</p> |  | Since 2016                  | All Industrial M Series Cabinets | Contact IST                        |
| <p><b>*Foot control pedal upgrade</b></p> <p>Old suction pedal.....#610270</p> <p>New suction pedal.....#610315</p> <p>New Pedal (suction and pressure).....#908065</p>   |  | Until 2022                  | Since 2022                       |                                    |

**\*Note:** This upgrade involves the replacement of various components. Contact IST for more information.


| <b>ALL SANDBLAST POTS</b>                                     | <b>Description of the modification</b> | <b>Year of modification</b> | <b>Models affected</b>                           | <b>Effective starting Serial #</b> |
|---|--|-----------------------------|--|------------------------------------|
|   | <b>Abrasive Metering Valve Upgrade</b> |                             |  |                                    |
| Old PMV186 Valve.....#608847                                  |  | Until 2017                  |  |                                    |
| New AR7 Valve.....#608043                                     |  | Since 2017                  |  |                                    |
| Ancient actuator A6 for AR7 valve (normally open).....#608482 |  | 2017 to 2022                | Sandblast pots with RC186 and RC176/186 combined | Contact IST                        |
| New actuator A7 for AR7 valve (normally closed).....#608042   |  | Since 2022                  |  |                                    |

**Note:** This upgrade involves the replacement of various components. Contact IST for more information.



## **INFORMATION / TECHNICAL ASSISTANCE**

**ISTblast** is a registered trademark of:




**International  
Surface  
Technologies**  
[istsurface.com](http://istsurface.com)

For more information, pricing or technical support, contact your local IST distributor or call / fax to our Consumer Information numbers:

**TEL.: 1 877 629-8202 & 450 963-4400**

Or visit us at:  
**[istsurface.com](http://istsurface.com)**



## ABOUT THE COMPANY

### WHO WE ARE

IST is a leading manufacturer of equipment for the surface treatment industry and the solvent recycling industry. Our extensive line of equipment includes batch units and automated machines designed to achieve the highest manufacturing standards.

### MISSION

IST works tightly with their customers to transform industrial processes to improve their quality, productivity, and environmental footprint.

### OUR SERVICES

- Custom Design & Fabrication
- Installation & Startup
- Preventative Maintenance Program
- Private Labels
- Testing Lab
- 24/7 Technical Support 5656

### INDUSTRIES WE SERVE

- Aerospace & Aviation
- Aluminium Smelters
- Automotive
- Construction & Civil Engineering
- Flexography (labelling) & Lithography
- Foundry & Forge
- General Manufacturing
- Military
- Power & Energy
- Rail & Mass Transit
- Shipyards
- Wood finishing

