

PRODUCT CATALOG EDITION 5.2





OUR STORY

We are the respiratory protection specialists, dedicated to protecting you for life's best moments through creating the world's best respirators.

Protecting people drives everything we do at RPB. For over four decades, we have serviced the industrial market, working with world leading engineers, constantly pushing creative boundaries with new technology that advances our functional capabilities, seeking input from our end users, and refining our range to create the world's best respirators.

As our passion for protecting people continues to grow, we have extended our product range, branching into new industries to share our respiratory protection expertise to better the lives of more people. We are excited and privileged to now be embarking on a new frontier in respiratory protection that includes Healthcare and Life Sciences industries.

Join RPB, as we continue to shape the future of respiratory protection.



GLOBAL NETWORK

RPB* has a global network of distributors serviced from our Michigan Head Office and a satellite office in New Zealand.

Contact us on **1-866-494-4599** (USA), **+1 (248) 591 4000** (International) or visit **rpbsafety.com**.

Copyright ©2021 RPB IP, LLC. All rights reserved. All materials contained in this publication are protected by United States copyright law and may not be reproduced, distributed, transmitted, displayed, published or broadcast without the prior written permission of RPB IP, LLC. You may not alter or remove any trademark, copyright or other notice from copies of the content.

All trademarks, service marks, and logos used in this publication, both registered and unregistered, are the trademarks, service marks, or logos of their respective owners. The green and gray color combination is a registered trademark of RPB IP, LLC. All rights in the RPB Intellectual Property contained in this publication, including copyright, trademarks, service marks, trade secret, and patent rights are reserved. RPB Intellectual Property means any patent, patented articles, patent applications, designs, industrial designs, copyrights, software, source code, database rights, moral rights, inventions, techniques, technical data, trade secrets, know-how, brands, trademarks, trade names, slogans, logos, and any other common law and proprietary rights, whether registered or unregistered anywhere in the world, that are owned by, developed in whole or in part by, or licensed by RPB IP, LLC.

Tychem*, Nomex*, DuPont* and Kevlar* are registered trademarks of E.l. du Pont de Nemours and Company or its affiliates.

While the Information contained within this catalog is considered to be true and correct at the date of publication, changes in circumstances after the time of publication may impact on the accuracy of the Information. The Information may change without notice and RPB IP LLC is not in any way liable for the accuracy of any information printed and stored or in any way interpreted and used by a user.





RESPIRATORS

- 6 Z-Link®
- 28 Link Accessories
- **36** Z4°
- **48** Z3[™]
- **58** Nova 3°
- **70** Nova 3° Talk™
- **76** L4[™] Light
- **84** Nova 2000°
- 94 Nova 2000® Talk™
- **100** Astro™
- 110 T-Link®
- **122** T200[™]
- **132** T150[™] Series

AIR MONITORING FILTRATION AND SUPPLY

- **142** PX5° PAPR
- **152** HX5™ PAPR
- **162** GX4° Gas Monitor
- 172 Radex® Airline Filter
- **186** Radex® Ambient Air Pump
- **188** Air Supply
- **192** C40™ Climate Control Device
- 200 Flow Control

SAFETY ESSENTIALS

- 212 Blast Suit
- 218 Leather Gloves
- 218 Knee Pads
- **219** Do-rag
- 219 Head Sock
- **219** Quiet-Slim[™] Earmuffs

PARTS INDEX

228 Full Parts Index







Z-LINK®



MULTI-PURPOSE RESPIRATORY PROTECTION

The RPB Z-Link is the most versatile multi-purpose respirator on the market. Designed to be resilient in harsh industrial applications while practical to meet the demands of healthcare and life science settings. The Z-Link has been designed with your comfort and functionality in mind, ensuring no matter where you're working, you'll be protected for your life's best moments.

Visibility has been at the forefront of the Z-Link's design, boasting a large visor that enables you to see with exceptional downward and peripheral vision. This system also combines with a visor that hinges open so you can easily communicate with your team, as and when necessary.

Filted with a padded headliner and head suspension system, the Z-link's weight is evenly distributed, relieving you of aches and strains on your neck to enhance your experience of comfort. Being fully adjustable ensures the respirator fits securely to all head sizes, maximizing stability and always moving with your head. Our innovative design ensures you have a greater range of movement, so you can focus on your job at hand. The Z-Link is everything you need in a respirator.

The Z-Link is certified to the standards below:





Z89.1 HARD HAT PROTECTION Type 1 Class G EYE & FACE PROTECTION



EN12941:1998 +A2:2008 TH3/2/1 P R SL RESPIRATORY PROTECTION

EN352-3:2002 HEARING PROTECTION EN397:2012+A1:2012 HARD HAT PROTECTION

EN166:2001 CLASS 1 BT 9 3 EYE & FACE PROTECTION



AS/NZS 1716:2012 BMP# 714303 RESPIRATORY PROTECTION

AS/NZS 1801:1997 BMP# 714306 HARD HAT PROTECTION

AS/NZS 1337.1:2010 BMP# 714304 EYE & FACE PROTECTION



Certified Model

CSA Z94.3-15
EYE & FACE PROTECTION
Class 7D Respirator

Facepiece PROTECTION DES YEUX ET DU VISAGE





ISO9001

ANSI Z89.1 certified head

comfort and productivity.

Three cape

or Zytec° FR.

materials available: Tychem[®] 2000, Tychem® 4000

protection (EN397).



The fully adjustable Comfort-Link™ fit system allows for total control of your sizing through supportive padding and the adjustable 360 degree head band and ratchet system.





Z-LINK+®



DIVERSE FUNCTIONALITY

The Z-Link+ has been designed to give you all the freedom and comfort that you receive with the Z-Link but extends the respirators capabilities, giving you eye protection so you can weld without the need for additional systems.

The Z-Link+ weld visor clips on directly to your main visor so you can seamlessly weld with optically clear vision, then lift up the visor to check welds and instantly begin grinding again. With the large RPB ADF lens with a 1.1.1 optical quality rating, this guarantees uniform shading and distortion free vision, while allowing you to work safely and more comfortably for longer across different angles.

In addition to the Z-Link certifications, the Z-Link+ is certified to the standards below:



ANSI

Z89.1 HARD HAT PROTECTION

Z87+ EYE & FACE PROTECTION Z87W WELDING EYE PROTECTION



+A2:2008 TH3/2/1 P R SL
RESPIRATORY PROTECTION
See instruction manual for protection levels.

EN352-3:2002 HEARING PROTECTION EN397:2012+A1:2012 HARD HAT PROTECTION

EN166:2001 CLASS 1 BT 9 3 EYE & FACE PROTECTION EN379:2003



AS/NZS 1716:2012 BMP# 714303 RESPIRATORY PROTECTION

AS/NZS 1801:1997 BMP#714306 HARD HAT PROTECTION
of all configurations conform to this stands

AS/NZS 1337.1:2010 BMP#714304 EYE & FACE PROTECTION

WELDING EYE PROTECTION



Certified Model Modèle certifié

AS/NZS 1338.1:2012 BMP# 714305



CSA Z94.3-15
EYE & FACE PROTECTION
Class 7D Respirator Facepiece PROTECTION DES YEUX ET DU VISAGE que respiratoire classe 7D



visor, enabling you to lift up your visor to check welds and to instantly begin grinding. For extended periods of



Z-LINK® RADIANT HEAT



HEAT DEFENSE

The RPB Radiant Heat kit transforms your Z-Link respirator into a complete protective system for high heat environments. Utilizing the Z-Link headtop, experience unrivaled comfort as heat is deflected away from you and air continuously circulates throughout the headtop so you can work safer for longer.

The Radiant Heat kit features a large, gold coated visor that reflects heat off you, keeping your body temperature down, while allowing you to see all of your environment with an uncompromised field of view. With flame resistant and reflective materials this protects you from sparks and splashes while providing additional relief from the heat.

Enhance your experience of safety and productivity in high heat environments by using protection that revolutionizes the way you work with the RPB Z-Link Radiant Heat.

The Z-Link Radiant Heat is certified to the standards below.





Z87+
EYE & FACE PROTECTION



EN14594:2005 3B EN12941:1998
+A2:2008 TH3/2/1 P R SL
RESPIRATORY PROTECTION
See instruction manual for protection levels

EN352-3:2002 HEARING PROTECTION EN397:2012+A1:2012 HARD HAT PROTECTION

EN166:2001 CLASS 1 BT 9 3 EYE & FACE PROTECT



AS/NZS 1716:2012
BMP#714303
RESPIRATORY PROTECTION

AS/NZS 1801:1997
BMP# 714306
HARD HAT PROTECTION
It all configurations conform to this stand

AS/NZS 1337.1:2010 BMP#714304 EYE & FACE PROTECTION





CSA Z94.3-15 EYE & FACE PROTECTION Facepiece
PROTECTION DES YEUX
ET DU VISAGE
Masque respiratoire classe 7D







Z-LINK° Safety Lens
Tychem® 2000 Face Seal
PX5® PAPR
PX5® Breathing Tube
Part # 16-018-12



For more information please visit rpbsafety.com/z-link Other packages include:





Constant Flow Valve Cape Options









Z-LINK® PACKAGES

Z-LINK+° Safety Lens Z-Link[®] Weld Visor Zytec[®] FR Shoulder Cape PX5° PAPR PX5° Breathing Tube Spark Arrestor



For more package options please visit rpbsafety.com/z-link-plus Other packages include:





For more package options please visit rpbsafety.com/z-link-radiant-heat Other packages include:





Z-LINK® PARTS







Z-LINK® PARTS

SAR Breathing Tube Hose Washer (pk 5)
Part # NV2023



FR Breathing Tube Cover (Breathing Tube not included)

Part # 04-854

Short FR Breathing Tube Cover (Breathing Tube not included)





Tychem® Breathing Tube Cover (Breathing Tube not included)

Part # 04-852

Short Tychem® Breathing Tube (Breathing Tube not included)

Part # 04-872





SAR Breathing Tube Part # 04-833 (previously 04-830)




PAPR Breathing Tube (for PX5° & HX5°) Part # 04-831



Short Breathing Tube for Backpack Assembly Part # 04-841







Air Inlet Adapter Part # 16-519





Z-Link Pivot Assembly (includes 16-614, 16-516, 2pcs 16-615, FS-04 and 2pcs FS-17) Part # 16-616













Z-LINK® PARTS








Welding Visor with ADF Lens

Part # 16-670

Welding Lens Retainer Part # 16-672













Z-LINK® ADF LENS

OPEN STATE

RPB OCV COLOR DEFINITION

The OCV Filter range offers superior color definition in both the open and activated state, allowing you to clearly see LED displays on machines and equipment, as well as heat definition on the actual weld.





CLOSED STATE

RPB OCV OPTICAL QUALITY

The OCV filter boasts a 1.1.1 optical quality raling. This means a clear view from a wider range of angles, reducing eye fatigue and increasing your productivity.





40% MORE VIEWING WITH THE RPB® OCV ULTRA ADF (110X110)


- Viewing Area: 10.35 square inches (2.66" x 3.89") Light state: Shade 3. Dark state: Selectable shades 9-13
- Fast, reliable switching speed: 0.1ms at 73°F / 23°C
- Optional auto delay function from dark to light (0.15 to 1 seconds)
- Weight (ADF only): 4.59 oz / 130g Temperature range: -4°F to 122°F / -20°C to +50°C
- 3 year warranty
- 2 Sensors, plus additional Ambient Light Sensor
- Sensitivity and optional delay adjustment on case
- Highest quality wide view ADF available
- Constant UV/IR protection
- Adapts to standard magnifying lens
- 1.1.1 DIN Rating
- Suitable for all types of electro-arc welding, including covered electrodes, MIG/MAG, TIG/WIG, plasma welding and culting. NOT FOR LASER OR GAS WELDING.






RESPIRATORS | W | Z-LINK*-PARTS

Z-LINK® PARTS

























RESPIRATORS | [42] COMMS-LINK" - PARTS

VISION-LINK™ PARTS

Available for Z-Link°, T-Link° and Z4°








QUIET-LINK™ PARTS

Available for Z-Link® and T-Link®



Earmuff Bracket (pair, includes screws) Part # 16-516







The Z4 boasts an optically clear grinding visor and a flip-up welding visor designed to increase operator productivity. Visibility is further enhanced by clip-in shade 5 side windows offering maximum peripheral vision. These can also be switched out for window blockers which are included in the standard package.

The Z4 includes the large RPB ADF lens with 1.1.1 optical quality rating guaranteeing uniform shading and distortion free vision, allowing you to work safely and more comfortably for longer across different angles.

To further increase your comfort and stability, the Z4 can also be fitted with the Comfort-Link $^{\text{TM}}$ padding system for an individualized fit.

The Z4 is certified to the standards below:





Z87W WELDING EYE PROTECTION C € 2797 EN12941:1998

RESPIRATORY PROTECTION
See instruction manual for protection level

EN352-1:2002
HEARING PROTECTION

EN166:2001 CLASS 1B EYE & FACE PROTECTION EN379:2003+A1:2009 and EN175:1997 WELDING EYE PROTECTION

EN812:2012
HEAD PROTECTION



AS/NZS 1716:2012 BMP# 714303 RESPIRATORY PROTECTION

AS/NZS 1337.1:2010 BMP# 714304 EYE & FACE PROTECTION

AS/NZS 1338.1:2012 BMP#714305 WELDING EYE PROTECTION



Certified Model Modèle certifié

CSA Z94.3-15
EYE & FACE PROTECTION
Class 7D and 7B
Respirator Facepiece
PROTECTION DES YEUX
ET DU VISAGE

DUAL AIR DISTRIBUTION SYSTEM

Air is delivered through the dual air distribution system, flowing over the grinding visor to eliminate lens fogging and also to the breathe zone. With the adjuster you can control the direction of the incoming air to suit your preferences.



ISO9001 CERTIFIED COMPANY Large auto darkening welding lens with a 1.1.1 rating. Variable lens shade (9-13). Replaceable impact and ADF lenses for ease of maintenance. Optional magnifying lens available. Flip up welding visor during grinding, while maintaining respiratory protection. Comfortable multi-adjustment head suspension system ergonomically balanced to reduce fatigue. Optimum vision with a clear replaceable grinding lens -ANSI Z87+ (EN166) approved. The dual air distribution system delivers 75% of air supply to your breathe zone via Lightweight headtop a multi-directional outlet. weighing just 1.77lbs The remaining 25% is (805g) with ADF and cape. directed over the grinding visor to prevent fogging. FR rated head cover and cape. Aerodynamic shell design deflects fumes away. *From local and globally



For more information please visit **rpbsafety.com/z4** Other packages include:















Z4° ADF LENS

OPEN STATERPB OCV COLOR DEFINITION

The OCV Filter range offers superior color definition in both the open and activated state, allowing you to clearly see LED displays on machines and equipment, as well as heat definition on the actual weld.

CLOSED STATE RPB OCV OPTICAL QUALITY

The OCV filter boasts a 1.1.1 optical quality rating. This means a clear view from a wider range of angles, reducing eye fatigue and increasing your productivity.









40% MORE VIEWING WITH THE RPB® OCV ULTRA ADF (110X110)

- Viewing Area: 10.35 square inches (2.66" x 3.89")
 Light state: Shade 3. Dark state: Selectable shades 9-13
- Fast, reliable switching speed: 0.1ms at 73°F / 23°C
- Optional auto delay function from dark to light (0.15 to 1 seconds)
- Weight (ADF only): 4.59 oz / 130g
- Temperature range: -4°F to 122°F / -20°C to +50°C
- 3 year warranty
- 2 Sensors, plus additional Ambient Light Sensor
- Sensitivity and optional delay adjustment on case
- Highest quality wide view ADF available
- Constant UV/IR protection
- Adapts to standard magnifying lens
- 1.1.1 DIN Rating
- Suitable for all types of electro-arc welding, including covered electrodes, MIG/MAG, TIG/WIG, plasma welding and cutting.
 NOT FOR LASER OR GAS WELDING.



Z4° PARTS







RESPIRATORS & Z4®

Part # 16-875

Magnifying Lens Holder







Z4° PARTS







RESPIRATORS G 24°



FR Breathing Tube Cover


SAR Breathing Tube Hose Washer (pk 5)
Part # NV2023



SAR Breathing Tube
Part # 04-833
(previously 04-830)











Z3

UNCOMPROMISED OUTLOOK





UNCOMPROMISED OUTLOOK

The Z3 welding respirator combines RPB's high quality breathing principles with leading optical technology to modernize the classic welding visor.

Exceeding industry standards while delivering uncompromised comfort, the Z3 ensures you can perform at your best while receiving clean, filtered, breathable air. Constructed from high performance nylon, the Z3 can withstand extreme temperatures without distortion.

The Z3 includes a large RPB ADF lens with 1.1.1.1 optical quality rating guaranteeing uniform shading and distortion free vision, allowing you to work safely and more comfortably for longer across different angles.

The Z3 is certified to the standards below.













For more information please visit **rpbsafety.com/z3**Other packages include:





Z3™ ADF LENS

OPEN STATE RPB OCV COLOR DEFINITION

The OCV Filter range offers superior color definition in both the open and activated state, allowing you to clearly see LED displays on machines and equipment, as well as heat definition on the actual weld.


CLOSED STATE RPB OCV OPTICAL QUALITY

The OCV filter boasts a 1.1.1.1 optical quality rating which is the world's best. This means a clear view from a wider range of angles, reducing eye faligue and increasing your productivity.










40% MORE VIEWING WITH THE RPB® OCV ULTRA ADF (110X110)

- Viewing Area: 10.1 square inches (3.78" x 2.68") Light state: Shade 4. Dark state: Selectable shades 9-13
- Fast, reliable switching speed: 0.15ms at 73°F / 23°C
- Adjustable delay from dark to light (0.2 to 0.8 seconds)
- Weight (ADF only): 5.64 oz / 160g
- Temperature range: 14°F to 140°F / -10°C to +60°C
- 3 year warranty
- 2 Sensors: it is the quality not the quantity of sensors that provide the fast reaction time of the filter
- Sensitivity and delay adjustment on case
- Highest quality wide view ADF available
- Constant UV/IR protection
- Accommodates standard 4" x 5" front cover lens
- Adapts to standard magnifying lens
- Best optical quality in the industry 1.1.1.1 DIN Rating
- Suitable for all types of electro-arc welding, including covered electrodes, MIG/MAG, TIG/WIG, plasma welding and culting.

NOT FOR LASER OR GAS WELDING.





Z3™ PARTS















Outer Lens Frame Seals

Impact Lens (pk 10)







NOVA 3°



UNRIVALLED COMFORT

The RPB Nova 3 revolutionizes the abrasive blasting experience with the world's most comfortable blasting respirator. With breakthrough technology and comfort, the Nova 3 has been designed around the operator's needs to advance their safety and productivity.

Visibility has been at the forefront of the Nova 3 design process. With the unique cassette lens system, you can experience an optically clear field of view at all times. The superior operating window optimizes peripheral vision and allows for 30% more downward vision than other respirators on the market.

The ratchet padding system provides a customizable fit and molded side pads absorb sound, protecting against hearing loss. Its unique helmet design distributes weight evenly across your head and shoulders, keeping the center of gravity low, eliminating top heaviness, and relieving you from aches and strains on your neck.

All parts are field replaceable to minimize downtime and the padding system is machine washable for hygiene purposes.

The Nova 3 is certified to the standards below:





€ 2797 EN14594:2005 4B


EN14554:2005 46 EN12941:1998 +A2:2008 TH3 P R SL RESPIRATORY PROTECTION EN397:2003+A1:2009 HARD HAT PROTECTION


EN166:2001 CLASS 1B EYE & FACE PROTECTION

AS/NZS 1716:2012 BMP# 714303 RESPIRATORY PROTECTION

AS/NZS 1801:1997 BMP#714306 HARD HAT PROTECTION

AS/NZS 1337.1:2010 BMP# 714304 EYE & FACE PROTECTION





Our cassette lens system enables you easily tear-off the outer lens when your view becomes obstructed, significantly reducing your downtime.







NOVA 3° Nylon Respirator Cape C40™ Climate Control Device SAR Breathing Tube Part # NV3-705-50

For more information please visit rpbsafety.com/nova-3 Other packages include:
















NOVA 3° PARTS





















NOVA 3° TALK™




ADVANCED IN-HELMET COMMUNICATION SYSTEM

The Nova talk is a wireless radio communication system, that allows you to communicate effortlessly and safely with your fellow blasters, pot tenders and team members. With simple push to talk, noise-canceling microphone, the Nova talk is ideal for working in loud remote locations, like tanks, shippards, or any other areas that are difficult to access.



NOVA 3° TALK™ PARTS











Motorola Connection Cable (multi-pin) Part # 09-931







Kenwood Connection Cable (two-pin) Part # 09-933







Motorola Connection Cable

(two-pin)

Part # 09-930



NOVA 3° TALK™ SPECIFICATIONS

MOTOROLA TWO-PIN RADIO MODELS

AXU4100, AXV5100, BPR40, CLS1110, CLS1410, CLS1413, CLS1450C, CLS1453C, CP100, CP150, CP185, CP200, CP88, CT125, CT150, CT250, CT450, CT450LS, DTR, DTR410, DTR550, DTR650, GP200, GP2000, GP300, GP308, GP68, GP88, GTI, GTX, LTS2000, PO40, P080, P110, P1225, P1225LS, P200, P2000, PR400, RDK, RDU, RDU2020, RDU2080D, RDU4100, RDU4160D, RDV, RDV2020, RDV2080D, RDV5100, SP10, SP21, SP50, VL50, XTN, XTN446, XTN500, XTN600, XU1100, XU2100, XU2600, XV1100, XV2100, XV2600.

PART # 09-930



MOTOROLA MULTI-PIN RADIO MODELS

CBPRO, GP1280, GP140, GP320, GP328, GP329, GP338, GP339, GP340, GP360, GP380, GP640, GP650, GP680, GP960, HT1250, HT1250LS, HT1550, HT1550XLS, HT750, JT1000, MTX8250, MTX8250LS, MTX850, MTX850LS, MTX9250, MTX950, PR860, PRO5150, PRO5350, PRO5450, PRO5550, PRO5750, PRO7150, PRO7350, PRO7450, PR07550, PR07750, PR09150, PTX700, PTX760, PTX780.

PART # 09-931



Turbo, APX 7000, XPR6300, XPR6500, XPR6550, APX7500.

Part # 09-932



GP900, GP9000, HT1000, MT1500, MT2000, MTS2000, MTX8000, MTX838, MTX900, MTX9000, MTX960, MTXLS, PRI500, X1500, XTS1500, XTS2000, XTS2500, XTS3000, XTS3500, XTS5000, GP1200.

Part # 09-934



KENWOOD TWO-PIN RADIO MODELS

TH-22AT, TH-235A, TH-28A, TH-42AT, TH-48A, TH-77A, TH-78A, TH-D7A(G), TH-F6, TH-6A,TH-G71A, TH-K2AT, TK-2100, TK-2102,TK-2130, TK-2160, TK-2170, TK-220, TK-2000.TK-2200LP, TK-2212L, TK-230VK, TK-240, TK-240D, TK-248, TK-250, TK-260, TK-260D,TK-260G, TK-270, TK-270G, TK-272G, TK-308, TK-3100, TK-3101, TK-3102, TK-3130, TK-3131, TK-3160, TK-3170, TK-3173, TK-320, TK-3200, TK-3200LP, TK-3212L, TK-3230, TK-3230XLS, TK-3302UK, TK-340, TK-340D, TK-348, TK-350, TK-353, TK-360, TK-360G, TK-370, TK-370G, TK-372G, TK-373, TK-430, TK-431, TK-2312, TK-3312.

Part # 09-933



HINT: Push the 'CONTROL' key plus the 'F' key to search for your radio model. NOTE: If the radio you are looking for is not in the above list, contact us toll free on 1-866-494-4599, we may be able to find a cable to suit.





L4[™] **LIGHT**



INTUITIVE LIGHTING

Light up your environment with the L4 helmet light to reduce hazards, downtime and ensure you can always see everything.

The L4 Light provides a steady, highly concentrated output of light to your field of vision. Its high-powered LEDs produce up to 650 lumens of concentrated light output with a compact, lightweight battery pack that mounts comfortably and securely on your belt.

The L4 Light features a low-profile design, enhancing operator control with minimum protrusion and mounts securely to the top of the RPB Nova 3 Respirator, providing light wherever the operator looks, eliminating the safety risks and inefficiencies associated with outdated nozzle lights.

EXTRA LONG LIFE

Long lasting Li-ion battery lasts up to 4 hours on a single charge. Batteries recharge in 3-4 hours. The lightweight battery pack mounts on your belt.





L4™ LIGHT
Part # 09-502
(AU/NZ, EU and UK cables available)




For more information please visit **rpbsafety.com/l4-light** Other packages include:





L4™ LIGHT PARTS







NOVA 2000°

THE ABRASIVE BLASTING CLASSIC



NOVA 2000[®]



THE ABRASIVE BLASTING CLASSIC

In 1994, RPB made history with our revolutionary abrasive blasting respirator, the Nova 2000. Designed by blasters for blasters, the Nova 2000 embodies ingenuity and practicality at its core, enabling you to get more out of your day.

The Nova 2000 incorporates a multi-layered sound deadening padding system, ensuring the respirator sits comfortably on your head and turns with you. Utilizing the tear-off lens system, the Nova 2000 ensures you always maintain a clear field of view, helping to advance your safety and increase your productivity.

All parts are field replaceable to minimize downtime and the padding is machine washable for hygiene purposes. The Nova 2000 is a pioneering piece of history that continues to advance safety and increase productivity.

The Nova 2000 is certified to the standards below:













BOOST PRODUCTIVITY

Operators have reported a time saving of over 45 minutes per day per blaster by using our tear-off lenses. With individually pre-folded tabs, this system guarantees only one lens will be removed at a time.





NOVA 2000° Nylon Respirator Cape Flow Control Valve SAR Breathing Tube Part # NV2000



For more information please visit rpbsafety.com/nova-2000 Other packages include:





















NOVA 2000° PARTS






Hygiene Kit size Small Part # NV2009/10SH size Medium Part # NV2009/10 size Large Part # NV2009/10LH









SAR Breathing Tube Hose Washer (pk 5) Part # NV2023





Extra Length Nylon Respirator Cape
Part # NV2002XL



Leather Respirator Cape
Part # NV2002L



RESPIRATORS $\begin{bmatrix} \omega \\ \omega \end{bmatrix}$ NOVA 2000°-PARTS

Nylon Blast Jacket size XL Part # NV2002HB-XL



Nylon Blast Jacket size XXL Part # NV2002HB-XXL



Inner Bib Part # NV2012





NOVA 2000° TALK

ADVANCED IN-HELMET COMMUNICATION SYSTEM



NOVA 2000° TALK™



ADVANCED IN-HELMET COMMUNICATION SYSTEM

The Nova talk is a wireless radio communication system, that allows you to communicate effortlessly and safely with your fellow blasters, pot tenders and team members. With simple push to talk, noise-canceling microphone, the Nova talk is ideal for working in loud remote locations, like tanks, shipyards, or any other areas that are difficult to access.



NOVA 2000° TALK™ PARTS









Motorola Connection Cable

(two-pin)

(multi-pin)

Part # 09-934

Part # 09-930

Motorola Connection Cable (multi-pin) Part # 09-931



Motorola Connection Cable (multi-pin)



Kenwood Connection Cable (two-pin)





NOVA 2000° TALK™ SPECIFICATIONS

MOTOROLA TWO-PIN RADIO MODELS

AXU4100, AXV5100, BPR40, CLS1110, CLS1410, CLS1413, CLS1450C, CLS1453C, CP100, CP150, CP185, CP200, CP88, CT125, CT150, CT250, CT450, CT450LS, DTR, DTR410, DTR550, DTR650, GP200, GP2000, GP300, GP308, GP68, GP88, GTI, GTX, LTS2000, PO40, P080, P110, P1225, P1225LS, P200, P2000, PR400, RDK, RDU, RDU2020, RDU2080D, RDU4100, RDU4160D, RDV, RDV2020, RDV2080D, RDV5100, SP10, SP21, SP50, VL50, XTN, XTN446, XTN500, XTN600, XU1100, XU2100, XU2600, XV1100, XV2100, XV2600.

PART # 09-930



MOTOROLA MULTI-PIN RADIO MODELS

CBPRO, GP1280, GP140, GP320, GP328, GP329, GP338, GP339, GP340, GP360, GP380, GP640, GP650, GP680, GP960, HT1250, HT1250LS, HT1550, HT1550XLS, HT750, JT1000, MTX8250, MTX8250LS, MTX850, MTX850LS, MTX9250, MTX950, PR860, PRO5150, PRO5350, PRO5450, PRO5550, PRO5750, PRO7150, PRO7350, PRO7450, PR07550, PR07750, PR09150, PTX700, PTX760, PTX780.

PART # 09-931



Turbo, APX 7000, XPR6300, XPR6580, XPR6500, XPR6550, APX7500.

Part # 09-932



GP900, GP9000, HT1000, MT1500, MT2000, MTS2000, MTX8000, MTX838, MTX900, MTX9000, MTX960, MTXLS, PRI500, X1500, XTS1500, XTS2000, XTS2500, XTS3000, XTS3500, XTS5000, GP1200.

Part # 09-934



KENWOOD TWO-PIN RADIO MODELS

TH-22AT, TH-235A, TH-28A, TH-42AT, TH-48A, TH-77A, TH-78A, TH-D7A(G), TH-F6, TH-6A,TH-G71A, TH-K2AT, TK-2100, TK-2102,TK-2130, TK-2160, TK-2170, TK-220, TK-2000.TK-2200LP, TK-2212L, TK-230VK, TK-240, TK-240D, TK-248, TK-250, TK-260, TK-260D,TK-260G, TK-270, TK-270G, TK-272G, TK-308, TK-3100, TK-3101, TK-3102, TK-3130, TK-3131, TK-3160, TK-3170, TK-3173, TK-320, TK-3200, TK-3200LP, TK-3212L, TK-3230, TK-3230XLS, TK-3302UK, TK-340, TK-340D, TK-348, TK-350, TK-353, TK-360, TK-360G, TK-370, TK-370G, TK-372G, TK-373, TK-430, TK-431, TK-2312, TK-3312.

Part # 09-933



HINT: Push the 'CONTROL' key plus the 'F' key to search for your radio model. NOTE: If the radio you are looking for is not in the above list, contact us Toll Free on 1-866-494-4599, we may be able to find a cable to suit.





ASTRO™



THE ECONOMIC BLASTING CHOICE

The RPB Astro is the undisputed economic champion of the abrasive blasting world. Meeting safety standards worldwide, including Australia, Europe and the USA, this classic flat lens design is part of RPB's design DNA.

Productivity is always at the forefront of our engineers' minds when designing our range. Incorporating our tear-off lens system saves you up to 45 minutes per day and ensures your visibility is never compromised. Weighing just 2.6lbs/1.2kgs (excluding breathing tube), the Astro's lightweight design helps to reduce fatigue, and minimizes aches and strains on your neck and shoulders.

The Astro offers low lifetime maintenance and part replacement costs, offering you unbeatable value and return on investment without compromising your safety.

The Astro is certified to the standards below:











Operators have reported a time saving of over 45 minutes per day per blaster by using our tear-off lenses. With individually pre-folded tabs, this system guarantees only one lens will be removed at a time.





ASTRO™ Nylon Respirator Cape Flow Control Valve SAR Breathing Tube Part # 02-800




For more information please visit **rpbsafety.com/astro** Other packages include:





ASTRO™ PARTS























(NIOSH approved)

Part # 02-809

SAR Breathing Tube Hose Washer (pk 5) Part # NV2023







RESPIRATORS | G | ASTRO"-PARTS



T-LINK®



MOVE FREELY

The RPB T-Link has been designed to move with you, not against you. With your comfort and job our main focus, the T-Link transforms how you work, advancing your safety and increasing productivity.

Your ability to see has been at the forefront of our design process, with the T-Link boasting a large visor that enables you to easily connect with your surroundings. This is further supported by our Tychem® hood that securely attaches to the headtop, ensuring your downward and peripheral vision is never compromised. The soft breathable inner-bib and extra tuck-in collar ensures maximized comfort and helps to direct air down your body for cooling.

Fitted with a padded headliner and head suspension system, the headtop's weight is evenly distributed to enhance your experience of comfort, relieving you of aches and strains on your neck. Being fully adjustable ensures the respirator fits securely to all head sizes, maximizing stability and always moving with your head. Our innovative design ensures you have a greater range of movement, so you can focus on the task at hand.

The T-Link is certified to the standards below:





Z87
EYE & FACE PROTECTION



EN14594:2005 3B TH3 P R SL
RESPIRATORY PROTECTION

EN352-3:2002 HEARING PROTECTION nly in conjunction with 18-533 earmu

EN397:2012+A1:2012 HARD HAT PROTECTION

EN812:2012 BUMP CAP PROTECTION



BSI Certified Product
AS/NZS 1716:2012
BMP# 714303
RESPIRATORY PROTECTION

AS/NZS 1801:1997 BMP# 714306 HARD HAT PROTECTION

AS/NZS 1337.1:2010



BMP#714304 EYE & FACE PROTECTION

OPTIONAL COMFORT-LINK™ FIT SYSTEM

The Comfort-Link™ is an optional, fully-adjustable fit system that allows total control of helmet and head placement as well as making sure the T-Link moves with your head.





safety lens (EN166).

Large viewing window for exceptional downward and peripheral vision.

Fixed lens frame ensures the lens will never hit your nose or optical aids being used.

Optically clear peel-off and cassette lenses available.



ensures even weight distribution.

eliminate tangles. Centralized location

Breathing tube easily attaches to the respirator and swivels to

Two cape materials available:

DuPont™ Tychem® 2000,

DuPont™ Tychem® 4000.

Adjustable ratchet system ensures a customized fit that supports movement, while increasing comfort and productivity.

RATORS [료] **T-LINK**

1509001

Soft, breathable inner-bib and long tuck-in collar for extra protection and upper body air flow.







For more information please visit **rpbsafety.com/t-link** Other packages include:





T-LINK® PARTS







T-LINK® PARTS









T-LINK® PARTS

Ratchet Assembly
Part # 16-530











T200[™]



PROTECTION THAT SUPPORTS YOU

The RPB T200 enables you to work in your environment free of respiratory hazards and discomfort through its supportive design. With positive pressure breathing and true freedom of movement, the T200 ensures you can navigate your surroundings without any restrictions so you can focus on what's in front of you.

Made for customization, the T200's head harness features multiple adjustment points, allowing you to change the fitting to suit the contours and shape of your head. Through the secure fit and streamlined framework, this maximizes stability, relieving you of aches and strains on your neck.

With the large clear visor, experience an uncompromised field of view that allows for greater precision and attention. The T200 also features an adjustable lens and air ducting positioning to accommodate for different facial features and the use of optical aids such as loupes and prescription lens glasses.

Get more out of your role by using respiratory protection that supports, not restricts you. Experience more with RPB.

The T200 is certified to the standards below:





C€2797

EN12941:1998 +A2:2008 TH3 P R SL RESPIRATORY PROTECTION EN352-1:2002 HEARING PROTECTION Only in conjunction with 18-524 earmuffs.

Only in conjunction with 18-524 earmuffs.

EN166:2001 CLASS 1F3

EYE & FACE PROTECTION
Not all confinuentions conform to this standard.

BSI Certified Product
AS/NZS 1716:2012
BMP# 714303
RESPIRATORY PROTECTION

AS/NZS 1337.1:2010
BMP#714304
EYE & FACE PROTECTION
Not all configurations conform to this standar.
Please visit rpbsafety.com for more details.

CUSTOMIZABLE LAYOUT

Customize the internal layout with four adjustable head harness points and the moveable lens and air duct system to suit your needs.











For more information please visit rpbsafety.com/t200 Other packages include:
















T200" |20 | RESPIRATORS







T200[™] PARTS





T150[™] SERIES

SUPPLIED AIR PROTECTION



T150[™] SERIES



SUPPLIED AIR PROTECTION

The T150 provides a panoramic view, while protecting against harmful hazards found across industrial painting applications.

Manufactured from polycarbonate, making the T150 robust, yet comfortable to wear for all day protection. Featuring an adjustable six-point harness and thermoplastic (TPR) face seal that fits perfectly to the contours of your face, creating an airtight seal. The panoramic lens has been specially treated to prevent fog, scratches and acid wear and tear.

APPLICATIONS INCLUDE

- Spray painting and coating
- Pharmaceutical manufacturing
- Chemical, pesticide and materials handling
- Chemical stripping
- Waste management.





The comfortable nylon mesh head harness is adjustable for a secure fit, attaching via six fast release buckles.



BOOST PRODUCTIVITY

Protect the main lens from chemical splash, overspray and dust with the peel-off protective lenses. Pre-folded tabs ensure you can quickly tear off just one layered lens at a time.







Other packages include:













ALAMONITOR & SUPPLY ION & SUPPL

PX5° PAPR RESPIRATORY PROTECTION REIMAGINED rpb Protecting you for life's best moments.



RESPIRATORY PROTECTION REIMAGINED

The RPB PX5 changes the way people experience clean filtered air across multiple industries – from medical and chemical settings, through to the profoundly harsh environments of foundries.

The PX5 is the result of years of product refinement, designed with new functional capabilities that increase your ability to perform, while enhancing your experience of comfort. The PX5 redefines what it means to be a powered air purifying respirator.

Weighing just 2.55lbs (1.16kg) with the HEPA cartridge/filter fitted, and between 3.65lbs (1.65kg) and 3.75lbs (1.7kg) with a gas cartridge/filter fitted, the PX5 allows you to get more out of your day by reducing the effects of fatigue. Through strategically distributing its weight with its vertical mounting position and support from our flexi-belt system, the PX5 contours to your body for maximized comfort and stability.

With sleek considered surfaces, quick release mount lock system and certification for IP65 in use and IP67 with cleaning kit in place, the PX5 enables you to efficiently disinfect the unit, reducing downtime and ensuring the system is ready to protect you again.

The PX5 is truly the hallmark of powered air purifying respirator capabilities and their practical application.















For more information please visit **rpbsafety.com/px5**Other packages include:






















PX5° PAPR PARTS







EU Part # 09-021-EU





HX5[™] PAPR



SIMPLIFYING YOUR PROTECTION

With the simple press of a button, experience clean filtered air in an instant as the HX5 removes up to 99.97% of particles down to 0.12 microns, taking care of your breathing so you can focus on the task at hand.

Through its robust housing, the HX5 is able to withstand the physical demands of multiple applications and is certified to IP53, protecting the unit from dust, rainfall and moisture when cleaning and disinfecting. The HX5's design enhances comfort through its supportive vertical mounting position, evenly distributing its weight to reduce the impact of aches, strains and fatigue.







HX5® PAPR 2" Easy Clean Belt
Belt Support Mount
Battery and Charger
Flow Meter
(Breathing Tube ordered separately)
Part # 03-601



For more information please visit **rpbsafety.com/hx5** Other packages include:













PAPR Breathing Tube (for Z-Link°, Z4°, T-Link° and T200°) Part # 04-831











AIR MONITORING FILTRATION & SUPPLY [편] HX5" PAPR-PARTS



GX4° GAS MONITOR



MULTIPLE GAS DETECTION CAPABILITIES

The RPB GX4 Gas Monitor gives you complete confidence that the supplied/compressed air you and your employees breathe is safe. By detecting when there are dangerous levels of toxic gases, this monitor ensures you'll be protected for life's best moments.

Gases such as carbon monoxide are invisible to all the human senses yet are commonly found in industrial premises worldwide. Although low-level exposure may not be immediately fatal, ongoing contact at low levels has a cumulative effect, causing serious illness and long-term health concerns.

The GX4 detects multiple gases simultaneously. With smart device and cloud integration capabilities included this enables you to view your air quality from any device, in real time.

Connect to the GX4 from your laptop, tablet, phone or even network to view real time data, download logs, alter alarm points and much more.



GAS SENSORS

Our range of pre-calibrated gas sensors have been updated to fit an improved sensor while incorporating an ergonomic design for simple removal and replacement. Available in CO, O2 and H2S, all with a 2-year shelf life.







GX4° GAS MONITOR

3 Blank Sensor Cases, CO Sensor, Air Supply Hose, External Flow Regulator, Power Adapter Pack and Mounting Bracket CO Cartridge 10ppm with US Power Adapter Pack Part # 08-400-01

CO Cartridge 10ppm with AU Power Adapter Pack Part # 08-400-01-AU

CO Cartridge 10ppm with UK Power Adapter Pack
Part # 08-400-01-UK

CO Cartridge 5ppm with US Power Adapter Pack
Part # 08-400-02

CO Cartridge 5ppm with UK Power Adapter Pack
Part # 08-400-02-EU




For more information please visit rpbsafety.com/gx4 Other packages include:

12 V Cable with



GX4° GAS MONITOR PARTS




Power Cable US Part # 09-021 AU/NZ Part # 09-021-AU UK Part # 09-021-UK EU Part # 09-021-EU



Power Adapter Pack US Part # 08-430 AS/NZ Part # 08-430-AU UK Part # 08-430-UK EU Part # 08-430-EU


12 Volt Cable with Battery Clips Part # 08-431











Aluminum Wall Bracket Part # 08-231





GX4° GAS MONITOR PARTS







With RZ Fittings Part # 08-470-RZ





RADEX° AIRLINE FILTER

SUPERIOR FILTRATION



RADEX® AIRLINE FILTER



SUPERIOR FILTRATION

The RPB Radex Airline Filter improves the quality of the air you are breathing. Exceeding industry filtration standards, the Radex gives you the confidence that you won't be breathing contaminated air known to lead to major health issues. With the Radex, it's our commitment to protect you for life's best moments.

The Radex is fitted with a large capacity, 6-stage filter cartridge that removes moisture, odor and particulates to 0.5 micron from the compressed air stream, providing clean, breathable air. With a unique twist-and-lock wall and floor mounting system, the Radex is adaptable to all workplaces.

An optional auto drain valve is available to fit to your filter that continually removes moisture from the filter housing, increasing the lifespan of the filter cartridge.









For more information please visit rpbsafety.com/radex



RADEX® AIRLINE FILTER PACKAGES

RADEX® AIRLINE FILTER 6-outlet system Part # 04-906 with RZ Fitting Part # 04-906-RZ



For more package options please visit rpbsafety.com/radex



For more package options please visit rpbsafety.com/radex



Micro Mist Filter Element



Micro Mist Filter 1/2"






RADEX® AIRLINE FILTER PARTS







RADEX® AIRLINE FILTER PARTS







RADEX° AMBIENT AIR PUMP PACKAGES

AMBIENT AIR PUMP One Person Part # 06-100

RADEX® AMBIENT AIR PUMP PARTS







Schrader Coupler to 1/4" NPT Female Part # 03-042-CF



100' Breathing Air Supply Hose 3/8" Diameter (includes Quick Release Fittings)

Part # NV2027

with RZ Fittings

Part # 04-352-100-RZ

with Schrader Fitting

Part # 04-342-100

CE approved

Part # 04-322-100



Schrader Plug to 1/4" NPT Female Part # 03-042-PF



50' Breathing Air Supply Hose 3/8" Diameter (includes Quick Release Fittings)

Part # NV2029

with RZ Fittings
Part # 04-352-50-RZ

with Schrader Fitting

Part # 04-342-50

CE approved

Part # 04-322-50



Schrader Twist Lock 3/8" MNPT Plug Part # 03-043-PM



*(Note: for use with low pressure air pumps)

25' Breathing Air Supply Hose 3/8" Diameter (includes Quick Release Filtings)

Part # NV2028

with RZ Fittings

Part # 04-352-25-RZ

with Schrader Fitting

Part # 04-342-25

CE approved

Part # 04-322-25



15' Recoil Breathing Air Supply Hose 3/8IN Diameter RPB° Standard Coupler **Part # 04-412-15**

with Schrader Coupler Part # 04-442-15

25' Recoil Breathing Air Supply Hose 3/8IN Diameter RPB° Standard Coupler **Part # 04-412-25**

with Schrader Coupler Part # 04-442-25



Quick Release Coupler

1/4" Female Thread Part # NV2025

CE approved Part # 03-022-CF

AIR SUPPLY - PARTS

AIR MONITORING FILTRATION & SUPPLY | 년

Dixon Coupler - Low Pressure

Part # NV2039



100' Breathing Air Supply Hose 1/2" Diameter

(includes Quick Release Fittings*)

Part # NV2036

50' Breathing Air Supply Hose 1/2" Diameter

(includes Quick Release Filtings*)

Part # NV2035







C40™ CLIMATE CONTROL DEVICE



CONTROL YOUR ENVIRONMENT

The RPB C40 is a robust climate control device, designed to give you ultimate comfort when using your RPB supplied air respirator.

Renowned for our design innovation, the C40 pushes respiratory comfort to the next level. The C40 ensures you are protected for life's best moments by maintaining you at your optimum body temperature, so you don't suffer from heat exhaustion or chilling. With its simple sleek design, cool the incoming air by up to 52°F (29°C) or alternatively, heat it by up to 33°F (18°C) all by the slide of a lever. This device is the next step for maximizing your productivity and safety.



C € 2797

EN14594:2005 3B/4B
RESPIRATORY PROTECTION







C40™ Climate Control Device
NIOSH approved Part # 03-501
CE approved Part # 03-502
with RZ Fitting Part # 03-501-RZ
with Schrader Part # 03-504



For more information please visit rpbsafety.com/c40



C40™ CLIMATE CONTROL DEVICE PARTS









ECONOMIC CLIMATE CONTROL

The RPB Cold and Hot Air Tubes are part of RPB Safety's range of economic climate control assemblies. They significantly cool and heat your air supply for your optimum performance and comfort when operating in climate and environmental extremes.



COLD AIR TUBE

RPB 4000-01 COLD AIR TUBE ASSEMBLY

Manufactured from robust engineering grade plastic and can cool compressed breathing air supply by as much as 32°F (18°C) prevent heat exhaustion.






HOT AIR TUBE

RPB® 4000-20 HOT AIR TUBE ASSEMBLY


Manufactured from robust engineering grade plastic and can heat compressed breathing air supply by as much as 30°F (17°C) preventing chilling.





FLOW CONTROL PARTS







FLOW CONTROL PARTS







FLOW CONTROL PARTS











BLAST SUIT



INTEGRATED COMFORT AND PROTECTION

Abrasive blasting creates a hazardous environment not only to your respiratory system, but to anything that is exposed. Integrating comfort and protection into one, the RPB Blast Suit has been crafted to ensure you can perform your role and make it home safely every day.

The blast suit features triple stitching for durability and replaceable knee pads for extra comfort and protection.

Blast Suit is available in size range Small - XXXXL.

Part # 07-755-(S-XXXXL)

RPB° Blast Suit Si	ze Char	t					
SIZE	S	М	L	XL	XXL	XXXL	XXXXL
CHEST	44	50	51	52	54	55	59
WAIST	43	46	48	52	55	56	60
HIP	41	52	58	60	62	62	64
TOTAL LENGTH	63	64	68	68	69	72	74
INSEAM	27	29	29	30	30	32	35

All measurements are in inches. Suits are oversized to fit over clothing.

Waist is elastic, measured fully stretched. Drop crotch, inseam may be longer than measured.

Total length is measured from the shoulder to the bottom of the suit.

ADDITIONAL COMFORT

Sore knees from kneeling? Try the RPB unique knee pad which insert into the Blast Suit's internal knee pockets for maximum comfort.







SAFETY ESSENTIALS



ENHANCE YOUR PROTECTION

Complete your RPB protection with safety essentials that increase your safety, comfort and productivity.

RPB Leather Gloves The RPB Leather Gloves are made from premium quality leather with Kevlar® stitching for durability.

They feature a double layer palm and extra leather strip on the outside for additional protection. The lining is soft and comfortable.

Part # 07-701

Knee Pads (pair) Part # 07-761



Do-rag The RPB Do-rag is made from soft, breathable cotton fabric, and features a sweat band to keep sweat out of your eyes when wearing a respirator.

Part # 05-613



Head Sock (pk 10) The RPB® Head Socks provide protection from overspray and dust.







SAFETY ESSENTIALS $| \stackrel{\text{N}}{6} |$ SAFETY ESSENTIALS





T100[™] SERIES PARTS







PX4 AIR° PAPR PARTS

Pre-filter (pk 10)
Part # 03-981

Spark Arrestor
Part # 03-982

P100 Cartridge/Filter
Part # 03-985



PX4 Air® Breathing Tube (for Z-Link®, Z4®, Nova 3® and T-Link®) (previously 04-835) Part # 04-837 Battery
Part # 03-955









24 Volt Power Supply Unit Including Power Cable -US Part # 09-021 AU/NZ Part # 09-021-AU EU Part # 09-021-EU UK Part # 09-021-UK









Z-LINK®

PAGE 18	PART#
PAPR Breathing Tube (for PX5° & HX5°)	04-831
SAR Breathing Tube (previously 04-830)	04-833
Short Breathing Tube for Backpack Assembly	04-841
Tychem® Breathing Tube Cover (Breathing Tube not included)	04-852
FR Breathing Tube Cover (Breathing Tube not included)	04-854
Aluminized Breathing Tube Cover (Breathing Tube not included)	04-855
Short Tychem® Breathing Tube Cover (Breathing Tube not included	04-872
Short FR Breathing Tube Cover (Breathing Tube not included)	04-874
Short Aluminized Breathing Tube Cover	
(Breathing Tube not included)	04-875
Ultra Magnifying Lens 1.0	13-072-1
Ultra Magnifying Lens 1.5	13-072-1.5
Ultra Magnifying Lens 2.0	13-072-2
Ultra Magnifying Lens 2.5	13-072-2.5
Jaw Assembly (includes screws and 16-515)	16-514
Lens Seal	16-515
Earmuff Bracket (pair, includes screws)	16-516
Rear Cape Clip	16-518
Air Inlet Adapter	16-519
Side Padding System	16-520-S
Fit System (includes 16-520-S, 16-521, 16-522, 16-525,	
16-526, 16-530 and 16-531)	16-520-T
Impact Absorber	16-521
Comfort Pad	16-522
Head Harness System Bracket and Air Deflector	16-525
Brow Pad	16-526
Side Padding Frames	16-527
Foam Side Pads	16-528
Ratchet Assembly	16-530
Head Harness (includes 16-530)	16-531
Visor (includes 16-612, 16-613, 16-614, 16-615, FS-04 and FS-17)	16-611
Pivot Assembly (includes 16-614, 16-516, 2pcs 16-615,	10-011
FS-04 and 2pcs FS-17	16-616
Welding Visor (includes ADF Lens)	16-670
Welding Visor (includes 16-672, 16-673 and 16-674)	16-671
Welding Lens Relainer	16-672
	16-673
Weld Visor Attachment Clips	
Welding Visor Frame	16-674
Radiant Heat Gold Visor (includes cover clip and retainer assembly)	16-675-GT
Radiant Heat Gold Visor - Gold IR5	10-07 3-01
	-675-GTIR5
Radiant Heat Visor - IR5	
(includes cover clin and retainer assemblu)	16-675-IR5
Weld Visor (includes 16-674, 16-877 and 16-672)	16-676
Zylec° FR Face Seal	16-711
Tychem° 2000 Face Seal	16-712
Zytec° FR Shoulder Cape	16-721

Z-LINK° continued

PAGE 18	PART#
Tychem® 4000 Shoulder Cape	16-723
Aluminized Shoulder Cape	16-724
Aluminized Top Cover	16-744
Aluminized Rear Cover	16-754
Safety Lens Anti Fog/Anti Scratch	16-810
Safety Lens - Infrared (shade 5)	16-810-IR5
Safety Lens - Mirror Tinted Anti Fog	16-810-MT
Safety Lens - Smoke Tinted Anti Fog/Anti Scratch	16-810-ST
Safety Lens - Yellow Tinted Anti Fog/Anti Scratch	16-810-YT
Tear-off Lens (pk 50)	16-811
RPB ADF Lens	16-871
Welding Impact Lens (pk 10)	16-872
ADF Impact Lens - Aluminum Coated (pk 10)	16-872-AL
ADF Rear Lens (pk 10)	16-873
Protective Lens for ADF Impact Lens -	
Aluminum Coaled (pk 10)	16-874
Magnifying Lens Holder	16-875
Weld Visor (includes 16-674, 16-877 and 16-672)	16-877
Rear Protective Lens for Fixed Shade Lens (pk 10)	16-878
Low Flow Indicator	16-930
SAR Breathing Tube Hose Washer (pk 5)	NV2023

I INV ACCESSORIES

LINK ACCESSORIES	
PAGE 30	PART#
Baltery Charger	09-050
Battery	09-055
Push to Talk Button	09-913
Motorola Connection Cable (two-pin)	09-930
Motorola Connection Cable (multi-pin)	09-931
Motorola Connection Cable (multi-pin)	09-932
Kenwood Connection Cable (two-pin)	09-933
Motorola Connection Cable (multi-pin)	09-934
Motorola Connection Cable (single-pin)	09-935
Jaw Mount (for Z-Link° and Z4°, screw not included)	15-839
Earmuff Bracket (pair, includes screws)	16-516
Communication Retainer Clip	16-529
Vision-Link™ (includes 09-510-RAW, 16-918 and 15-839)	16-901
Light (Battery and Battery Charger not included)	16-910
Rear Cowling	16-913
Cowling Seal	16-915
Latch	16-917
Jaw Mount (for T-Link°, includes screws)	16-918
Latch Lever	16-919
Communication System (includes 16-529 and 09-913)	16-922
Hinge Pin	16-923
Latch Lever Assembly	16-926
Helmet Mounted Earmuff (pair, includes 18-53)	18-533

Z4°

PAGE 43	PART #
PAPR Breathing Tube (for PX5° & HX5°)	04-83
SAR Breathing Tube	04-833
Short Breathing Tube for Backpack Assembly	04-84
FR Breathing Tube Cover (Breathing Tube not included)	04-854
Short FR Breathing Tube Cover (Breathing Tube not included)	04-874
Ultra Magnifying Lens 1.0	13-072-
Ultra Magnifying Lens 1.5	13-072-1.5
Ultra Magnifying Lens 2.0	13-072-2
Ultra Magnifying Lens 2.5	13-072-2.5
Side Pad Mounts (pair, includes Velcro pieces)	15-148
FR Face Seal	15-711
FR Shoulder Cape	15-721
Face Shield	15-81
Weld Visor Assembly (includes 16-672 and 15-821)	15-812
Head Harness Assembly (includes 16-530)	15-820
Side Window Blockers - Solid Gray (pair)	15-82
Side Window Blockers -Shade 5 (pair)	15-821-5
Spring Assembly Kit	15-822
Head Harness Bracket and Adjustment System	15-830
Front Cape Clip Cover	15-83
Safety Lens Bayonet (pair)	15-832
Head Harness with Pads (includes 16-530 and 15-848)	15-840
Comfort Side Padding System	15-848
Bump Cap (includes Comfort and Brow Pad and Front Strap)	15-850
Air Intake Assembly (includes screws)	15-851-
Bump Cap (includes Comfort Pad)	15-855
Safety Lens (pk 10)	15-878
Bump Cap	15-85
Brow Pad	16-526
Foam Side Pads	16-528
Ratchet Assembly	16-530
Welding Lens Retainer	16-672
ADF Lens	16-87
Welding Impact Lens (pk 10)	16-872
ADF Rear Lens (pk 10)	16-873
Magnifying Lens Holder	16-875
Quiet-Slim™ Earmuffs	18-524
SAR Breathing Tube Hose Washer (pk 5)	NV2023

Z3™

PAGE 55	PART#
SAR Breathing Tube	03-031
Swivel Air Filling Elbow	03-032
PX5° Breathing Tube (for Z3™)	04-832
PX4 Air® Breathing Tube (for Z3™)	04-839
Hose Holder	13-041

Z3™ continued

PAGE 55	PART #
Head Harness	13-042
Comfort Padding (Sweat Band and Neck Pad)	13-043
Hard Hat Adapter Clips	13-045
Outer Lens Frame	13-050
Outer Lens Frame Seals	13-051
Impact Lens (pk 10)	13-052
Ultra Rear Lens (pk 10) (3.78" x 2.68" / 107mm x 71.5mm)	13-054
ADF Ultra Filter (3.78" x 2.68" / 107mm x 71.5mm)	13-062
Magnifying Lens Holder	13-071
Ultra Magnifying Lens 1.0	13-072-1
Ultra Magnifying Lens 1.5	13-072-1.5
Ultra Magnifying Lens 2.0	13-072-2
Ultra Magnifying Lens 2.5	13-072-2.5
Flex Face Seal	13-323
Hard Hat (includes 13-045)	13-326

NOVA 3°

PAGE 64	PART#
Adjustable Head Support	07-900
Inner Bib	NV2012
Supplied Air Breathing Tube	NV2021B
SAR Breathing Tube Hose Washer (pk 5)	NV2023
Domes (8 sets)	NV2041
Inner Gasket	NV3-721
Inner Lens (pk 10)	NV3-722
Tinted Inner Lens (pk 10)	NV3-722-T
Inner Lens Frame	NV3-723
Outer Lens (pk 50)	NV3-724
Tear-off Lens (pk 50)	NV3-725
Visor Kit (includes Hinge and Latch)	NV3-726
Hinge Lock	NV3-727-2
Visor Mount Kit	NV3-727/8
Air Inlet Kit	NV3-729
Padding Connections (left and right)	NV3-730
Side Padding Frames (left and right)	NV3-731
Side Padding Foam and Covers 5mm	NV3-732-A05
Side Padding Foam and Covers 10mm	NV3-732-A10
Side Padding Foam and Covers 15mm	NV3-732-A15
Side Padding Foam and Covers 20mm	NV3-732-A20
Side Padding Covers (5 pairs)	NV3-733
Head Liner Kit (includes NV3-734-1)	NV3-734
Head Liner Clips (pk 4)	NV3-734-1
Head Liner Foam Padding	NV3-735
Neck Pad	NV3-735-1
Hygiene Kit 5mm	NV3-736-A05
Hygiene Kit 10mm	NV3-736-A10
Hygiene Kit 15mm	NV3-736-A15



NOVA 3° continued

PAGE 64	PART#
Hygiene Kit 20mm	NV3-736-A20
Cassette Lens System (pk 20)	NV3-745
Nylon Respirator Cape (includes Inner Bib NV2012)	NV3-750
Extra Length Nylon Respirator Cape (includes Inner Bib NV2012	2) NV3-751
Leather Respirator Cape (includes Inner Bib NV2012)	NV3-752
Extra Length Leather Respirator Cape (includes Inner Bib NV20	12) NV3-753
Blast Jacket size XL (includes Inner Bib NV2012)	NV3-754
Blast Jacket size XXL (includes Inner Bib NV2012)	NV3-755
Cape Cover Band	NV3-759

NOVA 3° TALK™

PAGE 72	PART #
Chest Harness	09-81
Nova 3° Talk™ Upgrade Kit	09-90
Push to Talk Button	09-91
R-Tex High Noise Headset (includes PTT)	09-916
Motorola Connection Cable (two-pin)	09-930
Motorola Connection Cable (multi-pin)	09-93
Motorola Connection Cable (multi-pin)	09-93
Kenwood Connection Cable (two-pin)	09-93
Motorola Connection Cable (multi-pin)	09-93
Side Padding Covers (for Nova 3° Talk™, 5 pairs)	NV3-733TI

L4[™] **LIGHT**

PAGE 82	PART#
Cable and Hose Clamp	07-122
Power Cable - US	09-021
Power Cable - AU/NZ	09-021-AU
Power Cable - EU	09-021-EU
Power Cable - UK	09-021-UK
L4™ Light and Mount Unit (includes 09-520)	09-512
Mounting Clip	09-520
Outer Lens (pk 10)	09-522
Battery Charger (Power cable not included) - US	09-525
Baltery Charger (Power cable not included) - Global	09-525-G
Baltery Charger and Power Cable	09-526
Ballery Pack	09-532-2

NOVA 2000°

PAGE 90	PART#
Air Inlet Assembly (previously NV2006/7 CE)	03-035
Nylon Respirator Cape	NV2002
Leather Respirator Cape	NV2002L
Extra Length Nylon Respirator Cape	NV2002XL
Nylon Blast Jacket size XL	NV2002HB-XL

NOVA 2000° continued

PART	PAGE 90
NV2002HB-XX	Nylon Blast Jacket size XXL
NV200	Window Frame Gasket
NV200	Visor Kit
NV200	Latch Kit
NV200	Helmet Liner size Medium
NV2009L	Helmet Liner size Large
NV2009S	Helmet Liner size Small
NV2009/1	Hygiene Kit size Medium
NV2009/10L	Hygiene Kit size Large
NV2009/10S	Hygiene Kit size Small
NV201	Side Wings (pair) size Medium
NV2010L	Side Wings (pair) size Large
NV2010S	Side Wings (pair) size Small
NV201	Inner Bib
NV201	Cape Cover Band
NV20	Tear-off Lens (pk 50)
NV201	Inner Lens (pk 10)
NV2018	Tinted Inner Lens (pk 10)
21) NV202 1	Supplied Air Breathing Tube (previously NV2021)
NV202	SAR Breathing Tube Hose Washer (pk 5)
NV20	Outer Lens 0.05mm thick (pk 50)
NV2031-01	Outer Lens 0.04mm thick (pk 50)
NV203	Velstuds (pk 6)
NV20	Domes (8 sets)
NV204	Hand Strap

NOVA 2000° TALK™

PAGE 96	PART#
Chest Harness	09-814
Nova 2000° Talk™ Upgrade Kit	09-900
Push to Talk Button	09-913
R-Tex High Noise Headset (includes PTT)	09-916
Motorola Connection Cable (two-pin)	09-930
Motorola Connection Cable (multi-pin)	09-931
Motorola Connection Cable (multi-pin)	09-932
Kenwood Connection Cable (two-pin)	09-933
Motorola Connection Cable (multi-pin)	09-934

ASTRO[™]

PAGE 106	PART#
Visor Kit (includes Strap and Screws)	02-804
Visor Strap (pk 5)	02-805
Cleat and Screws	02-806
Window Gasket Seal	02-807
Suspension Clips (pk 4)	02-808
Head Harness (NIOSH approved)	02-809

ASTRO™ continued

PAGE 106	PART #
Head Harness (CE approved)	02-809CE
Inner Lens (pk 10)	02-810
Tinted Inner Lens (pk 10)	02-810-T
Outer Lens (pk 50)	02-811-015
Cape Cover Band	02-812
Tear-off Lens (pk 50)	02-816
Air Inlet Assembly	
(previously NV2006/7 and NV2006/7 CE)	03-035
Nylon Respirator Cape	NV2002
Leather Respirator Cape	NV2002L
Inner Bib	NV2012
Supplied Air Breathing Tube (previously NV2021)	NV2021B
SAR Breathing Tube Hose Washer (pk 5)	NV2023
	· · · · · · · · · · · · · · · · · · ·

T-LINK[®]

PAGE 116	PART#
PAPR Breathing Tube (for PX5° & HX5°)	04-831
SAR Breathing Tube (previously 04-830)	04-833
Short Breathing Tube for Backpack Assembly	04-841
Tychem® Breathing Tube Cover (Breathing Tube not included)	04-852
Short Tychem® Breathing Tube Cover (Breathing Tube not included)	04-872
Jaw Assembly (includes 16-515)	16-514
Lens Seal	16-515
Earmuff Bracket (pair, includes screws)	16-516
Air Inlet Adapter	16-519
Side Padding System	16-520-S
Fit System (includes 16-520-S, 16-521, 16-522,	
16-525, 16-526, 16-530 and 16-531)	16-520-T
Impact Absorber	16-521
Comfort Pad	16-522
Head Harness System Bracket and Air Deflector	16-525
Brow Pad	16-526
Side Padding Frames	16-527
Foam Side Pads	16-528
Ratchet Assembly	16-530
Head Harness (includes 16-530)	16-531
T-Link° Hard Hat Assembly	17-010
T-Link° Bump Cap Assembly	17-110
Tychem° 2000 Hood	17-712
Tychem® 4000 Hood with Sealed Seams	17-713
Tychem® 4000 XL Hood with Sealed Seams, 0.40 Lens	17-713-SX
Lens Clips (pair)	17-512
Peel-off Lens (pk 25)	17-815
Cassette Lens (7 layers)	17-817
Low Flow Indicator Assembly	NV2030
SAR Breathing Tube Hose Washer (pk 5)	NV2023
Domes (8 sets)	NV2041

T-LINK® continued

PAGE 116	PART#
Hand Strap	NV2042
PAPR Breathing Tube (for PX5° & HX5°)	04-831
Head Harness Assembly	15-841

T200

PAGE 128	PARI#
PX5° Breathing Tube	04-83
SAR Breathing Tube (previously 04-830)	04-833
Bump Cap (includes Comfort and Brow Pad and Front Strap)	15-850
Bump Cap (includes Comfort Pad)	15-855
Air Duct Assembly (includes 17-513)	15-860
Air Duct Assembly	15-86
Brow Pad	16-526
Ratchet Assembly	16-530
Lens Mounts (pair)	17-513
Tychem® 2000 Full Hood with Neck Seal	17-712
Tychem® 4000 Full Hood with Neck Seal and Sealed Seams	17-713
Tychem® 2000 Face Seal	17-722
Tychem® 2000 Shoulder Length Hood with Face Seal	17-732
Clear-Vision Cassette Lens (7 layers, for face seal hoods)	17-81
Peel-off Lens (pk 50) (for full length hoods)	17-815
Clear-Vision Cassette Lens (7 layers, for full length hoods)	17-817
Quiet-Slim™ Helmet Earmuffs	18-524

T150™

PAGE 138	PART#
SAR Breathing Tube	03-031
Swivel Air Filting Elbow	03-032
Visor and Rubber Face Seal	11-910
Inner Face Seal	11-911
Inhalation Valves	11-912
Clamping Band	11-913
Visor and Valves	11-914
Tear-off Lens (pk 50)	11-924
Nylon Head Suspension	11-934
SAR Breathing Tube Hose Washer (pk 5)	NV2023

PX5° PAPR

PAGE 148	PART#
Fan Housing	03-810
Belt Support Mount	03-811
Door Cover	03-812
HEPA Cartridge/Filter Door	03-813
Gas Cartridge/Filter Door	03-814
Battery Door Assembly (includes 03-818)	03-815
Ballery Door Seal	03-817



PX5° PAPR continued

The late of the la	
PAGE 148	PART #
Battery Door Hinge (retainer)	03-81
Flow Meter	03-819
FR Backpack Assembly	03-822-FI
Easy Clean Backpack Assembly	03-822-D
Complete Charger Kit - US	03-851-D
Complete Charger Kit - AU/NZ	03-851-DC-AL
Complete Charger Kit - EU	03-851-DC-EL
Complete Charger Kit - UK	03-851-DC-UI
Standard Battery	03-85
High Capacity Battery	03-850
Pre-filter (pk 10)	03-890
Spark Arrestor	03-89
HEPA Cartridge/Filter	03-89
OV/AG/HE Gas Cartridge/Filter	03-89:
Combination HEPA A2P Gas Filter	03-893-A
Multi-Gas/HE Cartridge/Filter	03-89
Combination HEPA ABE1P Gas Cartridge/Filter	03-894-ABI
Combination HEPA ABEK1P Gas Cartridge/Filter	03-895-ABEI
PAPR Breathing Tube (for Z-Link°, Z4°, Nova 3° and T-Link°)	04-83
PAPR Breathing Tube (for Z3™)	04-83
Short Breathing Tube for Backpack Assembly	04-84
2" Bell Assembly - Easy Clean	07-765-D
2" Bell Assembly - FR	07-765-FI
Power Cable - US	09-02
Power Cable - AU/NZ	09-021-Al
Power Cable - EU	09-021-El
Power Cable - UK	09-021-UI

HX5[™] PAPR

PAGE 158	PART#
Fan Housing	03-610
Belt Support Mount	03-811
Door Cover	03-812
HEPA Cartridge/Filter Door	03-813
Battery Door Assembly (includes 03-818)	03-815
Battery Door Seal	03-817
Battery Door Hinge (retainer)	03-818
Flow Meter	03-819
FR Backpack Assembly	03-822-FR
Easy Clean Backpack Assembly	03-822-DC
Complete Charger Kit - US	03-850
Battery Charger	03-851
Standard Battery	03-855
Pre-filter (pk 10)	03-890
Spark Arrestor	03-891
HEPA Cartridge/Filter	03-892
PAPR Breathing Tube (for Z-Link°, Z4°, Nova 3° and T-Lir	nk°) 04-831

HX5[™] **PAPR** continued

PAGE 158	PART #
PAPR Breathing Tube (for Z3™)	04-832
Short Breathing Tube for Backpack Assembly	04-841
2" Belt Assembly - Easy Clean	07-765-DC
2" Belt Assembly - FR	07-765-FR
Power Cable - US	09-021
Power Cable - AU/NZ	09-021-AU
Power Cable - EU	09-021-EU
Power Cable - UK	09-021-UK

GX4° GAS MONITOR

PAGE 168	PART#
Aluminum Wall Bracket	08-231
Blank Sensor Case	08-420
Gas Sensor Cartridges - Carbon Monoxide 10ppm	08-420-01
Gas Sensor Cartridges - Carbon Monoxide 5ppm	08-420-02
Gas Sensor Cartridges - Hydrogen Sulfide 10ppm	08-420-03
Gas Sensor Cartridges - Oxygen 19.5% - 23%	08-420-04
Sensor Manifold Tube	08-422
Heavy Duty Field Case	08-424
Mounting Bracket (pair, includes screws)	08-425
Heavy Duty Field Case (includes Battery and Charger)	08-427
Air Supply Hose and One Touch Connector	08-428
Air Supply Hose and One Touch Connector with RZ Fittings	08-428-RZ
M5 Inlet Filter, Sintered Brass	08-429
Power Adapter Pack - US	08-430
Power Adapter Pack - AS/NZ	08-430-AU
Power Adapter Pack - UK	08-430-UK
Power Adapter Pack - EU	08-430-EU
12 Volt Cable with Battery Clips	08-431
Auxiliary Cable 50' with Bare End	08-434
Auxiliary Strobe Light with 50' Cable	08-435
Auxiliary Strobe and Alarm Tower with 50' Cable	08-436
Calibration Adapter	08-450
Calibration Flow Regulator 1.5 SLPM	
(includes 08-450, for Zero Air and CO gas bottles)	08-451
Calibration Flow Regulator 1.5 SLPM	
(includes 08-450, for H ₂ S gas bottles)	08-452
Zero Air (20.9% Oxygen in Nitrogen)	08-460
CO 20ppm (20ppm Carbon Monoxide in Air)	08-461
H₂S 20ppm (20ppm Hydrogen Sulfide in Nitrogen)	08-462
External Flow Regulator	08-470
External Flow Regulator with RZ Fittings	08-470-RZ

GX4° GAS MONITOR continued

PAGE 168	PART #
Power Cable - US	09-021
Power Cable - AU/NZ	09-021-AU
Power Cable - UK	09-021-UK
Power Cable - EU	09-021-EU

RADEX® AIRLINE FILTER

PAGE 180	PART #
1/4" Coupler 3/8" MNPT with RZ Fitting	
(to fit 04-965 Manifold)	03-053-CM-RZ
1/4" Coupler 3/8" FNPT	04-911
3/8" Brass Tee	04-912
3/8″ Brass Cap	04-913
Pressure Regulator	04-914
Pressure Gauge	04-915
Pressure Relief Valve (150 psi)	04-916
3/8" Brass Nipple	04-917
Filter Lid (for 04-900)	04-918
O-Ring (set of 2)	04-919
Bolt, Nut and Washer (set of 4)	04-920
Brass Drain Tap	04-922
Base Mount	04-923
Auto Drain Unit	04-924
Micro Mist Filter 1/2"	04-925
1" x 1/2" Reducing Nipple	04-926
Mainline Pre-filter	04-927
Brass Elbow	04-928
Filter Element (for 04-927)	04-929
Micro Mist Element (for 04-925)	04-930
Auto Drain Assembly (for 04-924)	04-931
Parts Bag for Radex (04-900)	04-932
1/2" NPT Hex Connector	04-952
Six Outlet Upgrade Kit	04-960
Six Outlet Upgrade Kit with RZ Fitting	04-960-RZ
Six Outlet Filter Lid	04-961
Super High Flow Regulator (includes 04-915)	04-962
1/4" Coupler 3/8" MNPT (to fit 04-965 Manifold)	04-964
Six Outlet Manifold	04-965
1" NPT Hex Connector	04-966
1" NPT x 3/4" BSP Bushing	04-967
Ambient Air Pump (one person)	06-100
Replacement Filter Cartridge (generic)	AFC100
Replacement Radex [®] Filter Cartridge	APF3100
Inlet Filter Element	9700-01
Exhaust Filter Element	9700-02
Pressure Relief Valve	9700-03
Pressure Gauge	9700-04

RADEX® AIRLINE FILTER continued

PAGE 180	PART #
Inlet Filter Assembly (includes 9700-01)	9700-08
Exhaust Filter Canister	9700-15
1/2" Hansen Coupler	9700-72AD
•	

AIR SUPPLY

AIR SUPPLY	
PAGE 190	PART#
Quick Release Coupler 1/4" Female Thread	
(CE approved)	03-022-CF
Schrader Coupler to 1/4" NPT Female	03-042-CF
Schrader Plug to 1/4" NPT Female	03-042-PF
Schrader Twist Lock 3/8" MNPT Plug	03-043-PM
15' Recoil Breathing Air Supply Hose	
3/8IN Diameter RPB [®] Standard Coupler	04-412-15
25' Recoil Breathing Air Supply Hose	
3/8IN Diameter RPB [®] Standard Coupler	04-412-25
25' Breathing Air Supply Hose 3/8" Diameter with RZ Fittings	04-352-25-RZ
25' Breathing Air Supply Hose 3/8" Diameter	
(CE approved)	04-322-25
50' Breathing Air Supply Hose 3/8" Diameter	
(CE approved)	04-322-50
100' Breathing Air Supply Hose 3/8" Diameter	
(CE approved)	04-322-100
25' Breathing Air Supply Hose 3/8" Diameter	
with Schrader Fitting	04-342-25
50' Breathing Air Supply Hose 3/8" Diameter	
with Schrader Fitting	04-342-50
25' Breathing Air Supply Hose 3/8" Diameter	
with RZ Fittings	04-352-25-R2
50' Breathing Air Supply Hose 3/8" Diameter	
with RZ Fittings	04-352-50-RZ
100' Breathing Air Supply Hose 3/8" Diameter	
with RZ Fittings	04-352-100-RZ
15' Recoil Breathing Air Supply Hose	04-412
3/8IN Diameter with Schrader Coupler	04-442-15
25' Recoil Breathing Air Supply Hose	
3/8IN Diameter with Schrader Coupler	04-442-25
Quick Release Coupler 1/4" Female Thread	NV2025
100' Breathing Air Supply Hose 3/8" Diameter	
(includes Quick Release Fittings)	NV2027
25' Breathing Air Supply Hose 3/8" Diameter	
(includes Quick Release Fittings)	NV2028
50' Breathing Air Supply Hose 3/8" Diameter	
includes Quick Release Fittings)	NV2029
50' Breathing Air Supply Hose 1/2" Diameter	
(includes Quick Release Fittings*)	NV2035
100' Breathing Air Supply Hose 1/2" Diameter	
(includes Quick Release Fillings*)	NV2036



ISOSOOI CERTIFIED COMPANY

C40™ CLIMATE CONTROL DEVICE

PAGE 198	PART#
1/4" Plug to 1/4" NPT Male Swivel	03-012-PMS
1/4" Safety Plug to 1/4" NPT Male Swivel	03-022-PMS
Schrader Twist Lock MNPT Swivel Plug	03-042-PMS
1/4" Male Thread RZ Coupler Swivel Plug	03-052-PMS-RZ
U Tube Assembly	03-510
Bottom Case	03-514
Top Case Assembly	03-521
Exhaust Assembly	03-522
Silencer Assembly	03-526
Inlet Collar	03-536
Silencers (pair)	03-537
Belt Loop	03-538
Tychem® Cover	04-862
2" Belt with Nylon Buckle	07-765
2" NOMEX [®] Belt with Acetal Buckle	07-765-FR

FLOW CONTROL

PART #	PAGE 204
	Quick Release Tail 1/4" Male Thread
03-012-PM	(previously 4000-06)
	Adapter 1/4" RPB° Plug to 3/8" NPT Male Thread
03-013-PM	(previously 03-111)
03-022-PM	Flow Control Valve (CE approved) (previously NV2016CE)
03-042-PM	DQC SHD-Series Schrader Plug to 1/4" NPT Male
03-052-PM-RZ	Quick Release Tail 1/4" Male Thread with RZ Fitting
03-101	Constant Flow Valve Assembly (NIOSH approved)
03-102	Constant Flow Valve Assembly (CE approved)
03-106	Constant Flow Valve - Low Pressure
03-043-PM	Schrader Twist Lock 3/8 MNPT Plug
4000-01	Cold Air Tube Assembly (NIOSH approved)
	Cold Air Tube Assembly (CE approved,
4000-01CE	includes Temperature Shield and Swivel Connector)
4000-02-GHT	Cold Air Tube Assembly with GHT Threads
4000-03	Top Thread Cap BSP Thread (for 4000-01)
4000-03GHT	Top Thread Cap GHT Thread (for 4000-20)
4000-04	Cold Air Spinner
4000-05B	Cool Air Tube Body
4000-05R	Hot Air Tube Body
4000-07	Breaker
4000-08	Regulator Body
4000-09	Spindle and Knob
4000-10	Locking Screw
4000-11	Regulator Assembly
4000-12	Temperature Shield
4000-13	Hot Air Spinner
4000-14	Flow Reducer
4000-15	Outlet Valve

FLOW CONTROL continued

PAGE 204	PART#
Silencer Disc	4000-16
Silencer Disc - Brass	4000-16B
Retainer Nut	4000-17
Outlet Valve Complete Assembly	4000-18
Outlet Valve (for 4000-40)	4000-38
Hot Air Tube Assembly (NIOSH approved)	4000-20
Hot Air Tube Assembly (CE approved)	4000-20CE
Silenced Cool Air Tube Assembly	4000-40
Flow Control Valve (NIOSH approved)	NV2016
1.5" Nylon Belt	NV2022
Adapter 1/2" Low Pressure Plug to 3/8" NPT Male Thread	NV2034

BLAST SUIT

PAGE 214	PART#
Blast Suit size Small	07-755-S
Blast Suit size Medium	07-755-M
Blast Suit size Large	07-755-L
Blast Suit size XL	07-755-XL
Blast Suit size XXL	07-755-XXL
Blast Suit size XXXL	07-755-XXXL
Blast Suit size XXXXL	07-755-XXXXL

SAFETY ESSENTIALS

PAGE 218	PART#
Head Sock	05-601
Do-Rag	05-613
RPB Leather Gloves	07-701
Knee Pads (pair)	07-761
Quiet-Slim™ Earmuffs	18-524



